


2026/27

EDITION

# PENNSYLVANIA RENTAL GUIDE



HOMEOWNER  
INDUSTRIAL  
CONTRACTOR

## BEST LINE EQUIPMENT

GAS & OIL FIELD  
GOVERNMENT  
SPECIALTY

RENTAL | SALES | SERVICE | PARTS



WWW.BESTLINE.COM | 1-800-679-BEST



# 01

## INTRODUCTIONS

LOCATIONS ..... PGS. 01-02  
 HISTORY ..... PG. 03  
 SAFETY TRAINING ..... PG. 04

# 12

## CONCRETE & MASONRY

MIXERS / BUGGIES ..... PG. 13  
 CONCRETE GRINDERS ..... PG. 13  
 FINISHING EQUIPMENT ..... PG. 13  
 CUTTING EQUIPMENT ..... PG. 14/15  
 CORE BITS ..... PG. 16

# 23

## POWER GENERATION

FACT LIST ..... PG. 24  
 HAND-HELD UNITS ..... PG. 25  
 INDUSTRIAL GENERATORS ..... PG. 25  
 GENERATOR ACCESSORIES ... PG. 27  
 CABLES ..... PG. 27  
 FEEDER PANELS ..... PG. 29

# 05

## AIR COMPRESSORS & AIR TOOLS

PORTABLE / TOWABLE ..... PG. 06  
 HIGH PRESSURE ..... PG. 06  
 ACCESSORIES ..... PG. 06  
 AIR TOOLS ..... PG. 07/08

# 17

## FORKLIFTS

PNEUMATIC / DUAL FUEL ..... PG. 18  
 ELECTRIC ..... PG. 18  
 PALLET TRUCKS ..... PG. 18  
 TELEHANDLERS ..... PG. 19  
 ATTACHMENTS ..... PG. 19

# 30

## PORTABLE HEATING SOLUTIONS

DIRECT-FIRED ..... PG. 31  
 INDIRECT-FIRED ..... PG. 31  
 RADIANT HEATERS ..... PG. 31  
 HYDRONIC HEATERS ..... PG. 31  
 FANS / BLOWERS ..... PG. 32

# 09

## COMPACTION

PLATE COMPACTORS ..... PG. 10  
 TAMPERS / RAMMERS ..... PG. 10  
 SINGLE DRUM ROLLERS ..... PG. 11  
 DOUBLE DRUM ROLLERS ..... PG. 11

# 20

## AERIAL EQUIPMENT

SCISSOR LIFTS ..... PG. 21  
 SINGLE MAN LIFTS ..... PG. 21  
 BOOM LIFTS ..... PG. 22  
 ARTICULATING BOOMS ..... PG. 22

# 33

## LIGHTING

LIGHTING SYSTEMS ..... PG. 34  
 TOWABLE LIGHT TOWERS... PG. 34  
 BALLOON-STYLE LIGHTS .... PG. 34

# 35

## BOBCAT EQUIPMENT

COMPACT EXCAVATORS ..... PG. 36  
SKID STEER LOADERS .....PG. 37  
COMPACT TRACK LOADERS.. PG. 38  
ATTACHMENTS .....PG. 39

# 42

## HEAVY EQUIPMENT

CRAWLER EXCAVATORS .....PG. 43  
BREAKERS.....PG. 45  
WHEEL LOADERS ..... PG. 46  
DUMP TRUCKS..... PG. 48  
DOZERS .....PG. 49

# 50

## PUMPS & HOSES

DRY/WET PRIME ..... PG. 51  
DEWATERING.....PG. 52  
PUMP HOSE.....PG. 52  
COUPLINGS.....PG. 53

# 54

## LAWN & LANDSCAPE

SPREADERS .....PG. 55  
PRE & OVERSEEDERS.....PG. 55  
DETHATCHER.....PG. 55  
ROLLERS .....PG. 55  
AERATORS .....PG. 55  
PRUNERS.....PG. 55  
BRUSH CUTTERS.....PG. 55  
MOWERS .....PG. 55  
BALE MULCHERS.....PG. 55  
CHIPPERS.....PG. 55  
BRUSH CUTTERS.....PG. 56  
SOD CUTTERS .....PG. 56  
EDGERS .....PG. 56  
TRIMMERS.....PG. 56  
TILLERS.....PG. 56  
TRENCHERS .....PG. 56

# 57

## CONTRACTOR & PROJECT EQUIPMENT

WELDING EQUIPMENT.....PG. 58  
DOLLIES / HOISTS / JACKS...PG. 59  
DRILLS / GRINDERS..... PG. 61  
MATERIAL LIFTS .....PG. 59  
PAINTING / CLEANING ..... PG. 60  
POWER TOOLS ..... PG. 61  
TRAFFIC SAFETY .....PG. 62  
SANDBLASTING.....PG. 63  
UTILITY VEHICLES.....PG. 67

# 70

## TRAILERS


UTILITY TRAILERS..... PG. 70  
EQUIPMENT HAULERS..... PG. 70

## ADDITIONAL INFORMATION

DELIVERY SERVICES ..... PG. 02  
MOBILE SERVICES ..... PG. 02  
COSTARS ..... PG. 16  
TIE-DOWN CHART..... PG. 71  
SAFE LOADING POLICY ..... PG. 71  
APPENDIX .....PG. 72  
CREDIT APPLICATION .....PG. 74  
TERMS & CONDITIONS .....PG. 75  
LOCATION MAP ..... BACK COVER

## IMPORTANT INFORMATION

We do our best to make sure to have all the items we offer in this guide. If you do not see the items you are looking for here we more than likely can get it for you. Please contact your nearest location with your requests.



Online Rental Guide:

[BLERENTALGUIDE.COM](http://BLERENTALGUIDE.COM)

**MUNCY**



**Best Line Equipment**

25 Legion Road  
Muncy, PA 17756  
Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 3 p.m.

**570-546-8422**

Bobcat • Bomag • Stihl • Hustler • eXmark  
Honda OPE • Bobcat Portable Power • JLG • Genie • Wacker  
Bri-Mar • Integrity • Billy Goat • Aluma

**TOWANDA**



**Best Line Equipment**

183 Tomahawk Rd.  
Towanda, PA 18848  
Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 3 p.m.

**570-265-4440**

Kubota • Bobcat • Bobcat Portable Power • DEVELON Heavy  
Honda OPE • Wacker • Bomag • Hustler • eXmark • Billy Goat  
Polaris • Wells Cargo • Integrity • Stihl • Aluma • Land Pride • Woods

**STATE COLLEGE**



**Best Line Equipment**

140 Hawbaker Ind. Dr.  
State College, PA 16803  
Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 3 p.m.

**814-237-9050**

Stihl • Hustler • Bobcat • Bobcat Portable Power • Bomag • JLG  
DEVELON Heavy • Genie • Gehl • Honda OPE  
Billy Goat • Wacker • Bri-Mar • Integrity • Aluma • eXmark

**MECHANICSBURG**



**Best Line Equipment**

5120 East Trindle Road  
Mechanicsburg, PA 17050  
Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 3 p.m.

**717-697-1177**

Bobcat • Hustler • Honda OPE • JLG • Genie  
Bobcat Portable Power • Bomag • Wacker  
Bri-Mar • Integrity • Aluma • Stihl

**UNIONTOWN**



**Best Line Equipment**

2266 University Drive  
Lemont Furnace, PA 15456  
Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 12 p.m.

**724-437-1578**

DEVELON Heavy • Stihl • Bomag Compaction • ASV  
Wacker • JLG • Genie • Eager Beaver • Gehl  
Subaru Generators • Bri-Mar • Integrity Trailers

**ALLENTOWN**



**Best Line Equipment**

1315 Hausman Rd  
Allentown, PA 18104  
Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 3 p.m.

**484-223-3814**

Bobcat • Kubota • DEVELON Heavy • Bomag Compaction  
Bri-Mar • Integrity Trailers • Dynapac  
Stihl • Subaru Generators • Wacker • Aluma

**WARMINSTER**



**Best Line Equipment**

900 Louis Drive  
Warminster, PA 18974  
Mon - Fri 7 a.m. - 5 p.m.  
Saturday - 7 a.m. - 12 p.m.

**215-675-3009**

Bobcat • Bomag • Edco  
Tamco • CST • Genie  
STIHL • Honda Power

**HARRISBURG**



**Best Line Equipment**

6700 Allentown Blvd.  
Harrisburg, PA 17112  
Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 12 p.m.

**717-540-7867**

Bobcat • DEVELON Heavy • Hustler • Husqvarna • JLG  
Genie • Bobcat Portable Power • Bri-Mar  
Integrity • Bomag • Subaru Generators & Pumps • Wacker



# LOCATIONS

1-800-679-BEST

## SHIPPENSBURG



### Best Line Equipment

8001 Possum Hollow Rd  
Shippensburg, PA 17257

Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 12 p.m.

**717-530-8400**

Bobcat • DEVELON Heavy • Stihl • Bomag • Hustler  
Wacker • Honda OPE • JLG • Genie • Aluma  
Bobcat Portable Power • Bri-Mar • Dynapac

## SHIPPENSBURG



### Best Line Wholesale

8001 Possum Hollow Rd  
Shippensburg, PA 17257

Call for more information or to make  
an appointment

**717-532-5900**

Wholesale and Refurbishing Center  
Body Shop • Service Bays

## KEYPORT



### Best Line Equipment

275 Clark Street  
Keyport, NJ 07735

Mon - Fri  
7 a.m. - 5 p.m.

**732-334-6225**

DEVELON Heavy

## WEST CHESTER



### Best Line Equipment

515 South Bolmar St.  
West Chester, PA 19382

Mon - Fri 7 a.m. - 5 p.m.  
Sat 7 a.m. - 12 p.m.

**610-241-3633**

Bobcat • DEVELON • JLG • Hustler  
Stihl • Honda OPE

## BENSALEM



### Best Line Equipment

1311 Ford Rd  
Bensalem, PA 19020

Monday - Friday:  
7 a.m. - 5 p.m.

**215-447-0002**

Advance • DEVELON Forklift • Genie  
IPC Eagle • JLG • Karcher • Heli

## JESSUP



### Best Line Equipment

8366 Washington Blvd  
Jessup, MD 20794

Monday - Friday:  
7 a.m. - 5 p.m.

**410-792-4750**

DEVELON • JLG • Genesis  
LaBounty • Crafcro • Etnyre • Fuchs

## PICK UP & DELIVERY

At Best Line Equipment, we know the importance of having equipment on-site and ready to work. That's why we offer pick up and delivery services on most rental and sales items within 500 miles of our stores at competitive rates. Call your local Best Line location for more information.

## MOBILE SERVICE

We offer many service options including scheduled, mobile, fleet, and emergency services at competitive rates. Start getting the longest life and strongest performance with Best Line mobile service. Call today for more information.

ONLINE AT:

**BestLine.com • BestLineBobcat.com • BestLineDevelon.com**





# HISTORY

## BEST LINE

*by the numbers*

**1985**

**YEAR FOUNDED**

**15**

**LOCATIONS**

**100,000+**

**PARTS IN STOCK**

**OVER  
250**

**SERVICE  
TECHNICIANS**

The Best Line Equipment story began in 1985 when Industrial Engineer Michael Houseknecht started a small equipment rental and service company in Muncy, PA. Through hard work and employee dedication, Mr. Houseknecht built a successful 13 location business servicing all of Pennsylvania and portions of 7 surrounding states.

Through our growth, we have been able to service you better. We sell, service, distribute, and rent over 60 major industry manufacturers to give you more quality options. With our sales and service force of more than 400 employees, we are able to promote customer service and service an extensive customer base.

Our goal is to provide our customers with the equipment, rental, sales, and professional service to satisfy their needs quickly and efficiently. With this goal in mind, our highly trained, knowledgeable and reliable employees will work hard to make sure your needs are fulfilled. Give us a try and you'll learn why they call us the BEST.



# WE OFFER SAFETY TRAINING

MEWP & OSHA Aerial Lift and Work Platform Safety Training



## Safety-Training Packages

### PACKAGE 1:

» MEWP Certification ONLY

### PACKAGE 2:

» Industrial Forklift  
or Tele handler Certification

### PACKAGE 3:

» MEWP Certification  
+ Forklift Certification

» To schedule safety training, request pricing or discuss future training needs.



## SAFETY | Explanation of Icons

*It is important that you wear all the manufacturers recommended safety equipment, review all safe operation manuals and decals and observe all safety precautions when utilizing tools and operating equipment. Operator/User assumes all responsibility for the use, care and inspection of PPE (Personal Protective Equipment).*



WEAR HARD HAT



WEAR OVERALLS



WEAR DUST MASK



WEAR GLOVES



WEAR EYE  
PROTECTION



WEAR HEARING  
PROTECTION



WEAR SAFETY  
SHOES



WEAR WELDING  
MASK



WEAR SAFETY  
HARNESS



EMERGENCY SERVICES

**AVAILABLE**

When you need instant solutions, our mobile technicians can get you up and running day or night.

CALL: **1-800-679-2378**

# AIR COMPRESSORS & AIR TOOLS



KEEPS YOU GOING **STRONG**

#### QUICK SPECS:

- 1170 cfm
- 350 psi Rated Pressure
- 17,850 lbs Operating Weight

BOBCAT PA185V



**Bobcat**  
Authorized Dealer

Air compressors are a top priority at Best Line Equipment, and we understand your needs to keep you going strong. Best Line offers compressors small enough to handle roofing guns up to the largest high pressure units. Anything you need in between, Best Line has the options to help you get the job done right. We also offer air tools! From paving breakers and

rock drills to piercing tools and sandblasters, we have it all. With professional rental, sales, and service support, Best Line Equipment continues to be an industry leader.



**Bobcat**

Authorized Dealer

Portable air compressors from Bobcat Portable Power offer superior performance and value for rental customers. Available in a variety of configurations, our compressors are designed to increase both productivity and profits.

**Industry's largest tool storage system**

**High-capacity fuel tanks**

# AIR COMPRESSORS

## PORTABLE

Best Line portable air compressors consist of commercial grade compressors giving maximum job site performance through portability, low profile designs, balanced components, and rubber feet to minimize vibration, Our electric and gas models allow for various environments. Please ask about our numerous air powered hand tools.

CUBIC FEET PER MINUTE	TANK SIZE	POWER TYPE	WEIGHT	PSI
4 CFM.....	4 GAL.....	ELECTRIC.....	60 LBS.....	125PSI
6 CFM.....	6 GAL.....	ELECTRIC.....	69 LBS.....	125PSI
9 CFM.....	8 GAL.....	GAS.....	175 LBS.....	100PSI
17 CFM.....	17 GAL.....	GAS.....	250 LBS.....	125PSI



Towable air compressors are suited for many jobs including; pavement repair or demolition, sandblasting, pneumatic tools, line striping, and general construction. These units include single or tandem axle trailer mounting for towable speeds up to 55 mph.

## TOWABLE

CUBIC FEET PER MINUTE	POWER TYPE	RATED PRESSURE	WEIGHT
160-185 CFM.....	DIESEL.....	125PSI.....	2,130 LBS
375 CFM.....	DIESEL.....	125PSI.....	4,173 LBS
600 CFM.....	DIESEL.....	100PSI.....	5,644 LBS
800 CFM.....	DIESEL.....	125PSI.....	8,400 LBS
915 CFM.....	DIESEL.....	150PSI.....	10,250 LBS
1300 CFM.....	DIESEL.....	150PSI.....	19,900 LBS
1600 CFM.....	DIESEL.....	150PSI.....	17,790 LBS

## HIGH PRESSURE

CUBIC FEET PER MINUTE	POWER TYPE	RATED PRESSURE	WEIGHT
400 CFM.....	DIESEL.....	200PSI.....	4,173 LBS
1170 CFM.....	DIESEL.....	350PSI.....	17,790 LBS

## COMPRESSOR ACCESSORIES



### SAFETY CABLES

- (WHIP CHECKS)
- MADE FROM STEEL CABLE
- MEETS OSHA STANDARDS



### HIGH PRESSURE HOSE

- MANY WIDTHS AND LENGTHS AVAILABLE



### AIR LINE LUBRICATORS

- FULLY ADJUSTABLE

# AIR DRYERS

## MOBILE AIR DRYERS

Best Line dryers range from point-of-use filters and condensate drains to high capacity refrigerated and desiccant dryers. Whether for a large manufacturing plant, a hospital or a small business such as an auto repair shop, our products ensure a constant supply of cool, clean, dry compressed air.



Call for rates and availability | 1-800-679-BEST <sup>(2378)</sup>

**WE ALSO SELL  
AIR PURIFICATION  
SYSTEMS AND AIR DRYER  
PARTS AND ACCESSORIES**



# AIR TOOLS

## PAVING BREAKERS

Air powered light, medium, and heavy duty jackhammers and breakers complement the heavy duty compressors. Air tools require like sized hoses that come with universal couplings.



TYPE	1/2 DAY	DAY	WEEK	4 WEEK
35 LB. CLASS.....	28.00	41.00	115.00	350.00
60 LB. CLASS.....	34.00	45.00	125.00	375.00
90 LB. CLASS.....	34.00	45.00	150.00	375.00
50 LB. ROCK DRILL.....		60.00	180.00	525.00

\* Broken accessories will be charged at the full replacement value.\*

## PAVING BREAKER TOOLS



TYPE	1/2 DAY	DAY	WEEK	4 WEEK
MOIL POINT.....	5.00	8.00	25.00	41.00
1-INCH CHISEL.....	5.00	8.00	25.00	41.00
3-INCH CHISEL.....	5.00	8.00	25.00	41.00
ASPHALT CUTTER.....	5.00	8.00	25.00	41.00
CLAY SPADE.....	5.00	8.00	25.00	41.00

(We also sell all points and accessories for our air tools)

## PIERCING TOOLS



TYPE	DAY	WEEK
3" PNEUMATIC BORING TOOL.....	240.00	730.00

**OTHER AIR TOOL POINTS AND BITS AVAILABLE UPON REQUEST!**

# AIR TOOLS

Our large selection of hydraulic powered rock drills , tools and bits are designed for drilling blast, anchor and rock-splitting holes.

## TAMPERS / ROCK DRILLS



TYPE	DAY	WEEK	4 WEEK
AIR TAMPER.....	39.00	105.00	320.00
RIVET BUSTER.....	60.00	180.00	525.00
RIVET BUSTER POINT .....	5.00	12.00	22.00
RIVET BUSTER CHISEL .....	5.00	12.00	22.00
CHIPPING HAMMER.....	32.00	100.00	235.00
CHIPPING HAMMER CHISEL .....	5.00	17.00	34.00
CHIPPING HAMMER BULL POINT .....	5.00	17.00	34.00
CHIPPING HAMMER WIDE CHISEL .....	5.00	17.00	34.00
CHIPPING HAMMER BUSH TOOL .....	5.00	18.00	36.00
3' ROCK DRILL (STEEL).....	26.00	46.00	115.00
6' ROCK DRILL (STEEL).....	26.00	46.00	115.00
ROCK DRILL BITS.....	25.00	50.00	105.00

## IMPACT WRENCHES / NAILERS



TYPE	1/2 DAY	DAY	WEEK	4 WEEK
AIR STUD NAILER.....	34.00	100.00	220.00	
AIR ROOFING NAILER.....	34.00	100.00	220.00	
MANUAL HARDWOOD FLOOR NAILER .....	34.00	100.00	220.00	
AIR FINISH NAILER.....	34.00	100.00	220.00	
UNDERLAYMENT NAILER.....	34.00	100.00	220.00	
AIR HARDWOOD FLOOR NAILER.....	41.00	160.00	410.00	

## AIR HOSE



TYPE	1/2 DAY	DAY	WEEK	4 WEEK
1/4"-3/8" X 50' AIR HOSE .....	3.00	6.00	18.00	
3/4" X 50' AIR HOSE.....	5.00	18.00	41.00	
1" X 50' AIR HOSE.....	5.00	18.00	41.00	
2" X 50' AIR HOSE.....	39.00	80.00	160.00	

**DON'T FORGET:  
GLOVES**



We offer over 30 performance work glove styles. Our extensive line covers a broad variety of working conditions.

OSHA level certified gloves available upon request.



# COMPACTION



## KEEPS YOU GOING **STRONG**

Best Line Equipment offers the most productive line of compaction equipment in the region. With brands like Bomag, Wacker Neuson, and Dynapac, Best Line can supply you for any job. We have it all – smooth and combination single and double drum rollers, articulating trenchers, place compactors, rammers, and more. Best Line is your solution for any and all compaction needs.

**Dynapac CA255**  
Soil Compactor



**Bomag BW202AD**  
Tandem Vibratory Roller

### QUICK SPECS:

DYNAPAC CC2200

- 1500mm Rolling Width
- Cummins T3i Engine
- 74kW@2,200rpm (99hp)h Rated Power



### ROLLERS



Suitable for the compaction of earthworks and road construction

### PLATE COMPACTORS



Compact granular soils, crushed aggregates and hot mix asphalt in open jobsites of all sizes

### JUMPING JACKS



Backfill around footings and foundations, sub-base and base preparations with ease

### TRENCH COMPACTORS



Trench compactors are suitable for work in confined areas, on difficult to compact soils

## BOMAG



# COMPACTION EQUIPMENT

Vibratory plates are often used on construction sites with confined working locations. The easy transportation of BOMAG plates and their almost maintenance free design ensure high-quality use on soils, granular materials, asphalt and block paving.

## VIBRATORY PLATES



TYPE	WEIGHT	CENT. FORCE	TRAVEL	PLATE SIZE	1/2 DAY	DAY	WEEK	4 WEEKS
<b>PLATE COMPACTOR - ONE DIRECTION</b>								
BOMAG BVP10/36					65.00	95.00	265.00	600.00
BOMAG BVP18/45					65.00	95.00	265.00	600.00
<b>PLATE COMPACTOR - REVERSIBLE PLATE</b>								
BOMAG BPR25/40					85.00	125.00	345.00	870.00
BOMAG BPR35/60	470	7868 LBS.	89 FPM	23"X30"	105.00	150.00	400.00	1010.00
BOMAG BPR45/55	908	10116 LBS.	92 FPM	29"X35"	215.00	215.00	670.00	1910.00
BOMAG BPR 70/70D	1276	15736 LBS.	75 FPM	33"X38"	215.00	215.00	670.00	1910.00



## JUMPING JACK / RAMMERS

TYPE	WEIGHT	CF	FUEL	PLATE SIZE	1/2 DAY	DAY	WEEK	4 WEEKS
WACKER BS50	129	2600	2CYCLE	11"X13"	65.00	95.00	295.00	680.00
BOMAG 60/4	137	3035	4CYCLE	11"X13"	65.00	95.00	295.00	680.00
BOMAG 65/4	150	3642	4CYCLE	11"X13"	65.00	95.00	295.00	680.00

## WHAT TYPE OF **COMPACTION EQUIPMENT** DO I NEED?

CLAY	SILT	SAND	GRAVEL	COBBLES	BOULDERS
					
<b>B#3 Sand and Anti-skid type 1 &amp; 3</b> Heavy & medium size single drum rollers, trench compactors & heavy plates		<b>B#3 Sand/Anti-skid type 1 &amp; 3 #57 or 2b stone</b> Vibratory and tandem rollers, single drum rollers, heavy and medium size plates		<b>#3 or 3A Stone and #1 Stone</b> Heavy single drum rollers, heavy plates	
<b>FINE AGGREGATE</b>		<b>COARSE AGGREGATE</b>		<b>ROCK FILL</b>	

# COMPACTION EQUIPMENT

## ROLLERS

### WALK BEHIND WEIGHT

#### TYPE

#### TOTAL IMPACT FORCE

25" DOUBLE DRUM.....1,410 LBS.....3,086 LBS

### TRENCH ROLLERS STRAIGHT & ARTICULATED

22" REMOTE CONT.....2,900 LBS.....16,000 LBS

32" REMOTE CONT.....2,900 LBS.....18,000 LBS

#### TYPE

#### WEIGHT

#### TOTAL IMPACT FORCE

### RIDE ON STATIC VIBRATORY SINGLE DRUM

47" SINGLE DRUM ROLLER.....3 TON.....15,100 LBS

66" SINGLE DRUM ROLLER.....7 TON.....32,100 LBS

84" SINGLE DRUM ROLLER.....11 TON.....59,300 LBS

#### TYPE

#### WEIGHT

#### TOTAL IMPACT FORCE

### RIDE ON STATIC VIBRATORY DOUBLE DRUM

36" DOUBLE DRUM ROLLER.....3,500 LBS.....3,800 LBS

47" DOUBLE DRUM ROLLER.....5,236 LBS.....6,300 LBS

66" DOUBLE DRUM ROLLER.....19,511 LBS.....18,884 LBS

79" DOUBLE DRUM ROLLER.....25,353 LBS.....28,800 LBS

84" DOUBLE DRUM ROLLER.....28,425 LBS.....41,235 LBS



## DYNAPAC

### Dynapac CA3500

#### Single Drum Vibratory Roller

Dynapac vibratory rollers are used to compact all types of soil with the exception of rockfill and are suitable for most types of road construction, airfields, dam construction, harbor projects and industrial constructions.



#### Double Drum Vibratory Rollers



#### Combi Rollers



#### Pneumatic Rollers



# CONCRETE & MASONRY



## MAKE HARD WORK **EASY**

Concrete work is hard, let Best Line Equipment makes it easy. We carry concrete grinders, mixers, saws, and more. With brands like Stihl, Edco, and others, Best Line has the tools to help get your job done. Come see us about what tools and solutions we have to help you achieve the goals you are looking to accomplish.



### QUICK SPECS:

### CONCRETE GRINDER

- Dual Disc / Gas Powered
- Grind 400' - 500' Per Hour
- 22" Working Width / 1/32" per pass



We provide you with "Rental Tough" products built to withstand daily use and provide reliable performance for concrete applications:

- Mixers / Buggies
- Finishing Equipment
- Grinders
- Tile and Block Saws
- Concrete Saws
- Blades
- Core Bits and More!



# CONCRETE & MASONRY

## CONCRETE MIXERS / BUGGIES



TYPE	MOTOR	SIZE FT <sup>2</sup>	1/2 DAY	DAY	WEEK	4 WEEKS
CONCRETE, PEDESTAL	ELECTRIC	2 1/2	60.00	90.00	280.00	415.00
CONCRETE, TOWABLE	GAS	6	65.00	90.00	285.00	750.00
CONCRETE, TOWABLE	GAS	9	70.00	95.00	295.00	800.00
MORTAR, TOWABLE	GAS	7	60.00	90.00	285.00	750.00
MORTAR, TOWABLE	GAS	9	70.00	95.00	295.00	800.00
POWER BUGGY, RUBBER TIRE	GAS	16	140.00	380.00	900.00	
POWER BUGGY, TRACK	GAS	16	205.00	640.00	1,430.00	
POWER BUGGY, RUBBER TIRE	LP	21	145.00	435.00	1,100.00	

## FINISHING EQUIPMENT



TYPE	MOTOR	SIZE FT <sup>2</sup>	1/2 DAY	DAY	WEEK	4 WEEKS
POWER TROWEL, WALK BEHIND	GAS	36" - INCH	70.00	100.00	250.00	600.00
POWER TROWEL, WALK BEHIND	GAS	48" - INCH	75.00	105.00	265.00	680.00
BULL FLOAT, 3 EXTENSIONS	N/A	36" - INCH	18.00	26.00	55.00	140.00
LIGHT, VIBRATORY SCREED	GAS	UP TO 12- FEET	50.00	75.00	215.00	540.00
CONCRETE VIBRATOR	ELECTRIC	NA	44.00	60.00	170.00	455.00

## CONCRETE GRINDING



TYPE	DAY	WEEK	4 WEEKS
SINGLE HEAD CONCRETE GRINDER (ELECTRIC)*	150.00	425.00	830.00

*\*Includes one set of accessories.*



TYPE	DAY	WEEK	4 WEEKS
DUAL DISC GRINDER (GAS)*	255.00	1,050.00	2,890.00

*\*Includes one set of grinding accessories.*



TYPE	DAY	WEEK	4 WEEKS
CHISEL SCALER	60.00	180.00	435.00
BIG STICK SINGLE BEVEL	3.00	8.00	34.00
BIG STICK SINGLE BEVEL CHISEL	3.00	8.00	34.00
3M MILLED W/ 6" BLADE	8.00	26.00	
MPT CHIPPING POINT	3.00	8.00	34.00

# CONCRETE & MASONRY

## CONCRETE GRINDING



TYPE	DAY	WEEK	4 WEEKS
SCABBLER W/ BIT .....	310.00	1150.00	.....

### EDCO SCABBLERS

- Removes up to 250 sq.ft. per hour at Depth Per Pass of 1/4"
- 1,200 hits per minute surface removal
- Requires only 160 CFM at 100 PSI
- Heavy-duty 1/4" steel frame
- 2" Vacuum Port



TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
SCARIFIER .....	280.00	1,110.00	3890.00	.....
DUST COLLECTOR.....	130.00	375.00	805.00	.....
INDUSTRIAL VAC.....	130.00	375.00	805.00	.....

## CUTTING EQUIPMENT



Best Line offers several models of ceramic, quarry tile, brick and block saws. Features like sliding, cutting tables, angle guides and wet/dry capabilities are accommodating for the precision you require. Table top or stand usage and electronic or gas models provide the selection you need for all jobs.



TYPE	MOTOR	MAX BLADE SIZE	BLADE USE	1/2 DAY	DAY	WEEK	4 WEEKS
CERAMIC TILE SAW .....	ELECTRIC .....	8" - 10", INCLUDES BLADE.....	CERAMIC.....	48.00	70.00	215.00	490.00
BRICK / BLOCK SAW* .....	ELECTRIC .....	14".....	BRICK/BLOCK.....	55.00	75.00	205.00	520.00
BRICK / BLOCK SAW* .....	GAS.....	14".....	BRICK/BLOCK.....	65.00	95.00	265.00	730.00

\*Does not include blade.



Best Line offers a variety of different cutting options. From cut off saws to diamond blade chain saws, our variety allows for standard and unique cuts like: perfect corner cuts, plunge and irregular shape cuts. Air, electric, hydraulic and gas saws will allow for cuts in all environments.

TYPE	MOTOR	MAX BLADE SIZE	BLADE USE	1/2 DAY	DAY	WEEK	4 WEEKS
CUT-OFF SAW* .....	ELECTRIC.....	14" .....	ALL (DRY/GREEN).....	60.00	85.00	250.00	500.00
CUT-OFF SAW* .....	GAS.....	14" .....	ALL.....	60.00	85.00	265.00	630.00
CUT-OFF SAW* .....	GAS.....	16" .....	ALL.....	65.00	95.00	275.00	680.00
CUT 'N BREAK SAW* .....	GAS.....	16" .....	DUAL.....	185.00	520.00	1460.00	.....

# CONCRETE & MASONRY



Our selection of self-propelled street saws are the best heavy duty wet cutting asphalt saws around. The hydrostatic drive systems that are coupled with the saws cutting power and water system allow for maximum performance under tough conditions.



## WALK BEHIND

MOTOR/TYPE	MAX BLADE SIZE	1/2 DAY	DAY	WEEK	4 WEEKS
ELECTRIC WALK BEHIND SAW	14"	65.00	95.00	300.00	750.00
ELECTRIC WALK BEHIND SAW	18"	130.00	130.00	360.00	1090.00
GAS WALK BEHIND SAW	18"	85.00	120.00	340.00	900.00
PROPANE WALK BEHIND SAW	18"	90.00	130.00	360.00	1090.00

\* Blades are rented separately \*

## SELF PROPELLED

MAX BLADE SIZE	MOTOR	1/2 DAY	DAY	WEEK	4 WEEKS
20"	20 HP	125.00	180.00	525.00	1500.00
30"	38 HP	205.00	290.00	850.00	2000.00
36"	61 HP DIESEL	205.00	290.00	850.00	2000.00

\* Blades are rented separately \*

## CORE DRILLS

TYPE	WEIGHT	DIAMETER CAPACITY	1/2 DAY	DAY	WEEK	4 WEEKS
HAND HELD	15 LBS W/OUT BIT	6 "	70.00	105.00	325.00	680.00
VACUUM BASE	140 LBS. W/OUT BIT	12 "	90.00	135.00	355.00	700.00



### DIAMOND 14" TRIPLE XL TURBO 42891 BLADE

Diamond Product 42891 XXL-Turbo specialty Turbo Diamond Blade 14-inch x .125 x 1-inch. It has a serrated turbo segment for the fastest cut. It has an extended blade life with slant segment wear protection and tall segments. It is for use on high speed, small walk behind and masonry saws.

### CONCRETE BLADE CUTTING DEPTH

BLADE SIZE	CUT DEPTH
7"	1-1/2"
8"	2"
12"	3-5/8"
14"	4-5/8"
16"	5-5/8"
18"	6-5/8"
20"	7-5/8"
24"	9-5/8"
26"	10-5/8"
30"	11-3/4"
36"	14-3/4"



BLADES SIZE	DAY	WEEK	4 WEEK
12" DIAMOND BLADE	24.00	90.00	265.00
14" DIAMOND BLADE	30.00	110.00	330.00
16" DIAMOND BLADE	39.00	135.00	415.00
18" DIAMOND BLADE	45.00	160.00	465.00
20" DIAMOND BLADE	50.00	185.00	550.00
24" DIAMOND BLADE	110.00	390.00	1160.00
30" DIAMOND BLADE	120.00	425.00	1280.00
36" DIAMOND BLADE	135.00	485.00	1450.00

\* Diamond Blades Rentals or Purchase. \*

# CONCRETE / MASONRY



## CORE BITS

SIZE	DAY	WEEK	4 WEEKS
1" CORE BIT.....	41.00.....	125.00.....	510.00.....
2" CORE BIT.....	45.00.....	180.00.....	530.00.....
2.5" CORE BIT.....	50.00.....	195.00.....	580.00.....
3" CORE BIT.....	55.00.....	200.00.....	595.00.....
3.5" CORE BIT.....	55.00.....	205.00.....	615.00.....
4" CORE BIT.....	65.00.....	210.00.....	630.00.....
6" CORE BIT.....	80.00.....	355.00.....	1080.00.....
8" CORE BIT.....	105.00.....	400.00.....	1190.00.....
10" CORE BIT.....	195.00.....	755.00.....	2030.00.....
12" CORE BIT.....	255.00.....	985.00.....	2720.00.....



BE SURE TO WEAR PROPER

**EYE | EAR | RESPIRATORY PROTECTION**

WITH ALL CONCRETE & MASONRY EQUIPMENT.



# STATE CONTRACTS

## PENNSYLVANIA'S LARGEST COSTARS™ EQUIPMENT STATE CONTRACT PROVIDER

**COSTARS: 38 RENTAL OPTIONS NOW AVAILABLE!**



MANUFACTURER HELD CONTRACTS:



**Bobcat BOMAG DEVELON**

EMAIL US FOR MORE INFO:

[PAStateSales@bestline.com](mailto:PAStateSales@bestline.com)

# FORKLIFTS



## MAKE HARD WORK **EASY**

Forklifts are an essential part of your day to day operations, but not all are the same. Our line of DEVELON, Lift King, & JLG offer dependable solutions at competitive rates. Whether you need a pallet truck or Industrial forklift for SALE or RENT, to move material onto a roof or remove pallets from the top rack of a shelf in a warehouse, Best Line has the forklift for you application. Our dedicated representatives will work to solve your material handling needs quickly and efficiently.



### QUICK SPECS:

- AC Drive Control
- Increased Comfort
- Intelligent Torque Control (ITC)

### BOBCAT D70 SERIES



**Bobcat**  
Authorized Dealer

### ELECTRIC FUEL

Great for indoor use where clean fuel is a concern.



### PNEUMATIC OR CUSHION TIRE

Availability to meet all your material handling needs.



### PALLET TRUCKS | Manual or Motorized

Great for low lifting applications especially in tough spots.



### ROUGH TERRAIN

Great for difficult terrain where 4WD and high lift heights are needed.



# FORKLIFTS



## INDUSTRIAL

**TIRES:** PNEUMATIC (AIR/SOLID/DUAL/NON-MARKING) **OR** CUSHION (MARKING/NON-MARKING)

BASE CAPACITY	FUEL TYPE	TIRE TYPE	OVERALL MIN. WIDTH	OVERALL HEIGHT	FORK LIFT HEIGHT	OPERATING WEIGHT
4000 lbs	LP	Pneumatic	42.1"	85.4"	187"	6288 lbs
4000 lbs	LP	Cushion	39"	81"	177"	6800 lbs
4000 lbs	Electric	Cushion	44.1"	84"	187"	7654 lbs
5000 lbs	LP/Gas/Diesel	Pneumatic	46.1"	86"	189"	8686 lbs
5000 lbs	LP	Cushion	43.7"	85"	189"	8179 lbs
5000 lbs	Electric	Cushion	43.7"	87"	189"	10445 lbs
6000 lbs	LP/Gas/Diesel	Pneumatic	47.1"	86"	189"	9656 lbs
8000 lbs	LP / Gas	Pneumatic	54"	92"	185"	13275 lbs
10000 lbs	LP/Gas/Diesel	Pneumatic	57.1"	92"	185"	14929 lbs
12000 lbs	LP/Gas/Diesel	Pneumatic	57.1"	92"	180"	16943 lbs
15500 lbs	Diesel	Pneumatic	83"	106"	197"	21567 lbs
20000 lbs	Diesel	Pneumatic	87.8"	135"	161"	28500 lbs
36000 lbs	Diesel	Pneumatic	98"	144"	157"	43500 lbs

*\*Sample dimensions – other dimensions of truck and optional lift heights available and above subject to change.*

### ROUGH TERRAIN: STRAIGHT MAST/4WD/CAB

BASE CAPACITY	FUEL TYPE	TIRE TYPE	OVERALL MIN. WIDTH	OVERALL HEIGHT	FORK LIFT HEIGHT	OPERATING WEIGHT
8000 lbs	Diesel	Pneumatic	84"	125"	264"	16497 lbs
10000 lbs	Diesel	Pneumatic	87.5"	122"	252"	16500 lbs

### PALLET TRUCKS (PEDESTRIAN): MANUAL/MOTORIZED

BASE CAPACITY	FUEL TYPE	FORK DIMENSIONS	OTHER SPECS.	OPERATING WEIGHT
4500 lbs	Motorized/Electric	27"W x 48"H	110 Wall Charger	1368 lbs
5500 lbs	Manual	27" or 20.5"W x 48"H		202 lbs

### AVAILABLE ATTACHMENTS:

- Booms
- Various Fork Lengths
- Fork Extensions
- Sideshift
- Carpet Poles
- Industrial Charges
- Dump Clamps
- Bales Clamps
- Rotating Forks

FOR

**RENT OR SALE** ▶ **Stackers, Reach and Pallet Trucks** – for a variety of applications!

# FORKLIFTS



G6 | G9 | G10 | G12

## JLG TELEHANDLERS

### FEATURES

- Roomier cab for added comfort and to reduce operator fatigue
- All-wheel steering for easy maneuverability
- Full range of attachments for versatility in handling jobsite challenges
- Single joystick control for smooth operation of boom movements
- Power shift transmission provides efficient control



## ROUGH TERRAIN

REACH FORKLIFTS | SHOOTING BOOM FORKLIFTS | TELEHANDLERS

MAX LIFT CAPACITY	MAX LIFT HEIGHT	MAX WEIGHT CAP. @ MAX LIFT HEIGHT	WEIGHT CAPACITY @ MAX REACH	MAX REACH	TYPICAL MODEL	OPERATING WEIGHT
5500 LBS.	UP TO 19'	UP TO 3000 LBS.	UP TO 1850 LBS.	11'	RS519	10000 LBS.
6000 LBS.	UP TO 34'	UP TO 4000 LBS.	UP TO 900 LBS.	23'	RS5	15100 LBS.
6600 LBS.	UP TO 42'	UP TO 6000 LBS.	UP TO 3000 LBS.	28'	RS6	23500 LBS.
7000 LBS.	UP TO 42'	UP TO 7000 LBS.	UP TO 1500 LBS.	28'	VR642	23100 LBS.
8000 LBS.	UP TO 42'	UP TO 7000 LBS.	UP TO 3000 LBS.	28'	RS8	23350 LBS.
8000 LBS.	UP TO 43'	UP TO 8000 LBS.	UP TO 3300 LBS.	28'	VR843	22230 LBS.
9000 LBS.	UP TO 43'	UP TO 7000 LBS.	UP TO 1500 LBS.	30'	G9	25200 LBS.
10000 LBS.	UP TO 56'	UP TO 6000 LBS.	UP TO 3000 LBS.	41'	G10	31528 LBS.
12000 LBS.	UP TO 55'	UP TO 5000 LBS.	UP TO 3000 LBS.	42'	G12	35100 LBS.

## FORKLIFT ATTACHMENTS



### Truss Boom

Place roof trusses with precision and lower into tight spots.

- 10ft and 15 ft versions available
- 2000 lb maximum capacity
- Instant hook available



### Material Handling Buckets

Clean up, spread gravel or rip-rap with a range of material handling buckets.

- 0.75 cu yd at 60 in. wide
- 1.25 cu yd at 74 in. wide
- 1.25 cu yd at 102 in. wide for G-Series



### Forks

Move Pallets, crates, materials and more with ease.

- Many sizes available
- Heavy duty units available
- Accessories and hardware available

# AERIAL EQUIPMENT



## QUICK SPECS:

- 50' 2" Horizontal Outreach
- 59' 8" Max Platform Height
- 11" Ground Clearance

JLG 600SJ



## WHAT YOU NEED TO KNOW

We carry an aerial fleet that includes single-man personnel lifts, scissor lifts, telescopic boom lifts, and articulating (knuckle) boom lifts for spots that aren't easily accessible.

Our gas and diesel aerial work platforms are built to navigate difficult outdoor job site terrain, while our electric and propane aerial lifts easily maneuver through indoor environments with clean, fume-free operation.

Whether you're a service professional doing indoor repairs and maintenance at thirty feet, or a contractor completing a new construction fabrication at 185 feet, we have the aerial lift equipment for rent or for sale to fit your project needs.

- **Articulating Boom Lifts**
- **Scissor Lifts**
- **Rough Terrain Lifts**
- **Straight Boom Lifts**

# SCISSOR LIFTS

## SCISSOR LIFTS

PROVIDE SUPERIOR FLEXIBILITY IN TIGHT QUARTERS

Whether you're looking for electric scissor lifts with longer runtime or engine-powered scissors for rough terrain, we've got the models you need with the capacity and height for the job. Plus, with scheduled maintenance plans and delivery options available, you'll have the peace of mind only found with Best Line Equipment aerial rentals.

**DON'T FORGET:  
SAFETY HARNESES**

OSHA aerial lift regulations require all lift operators to wear fall protection gear. Best Line Equipment carries harnesses and rigging safety gear.

◆◆◆





### ELECTRIC, LEVEL SLAB TYPE

OP. HEIGHT	STOWED HEIGHT	WIDTH	FUEL TYPE	OP. WEIGHT
12' FT.	5' 4" - 5' 5"	30" - 32"	ELECTRIC	1690 LBS - 2130 LBS
15' FT.	6' 4" - 6' 6"	30" - 32"	ELECTRIC	2360 LBS - 2658 LBS
19' FT.	6' 6" - 6' 7"	30" - 32"	ELECTRIC	2600 LBS - 2956 LBS
20' FT.	5' 5" - 6' 7"	32" - 46"	ELECTRIC	3490 LBS - 4324 LBS
26' FT.	5' 5" - 7' 9"	33" - 69"	ELECTRIC	4380 LBS - 6583 LBS
32' FT.	6' 4" - 6' 8"	32" - 46"	ELECTRIC	5185 LBS - 6100 LBS
40' FT.	4' 5" - 5' 9"	47" - 69"	ELECTRIC	7100 LBS - 10720 LBS

\*\* CALL FOR PRICES & AVAILABILITY \*\*

## SINGLE MAN LIFTS

IT'S TIME TO LET GO OF THE LADDER

Now you can focus on the job, not the risk. Single man lifts feature an enclosed carriage and secure platform that can help keep you stable as high as 14 feet. They provide a 360-degree range of motion so you can use both hands to get the job done. And with the single man lifts are lightweight and portable in design, so your next job is never far away.

### PERFECT FOR:

- PAINTING
- LIGHTING
- DRYWALL
- WAREHOUSING
- STOCKING

**Genie**  
GENIE 30S  
AERIAL WORK  
PLATFORM  
SINGLE MAN LIFT



### PUSH-TYPE, SINGLE MAN

PLATFORM HEIGHT	OP. WEIGHT	STOWED HEIGHT	DIMENSIONS
20' FT.	767 LBS.	78"	49" L X 29" W
25' FT.	817 LBS.	78"	52" L X 29" W
30' FT.	940 LBS.	78"	53" L X 29" W
36' FT.	1107 LBS.	110"	55" L X 29" W
41' FT.	1230 LBS.	104"	58" L X 29" W



Best Line carries many types and brands of access equipment including JLG®, Genie and SkyJack®. Plus, Best Line has an array of complementary accessories that increase the versatility and efficiency of these products.

### SELF PROPELLED, SINGLE MAN

PLATFORM HEIGHT	OP. WEIGHT	POWER	DIMENSIONS
15'			
20'	2325 LBS.	BATTERY	52" L X 30" W X 78" H

# SCISSOR LIFTS



## ROUGH TERRAIN

OP. HEIGHT	STOWED HEIGHT	FUEL TYPE	OP. WEIGHT
25' FT. - 27' FT.	6' 5"	GAS, L.P., DIESEL	6550 LBS.
31' FT. - 33' FT.	6' 6"	GAS, L.P., DIESEL	9200 LBS. - 11900 LBS.
43' FT.	5' 10"	GAS, L.P., DIESEL	15300 LBS.
50' FT.	10' 4"	GAS, L.P., DIESEL	17200 LBS. - 18425 LBS.

\*\* CALL FOR PRICES & AVAILABILITY \*\*

# BOOM LIFTS

JLG ULTRA ARTICULATING BOOM




## ARTICULATING

OP. HEIGHT	STOWED HEIGHT	WIDTH	FUEL TYPE	OP. WEIGHT (LBS)
45' FT.	6' 7" - 7' 4"	5' 9" - 7' 4"	GAS, L.P., DIESEL	15520 LBS. - 16000 LBS.
60' FT.	8' 1" - 8' 5"	7' 0" - 8' 0"	GAS, L.P., DIESEL	22900 LBS. - 24200 LBS.
80' FT.	9' 10"	8' 0"	GAS, L.P., DIESEL	33100 LBS.
125' FT.			GAS, L.P., DIESEL	44000 LBS.
150' FT.			GAS, L.P., DIESEL	58100 LBS.

## TELESCOPING STRAIGHT BOOM LIFTS

OP. HEIGHT	STOWED HEIGHT	WIDTH	FUEL TYPE	OPERATING WEIGHT (LBS)
40' FT.	7' 10"	7' 6"	GAS, L.P., DIESEL	12525 LBS.
60' FT.	8' 5"	8' 0"	GAS, L.P., DIESEL	22500 LBS.
65' FT.	9' 0"	8' 0"	GAS, L.P., DIESEL	28400 LBS.
66' FT.	8' 9"	8' 2"	GAS, L.P., DIESEL	27100 LBS.
80' FT.	9' 11"	8' 2"	GAS, L.P., DIESEL	33200 LBS.
86' FT.	10' 0"	8' 2"	GAS, L.P., DIESEL	36350 LBS.
120' FT.	10' 0"	8' 2"	GAS, L.P., DIESEL	43500 LBS.
135' FT.	10' 0"	8' 2"	GAS, L.P., DIESEL	44750 LBS.
150' FT.	10' 0"	8' 2"	GAS, L.P., DIESEL	48000 LBS.



JLG ULTRA TELESCOPIC BOOM

## TOWABLE ARTICULATING BOOM

OP. HEIGHT	STOWED HEIGHT	WIDTH	FUEL TYPE	OP. WEIGHT
50' FT.	78"	65"	ELECTRIC	4600 LBS. - 4800 LBS.

## ARTICULATING ATRIUM BOOM

TYPE	OP. HEIGHT	STOWED HT.	WIDTH	FUEL TYPE	OP. WEIGHT
X770	77' FT.	6'6"	3'9"	ELECTRIC	9,665 LBS.
X500AJ	50' FT.	6'6"	3'	ELECTRIC	5,071 LBS.

## MAST ATRIUM BOOM

TYPE	OP. HEIGHT	STOWED HT.	WIDTH	FUEL TYPE	OP. WEIGHT
T26'E	26' FT.	6'63"	3'9"	ELECTRIC	6,334 LBS.
T32'E	32' FT.	6'5"	3'9"	ELECTRIC	9,340 LBS.

## ELECTRIC ARTICULATING BOOM

OP. HEIGHT	STOWED HEIGHT	WIDTH	OP. WEIGHT
30' FT.	78"	48"	15648 LBS.
40' FT.	78"	67"	12099 LBS.
40' FT.	77"	57"	13100 LBS.
45' FT.	78"	67"	14400 LBS.

# POWER GENERATION



## ANYTHING YOU NEED

Power generation is becoming more of a necessity each year, no matter if you are operating on a big construction project or tailgating at a football game. This is where Best Line comes in. We carry DEVELON generators of all sizes, capable of powering anything your jobsite calls for. For your smaller power needs, we offer Honda units, including quiet series generators. Best Line also offers all of the cables, distribution boxes, and other accessories you need to

get the job done right. Let Best Line Equipment take away the worry of power generation, and see how we can help you get up and running.



**QUICK SPECS:**

- 62.2hp
- Tier 4 Emissions Level
- 50 kVA (40 kW ), 60 Amps

**BOBCAT PG50**



**Bobcat**  
Authorized Dealer

### BEST LINE EQUIPMENT | EMERGENCY SERVICES

Are you in need of fast friendly service? Are you looking to have a piece of equipment delivered? Do you need this in the middle of the night? Best Line has you covered. We offer 24/7 emergency services on all of our products to keep you up and running, any time of the day or night.

Call **1-800-679-BEST (2378)** for this service.



# POWER GENERATION

## FIRST THINGS FIRST. HOW MUCH POWER DO YOU NEED?

### HOUSEHOLD/RV

	START (WATTS)	RUN (WATTS)
<b>AIR CONDITIONER</b>		
WINDOW UNIT, 10,000 BTU.....	2200	1500
RV, 13,500 BTU.....	2800	1800
AUTOMATIC CLOTHES WASHER.....	1200	1200
BOX FAN OR TABLE FAN, 20".....	180	20
<b>CLOTHES DRYER</b>		
ELECTRIC.....	6750	5400
NATURAL GAS.....	2000	720
COFFEE MAKER.....	600	600
DISHWASHER (COOL DRY).....	540	216
ELECTRIC BLANKET.....	150	150
ELECTRIC FRY PAN.....	1500	1500
<b>ELECTRIC RANGE</b>		
6-INCH ELEMENT.....	1200	1200
8-INCH ELEMENT.....	2100	100
<b>FURNACE FAN, GAS OR FUEL OIL</b>		
1 1/8 HORSEPOWER.....	500	300
1 1/6 HORSEPOWER.....	750	500
1 1/4 HORSEPOWER.....	1000	600
1 1/3 HORSEPOWER.....	1400	700
1 1/2 HORSEPOWER.....	2350	875
INCANDESCENT LIGHTS.....	AS INDICATED ON BULB	
<b>MICROWAVE OVEN</b>		
650 WATTS.....	1000	1000
800 WATTS.....	1300	1300
1000 WATTS.....	1500	1500
RADIANT HEATER.....	1300	1300
RADIO.....	50 TO 200	50 TO 200
REFRIGERATOR OR FREEZER (ENERGY STAR).....	200	132-192
<b>SUMP PUMP</b>		
1 1/3 HORSEPOWER.....	1300	800
1 1/2 HORSEPOWER.....	2150	1050
TELEVISION.....	300	300
TOASTER.....	1500	1500
<b>CONTRACTOR</b>		
<b>AIR COMPRESSOR</b>		
1 1/2 HORSEPOWER.....	1600	975
1 HORSEPOWER.....	4500	1600
BENCH GRINDER, 8 INCHES.....	2500	1400
CIRCULAR SAW, HEAVY DUTY, 7 1/4 INCHES.....	2300	1400
<b>CONCRETE VIBRATOR</b>		
1 1/2 HORSEPOWER.....	840 (AVG)	840 (AVG)
1 HORSEPOWER.....	1080 (AVG)	1080 (AVG)
2 HORSEPOWER.....	1560 (AVG)	1560 (AVG)
3 HORSEPOWER.....	2400 (AVG)	2400 (AVG)
DEMOLITION HAMMER.....	1260 (AVG)	1260 (AVG)
DRAIN CLEANER.....	250 (AVG)	250 (AVG)
<b>DRILLS</b>		
3 1/8 INCH, 4 AMPS.....	600	440
1 1/2 INCH, 5.4 AMPS.....	900	600
HAND DRILL, 1 1/2 INCH.....	900	600
ELECTRIC CHAIN SAW, 14 INCHES, 2 HP.....	1100	100
HIGH-PRESSURE WASHER, 1 HORSEPOWER.....	3600	1200
ROTARY HAMMER.....	1200 (AVG)	1200 (AVG)
TABLE SAW, 10 INCHES.....	500	1800

### INDUSTRIAL MOTORS

	START (WATTS)	RUN (WATTS)
<b>CAPACITOR START INDUCTION RUN</b>		
1 1/8 HORSEPOWER.....	850	275
1 1/4 HORSEPOWER.....	1050	400
1 1/3 HORSEPOWER.....	1350	450
1 1/2 HORSEPOWER.....	1800	600
3 1/4 HORSEPOWER.....	2600	850
1 HORSEPOWER.....	3000	1000
1 1/2 HORSEPOWER.....	4200	1600
2 HORSEPOWER.....	5100	2000
3 HORSEPOWER.....	6800	3000
4 HORSEPOWER.....	9800	4800
<b>CAPACITOR START CAPACITOR RUN</b>		
1 1/8 HORSEPOWER.....	600	275
1 1/4 HORSEPOWER.....	850	400
1 1/3 HORSEPOWER.....	975	450
1 1/2 HORSEPOWER.....	1300	600
3 1/4 HORSEPOWER.....	1900	850
1 HORSEPOWER.....	2300	1000
1 1/2 HORSEPOWER.....	3200	1600
2 HORSEPOWER.....	900	2000
3 HORSEPOWER.....	5200	3000
4 HORSEPOWER.....	7500	4800
FAN DUTY, 1 1/4 HORSEPOWER.....	200	650
<b>SPLIT PHASE</b>		
1 1/8 HORSEPOWER.....	1200	275
1 1/4 HORSEPOWER.....	1700	400
1 1/3 HORSEPOWER.....	1950	450
1 1/2 HORSEPOWER.....	2600	600
<b>FARM EQUIPMENT</b>		
<b>BATTERY CHARGER</b>		
15 AMP.....	380	380
60 AMP WITH 250-AMP BOOST.....	1500/5750	1500/5750
100 AMP WITH 300-AMP BOOST.....	2400/7800	2400/7800
ELECTRIC FENCE, 25 MILES.....	250	250
<b>ELECTRIC WELDER</b>		
200 AMP AC.....	9000	9000
230 AMP AC, AT 100 AMP.....	7800	7800
MILK COOLER.....	1800	1100
MILKER (VACUUM PUMP), 2 HORSEPOWER.....	2300	1000
<b>PORTABLE HEATER (KEROSENE, DIESEL FUEL)</b>		
50,000 BTU.....	600	400
90,000 BTU.....	725	500
150,000 BTU.....	1000	625
<b>OFFICE</b>		
DESKTOP COMPUTER.....	600 TO 800	600 TO 800
FAX MACHINE.....	600 TO 800	600 TO 800
LAPTOP COMPUTER.....	200 TO 250	200 TO 250
<b>MONITOR</b>		
CRT STYLE.....	200 TO 250	200 TO 250
LCD STYLE.....	30	30
PRINTER.....	400 TO 600	400 TO 600

**WE RENT EXTENSION CORDS!**


See page 29 for details.

# POWER GENERATION

## NOISE LEVEL COMPARISONS

(in decibels)

**QUIET**



**LOUD**

Our mobile environmental generators are engineered for reliable performance. They are designed to be compact and quiet, while powering a full load in extreme temperature conditions. The fluid containment system offers double-wall protection, keeps fluids from creating environmental hazards, and provides 24-hour minimum run times. These generators also feature AREP technology for best-in-class motor starting capability.

*\*Noise levels at rated load, measured at 9 Feet (3 Meters) from the control panel side of the generator. \*\*LwA is an international noise level measurement that uses a weighed factor to reflect noise "tonality" in addition to the sound power (dBA) level.*

**HONDA**  
GENERATORS



## PORTABLE HAND-HELD UNITS

MAX POWER (WATT)	1/2 DAY	DAY	WEEK	4 WEEKS
1000 WATT (INVERTER)	26.00	42.00	130.00	340.00
2000 WATT (INVERTER)	37.00	55.00	160.00	435.00
3000 WATT (INVERTER)	47.00	70.00	205.00	550.00
4000 WATT (INVERTER)	55.00	75.00	235.00	605.00
7000 WATT (INVERTER)	65.00	90.00	265.00	655.00
4000 WATT	55.00	80.00	190.00	550.00
5000 WATT	55.00	80.00	190.00	550.00
6500 WATT	60.00	85.00	235.00	605.00
7000 WATT	100.00	100.00	315.00	790.00
10000 WATT	100.00	100.00	315.00	790.00



## INDUSTRIAL UNITS

POWER (@ PF .8)	RUN TIME (@ 100% LOAD)	SOUND LVL.	WEIGHT (LBS.)	FUEL CAP.	DAY	WEEK	4 WEEKS
25 KVA / 20 KW	21 HRS.	66 DB	2588	40 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
40 KVA / 32 KW	20.5	66 DB	3508	47 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
60 KVA / 48 KW	27 HRS.	67 DB	4658	103 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
70 KVA / 56 KW	21 HRS.	68 DB	4378	92 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
80 KVA / 64 KW	20 HRS.	67 DB	4558	103 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
90 KVA / 72 KW	16.5 HRS	70 DB	5210	196 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
125 KVA / 100 KW	19 HRS.	68 DB	5632	144 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
145 KVA / 116 KW	27.2 HRS	70 DB	5442	229 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES
150 KVA / 120 KW	26.2 HRS	68 DB	5072	220 GAL	CALL FOR RATES	CALL FOR RATES	CALL FOR RATES

\* Up to 1500KW Available \*

# POWER GENERATION

## ALTERNATING CURRENT REFERENCE CHARTS

FULL-LOAD CURRENT IN AMPERES - ALTERNATING CURRENT (AC) MOTORS

	Single Phase Motors		Three-Phase Induction Type				Three-Phase synchronous		
	115V	230V	208V	230V	460V	575V	230V	460V	575V
1/6	4.4	2.2							
1/4	5.8	2.9							
1/3	7.2	3.6							
1/2	9.8	4.9	2.4	2.2	1.1	0.9			
3/4	13.8	6.9	3.5	3.2	1.6	1.3			
1	16.0	8.0	4.6	4.2	2.1	1.7			
1-1/2	20.0	10.0	6.6	6.0	3.0	2.4			
2	24.0	12.0	7.5	6.8	3.4	2.7			
3	34.0	17.0	10.6	9.6	4.8	3.9			
5	56.0	28.0	16.7	15.2	7.6	6.1			
7-1/2	80.0	40.0	24.2	22.0	11.0	9.0			
10	100.0	50.0	30.8	28.0	14.0	11.0			
15			46.2	42.0	21.0	17.0			
20			59.4	54.0	27.0	22.0			
25			74.8	68.0	34.0	27.0	53.0	26.0	21.0
30			88.0	80.0	40.0	32.0	63.0	32.0	26.0
40			114.0	104.0	52.0	41.0	83.0	41.0	33.0
50			143.0	130.0	65.0	52.0	104.0	52.0	42.0
60			169.0	154.0	77.0	62.0	123.0	61.0	49.0
75			211.0	192.0	96.0	77.0	155.0	78.0	62.0
100			273.0	248.0	124.0	99.0	202.0	101.0	81.0
125			343.0	312.0	156.0	125.0	253.0	126.0	101.0
150			396.0	360.0	180.0	144.0	302.0	151.0	121.0
200			528.0	480.0	240.0	192.0	400.0	201.0	161.0
250					302.0	242.0			
300					361.0	289.0			
350					414.0	336.0			
400					477.0	382.0			
450					515.0	412.0			
500					590.0	472.0			

\*\*Above chart designed for finding full-load current in amperes of common types of electrical motors with various horsepower and voltage ratings.

**SINGLE PHASE** kW =  $\frac{\text{Volts} \times \text{Amps} \times \text{PF}^*}{1000}$

**THREE PHASE** kW =  $\frac{\text{Volts} \times \text{Amps} \times \text{PF}^* \times 1.73}{1000}$

\*use 0.8 power factor unless otherwise indicated

## ALTERNATING CURRENT

To Find:	Single-Phase	Three-Phase	Direct Current
AMPERES, WHEN MOTOR HP IS UNKNOWN	$\frac{\text{HP} \times .746}{\text{E} \times \text{EFF} \times \text{PF}}$	$\frac{\text{HP} \times .746}{\text{E} \times \text{EFF} \times \text{PF} \times 1.73}$	
AMPERES, WHEN KW IS KNOWN	$\frac{\text{kW} \times 1000}{\text{E} \times \text{PF}}$	$\frac{\text{kW} \times 1000}{\text{E} \times \text{PF} \times 1.73}$	$\frac{\text{kW} \times 1000}{\text{V}}$
AMPERES, WHEN KVA IS KNOWN	$\frac{\text{kVA} \times 1000}{\text{E}}$	$\frac{\text{kVA} \times 1000}{\text{E} \times 1.73}$	
	$\frac{\text{E} \times \text{I} \times \text{PF}}{1000}$	$\frac{\text{E} \times \text{I} \times \text{PF} \times 1.73}{1000}$	$\frac{\text{V} \times \text{I}}{1000}$
KW INPUT, WHEN MOTOR HP IS KNOWN	$\frac{\text{HP} \times .746}{\text{EFF}}$	$\frac{\text{HP} \times .746}{\text{EFF}}$	$\frac{\text{HP} \times .746}{\text{EFF}}$
KILOVOLT-AMPERES (KVA)	$\frac{\text{E} \times \text{I}}{1000}$	$\frac{\text{E} \times \text{I} \times 1.73}{1000}$	
HORSEPOWER (HP)	$\frac{\text{E} \times \text{I} \times \text{EFF} \times \text{PF}}{746}$	$\frac{\text{E} \times \text{I} \times \text{EFF} \times \text{PF} \times 1.73}{746}$	
AMPERES, WHEN MOTOR HP IS KNOWN	$\frac{\text{HP} \times .746}{\text{V} \times \text{EFF} \times \text{PF}}$	$\frac{\text{HP} \times .746}{\text{V} \times \text{EFF} \times \text{PF} \times 1.73}$	
REACTIVE KVA (KVAR)	$\frac{\text{V} \times \text{I} \times \sqrt{1 - (\text{PF})^2}}{1000}$	$\frac{1.732 \times \text{V} \times \text{I} \times \sqrt{1 - (\text{PF})^2}}{1000}$	

Electrical Table Abbreviations: V=Voltage in volts • I=Current in amperes • HP=Horsepower • EFF=Efficiency Factor • PF=Power Factor

# POWER GENERATION

## GENERATOR ACCESSORIES


CABLE	SIZE	LENGTH	CAP.	WEIGHT
CAM (FM)	2/0	10'	600V/200A	
CAM (M)	2/0	10'	600V/200A	
CAM-LOK (FM) TAILS	4/0	10'	600V/400A	11 LBS.
CAM-LOK (M) TAILS	4/0	10'	600V/400A	11 LBS.
TWIS-LOCK (FM)				
TWIS-LOCK (M)				
PIN & SLEEVE (FM)	2/5	10'	600V/100A	20 LBS.
PIN & SLEEVE (M)	2/5	10'	600V/100A	20 LBS.
TWIST-LOCK (FM)	6/4	10'	600V/60A	6 LBS.
TWIST-LOCK (M)	6/4	10'	600V/60A	6 LBS.
QUAD STRING (FM)	10/5	10'	600V/25A	5 LBS.
QUAD STRING (M)	10/5	10'	600V/25A	5 LBS.
APPLETON PLUG	2/4	10'	100V/600A	20 LBS.
SINGLE CONDUCTOR	2/0	50'	600V/200A	38 LBS
SINGLE CONDUCTOR	4/0	100'	600V/200A	75 LBS
SINGLE CONDUCTOR	4/0	50'	600V/400A	55 LBS
SINGLE CONDUCTOR	4/0	100'	600V/400A	108 LBS




### "TYPE SC" ENTERTAINMENT / STAGE & LIGHTING CABLE



### "TYPE W" PORTABLE POWER CABLE




### "TYPE W" MULTI CONDUCTOR



### QUADBOX DISTRIBUTION STRING 2x8 TRIPLE PHASE INPUT, 110V SINGLE PHASE OUTPUT

3 QUADS PER LINE	DAY	WEEK	4 WEEKS
10' SPACING	17.00	34.00	100.00
20' SPACING	27.00	55.00	170.00



### QUADBOX 10/5 EXTENSION CORD | TRIPLE-PHASE IN, TRIPLE-PHASE OUT

DESCRIPTION	MODEL#	WEIGHT	CABLE	CAPACITY
30' EXTENSION	QEX30	17 LBS	10/5	20A/208Y, 3Ø
50' EXTENSION	QEX50	25 LBS.	10/5	20A/208Y, 3Ø
100' EXTENSION	QEX100	5 LBS.	10/5	20A/208Y, 3Ø



These units are designed to be used as an extension cable from a 20 Amp 208 VAC 3Ø power source with a NEMA L21-20R receptacle. Each cable is equipped with a built in strap for coiling and storage.

### SPIDER BOX CABLES - 1ØIN, 1ØOUT

DESCRIPTION	MODEL#	WEIGHT	CABLE	CAPACITY
25' EXTENSION	PC50C	17 LBS	6/4	600V/50A
50' EXTENSION	PC50A	45 LBS.	6/4	600V/50A
100' EXTENSION	PC50B	65 LBS.	6/4	600V/50A



Four conductor cables, equipped with California plugs. Used for supplying 50-Amp 250V single phase power to spider boxes.

# POWER GENERATION

## THREE PHASE SPLITTER

DESCRIPTION	DAY	WEEK	MONTH
THREE PHASE SPLITTER	3.00	6.00	20.00

<b>400A / 600V</b>	<b>400A / 600V</b>
<b>3FER</b> Male/Female/ Female/Female	<b>TAPPING T</b> male/female/female

**WE SELL TYPE W BARE CABLE**



Available by the foot



## 200 AMP AUTOMATIC TRANSFER SWITCH

**AT BEST LINE EQUIPMENT, WE CARRY A FULL LINE OF TRANSFER SWITCHES, TRANSFER CABLES AND ACCESSORIES.**  
- See page 27 -

SPECIFICATIONS	
UL 1008 STANDARD FOR SAFETY	
Current Rating	200 Amps
Voltage Rating	400 VAC
Dimensions	48" X 30" X 12" (1219 X 762 X 305 mm)
Weight	232 lbs. (105 kg)

The 200 amp automatic transfer switch provides power to where you need it most. The switch manages the load of your equipment and is secured to a stout frame/pedestal.

All of our weather resistant transfer switches are NEMA 3R rated for maximum protection against the elements and will arrive organized with instructions and black crates.

## DISTRIBUTION PANELS

### ABOUT DISTRIBUTION PANELS



A distribution panel (also known as panel board, distribution board or breaker panel) is a component of an electricity supply system which divides an electrical power feed into subsidiary circuits, while providing a protective fuse or circuit breaker for each circuit in a common enclosure.

Normally, a main switch, and in recent boards, one or more residual-current devices (RCD) or residual current breakers with overcurrent protection (RCBO), are also incorporated.

### MULTI-VOLTAGE SENSING VOLTAGE

The transfer switch provides multi-voltage selection and you may use it with the following source voltages:

- 240 volts, Single phase
- 240 volts, 3-phase
- 208 volts, 3-phase
- 416 volts, 3-phase
- 480 volts, 3phase



**200 AMP DUAL VOLTAGE BREAKER/DISCONNECT**

• • •  
Output: Hardwire  
Input: 200 Amp Posi Loc

**400 AMP DUAL VOLTAGE BREAKER/DISCONNECT**

• • •  
Output: Hardwire  
Input: 400 Amp Posi Loc

Don't see the power component you need? Contact your local Best Line Equipment representative for additional power solutions.

# POWER GENERATION

## FEEDER PANELS


### 100 AMP QUAD BOX FEEDER PANELS

- Power light, and main circuit breakers
- OSHA Safety Red
- Pneumatic tires
- Center lifting points
- NEMA type 3 polycarbonate enclosures
- Multiple outputs:  
208V 3Ø, 208V 1Ø,  
250V 1Ø, and 120V 1Ø outlets



Best Line's distribution panels are available in several sizes 50 Amp through 400 Amp (240V single phase or 208V 3-phase) and configurations that feature a high quality selection of input and output devices. Standard features include steel stackable mounting stand with a durable powder coat finish (OSHA Safety Red) with pneumatic tires, wheels, handles and a center point lifting bracket for complete mobility.

These panels are built and rated as "NEMA Type 3R Weatherproof for Outdoor Use", however, they can be configured for a "NEMA Type 1 Indoor Use Only" upon request. To meet special requirements or applications custom configurations are available.




### ORGANIZED AND READY TO WORK!

*Production equipment will arrive organized with instructions in black crates.*

Model	Description	Power Input	Power Outlets	GFCI	Size	Weight
P-1001-Q	100-amp Quad Box Feeder Panel	100-amp, 208V 3Ø	(4) 20-amp, 208V 3Ø (1) 20-amp, 120V 1Ø (1) 50-amp, 250V 1Ø	Yes	20" x 10" x 48.5"	92 lbs.
P-1002-D/G1	100-amp Duplex Panel	100-amp, 208V 3Ø	(16) 20-amp, 120V 1Ø	Yes	20" x 10" x 48.5"	126 lbs.
P-2001-Q	200-amp Quad Box Feeder Panel	200-amp, 208V 3Ø	(10) 20-amp, 120V 3Ø	No	20" x 10" x 48.5"	130 lbs.
P-2003-T	200-amp Splitter Panel	200-amp, 208V 3Ø	(6) 50-amp, 125/250V 1Ø	No	26" x 10" x 48.5"	97 lbs.
P-4003-T	400-amp Splitter Panel	400-amp, 208V 3Ø	(10) 50-amp, 250V 1Ø	No	26" x 10" x 48.5"	130 lbs.
P-4001-PS	400-amp Pin&Sleeve Splitter Panel	400-amp, 208V 3Ø	(4) 100-amp, 208V 3Ø	No	26" x 10" x 48.5"	142 lbs.
P-4001-C	400-amp Cam Type Splitter Panel	400-amp, 208V 3Ø	(4) 100-amp, 208V 3Ø	No	26" x 10" x 48.5"	194 lbs.

\*200-amp also available



Load(Amps)	Extension Cord Gauge Guide (Min. Gauge)	
	0-100ft	100-150ft
2	20	18
4	16	16
6	16	14
8	14	12
10	12	12
20	10	8
30	8	6
40	6	4
50	4	2

### Cable Ramps

Built to withstand constant, high speed, heavy traffic from trucks, buses and other vehicles.



### Reserve Fuel Tanks

Store diesel fuel for generators on location during special events. Each tank is mounted on skids.



# PORTABLE HEATING SOLUTIONS



## PORTABLE HEAT **DONE RIGHT**

Best Line Equipment is an industry leader when it comes to portable heating solutions. Whether you are trying to heat a worksite for employees, or trying to thaw the ground in the winter months, Best Line has the equipment to help you get the job done. We carry Allmand, Quest, Heat Star, and others to provide you with options to meet all heating needs. Look through this section to see what heaters best fit your application, or give our experts a call to help get the equipment you need. Best Line Equipment is the only company you will ever need when it comes to your heating needs.



**QUICK SPECS:** ALLMAND MAXI HEAT

- 60 Hz Generator
- IDF 500 indirect-fired heaters
- Caterpillar C1.5 liquid-cooled diesel engine



### TYPES OF **PORTABLE HEAT**



#### HYDRONIC/GLYCOL GROUND HEATERS

Hydronic ground heaters are designed to quickly thaw frozen ground.

#### AIR HEATERS : DIRECT-FIRED AIR HEAT

A Direct Gas-Fired Air Heating System may be used in an industrial or commercial application.

#### AIR HEATERS : INDIRECT-FIRED AIR HEAT

Best Line's complete line of air heaters brings clean, dry air to where you need it on the job site.

#### AIR HEATERS : FLAMELESS HEATERS

Flameless heaters generate heat so the flame is completely isolated from surrounding jobsite or work area.

#### DEHUMIDIFIERS : AIR HEATERS : AIR MOVERS

These products create the ideal environment with dry, hot air to remove excess moisture and help prevent the growth of mold and bacteria.

# HEATING SOLUTIONS

## DIRECT-FIRED AIR HEATERS



BTUS	FUEL	TANK CAP.	RUN TIME	DAY	WEEK	4 WEEKS
400,000	DIESEL	42 GALLONS	8 HOURS		CALL FOR RATES	
600,000	DIESEL	42 GALLONS	8 HOURS		CALL FOR RATES	

\*\* Remote thermostat available \*\*



## INDIRECT-FIRED AIR HEATERS

TYPE	BTUS	FUEL	TANK CAP.	RUN TIME	4 WEEKS
LB WHITE TENT HEATER	170,000 - 350,000	PROP./NAT. GAS	N/A	N/A	CALL FOR RATES
FROST FIGHTER	420,000	OIL	42 GAL	8 HRS	CALL FOR RATES
MAXI HEAT	1,000,000	DIESEL	191 GAL	31 HRS	CALL FOR RATES
FLAMELESS HEATER	686,000	DIESEL	100 GAL	20 HRS	CALL FOR RATES

\*\* Remote thermostat available \*\*



**GROUND & CONCRETE THAWING & CURING SYSTEMS**

## TEMPORARY HYDRONIC HEATING SYSTEMS (GROUND THAW)

BTUS	FUEL	TANK CAP.	RUN TIME	WEEK	4 WEEKS
308,000	DIESEL	140 GALLONS	58.3 HOURS		CALL FOR RATES

Six 5/8" x 500' ground thaw hose loops. (4,500 sq. ft. coverage at 18" spacings)

Thaw up to 9,000sq ft. or cure up to 12,000 sq ft. of surface area!



# PORTABLE HEATING SOLUTIONS

## HEATERS

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
100K BTU RADIANT HEATER, KEROSENE	38.00	50.00	140.00	400.00
HEATER, ELECTRIC, 3PH, 240V 50K BTU		34.00	85.00	255.00
50K-100K BTU KEROSENE HEATER	23.00	34.00	95.00	235.00
100K-150K BTU KEROSENE HEATER	24.00	36.00	100.00	245.00
150K-200K BTU KEROSENE HEATER	28.00	41.00	110.00	305.00
300K-600K BTU KEROSENE HEATER	55.00	80.00	230.00	610.00
50K-125K BTU PROPANE HEATER	23.00	34.00	95.00	205.00
150K-175K BTU PROPANE HEATER	28.00	41.00	110.00	255.00
250K-400K BTU PROPANE HEATER	38.00	50.00	150.00	340.00
200K BTU CONVECTION HEATER	24.00	32.00	80.00	195.00

# HEATING SOLUTIONS

## JOB SITE BTU CALCULATOR

The following formula is used to determine the BTUs needed to heat a building. This calculation would be for an average uninsulated building. Add more BTU's if the building will have a great deal of heat loss from open windows and doors. Reduce the BTU's if the building is well insulated and weather tight.

**Cubic feet to be heated\* X .133 X desired temperature rise\*\* = BTU's/hour**

**Example:** A concrete block building 50 feet wide by 200 feet long with 20 feet from floor to ceiling. All window and door openings are temporarily covered with plastic. The outside temperature is 15° and we want the inside temperature to be 55°.

**Cubic feet** = 50 x 200 x 20 = 200,000 cubic feet  
**Temperature rise** = 55°-15° = 40°  
**BTU's needed:** 200,000 x .133 x 40 = 1,064,000 BTU's per hour  
**Heaters Recommended:** Four 250,000 BTU convection heaters or three 375,000 BTU forced air heaters to heat this job.

### BTU SIZING

$$\frac{\text{Cubic ft.}}{\text{Temperature rise}} \times (.133) \times \text{Cubic ft.} = \text{BTU's needed}$$

### HEATERS NEEDED

$$\frac{\text{BTU's needed}}{\text{BTU output of heater}} = \text{Number of heaters needed}$$

### FUEL LOAD - GALLONS PER DAY

$$\frac{\text{Number of heaters} \times \text{BTU output of heaters}}{\text{Number of hours} \div 91,000} = \text{Gallons of LP}$$

### FUEL LOAD - POUNDS PER DAY

$$\frac{\text{Number of heaters} \times \text{BTU output of heaters}}{\text{Number of hours} \div 21,000} = \text{lbs. of LP gas}$$



### PORTABLE - AIRPAC

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
------	---------	-----	------	---------

\*\* Small, Medium, and Large units available • Call for rates and availability • Will provide exact calculations for your needs \*\*

### BLOWERS

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
MANHOLE BLOWER, ELECTRIC 8".....	32.00	110.00	270.00	
DUCT HOSE, 8" X 20".....	18.00	46.00	105.00	

### FANS

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
36"/38" BARREL FAN.....	29.00	42.00	110.00	215.00
30" PEDESTAL FAN.....	25.00	70.00	200.00	

# PORTABLE LIGHTING SOLUTIONS



## WE HAVE YOU **COVERED**

Working late? Don't find yourself in the dark. Best Line Equipment has all your lighting needs covered. With our extensive lineup of Towable light towers, we can light your jobsite up like the sun never went down. Best Line carries DEVELON light towers and balloon lights, dependable in all applications. We offer balloon lights with stands to satisfy your low level light needs. Our factory trained technicians and after hours emergency service will keep your productivity high, and your downtime to a minimum. Our light towers also have generator capabilities, depending on the size of the tower. Let Best Line provide you with lighting solutions the next time you need to work in the dark!

### QUICK SPECS:

- Four 1,000-watt Halide Lamps
- Auto Shut Down
- Tier 4 Engine

BOBCAT L7



**Bobcat**  
Authorized Dealer



# PORTABLE LIGHTING

## LIGHTING SYSTEMS

MODEL	LAMPS	RUN TIME
LSC	(1) 120V 15 A DUPLEX	55 HRS (4 LIGHTS)

Light towers from DEVELON Portable Power are built with the professional-grade reliability and durability you require. Our light towers feature dependable engines, a brighter, larger coverage area, and protective reflector housings with tempered glass. If your workday doesn't end, or if your event heats up after the sun goes down, then you need to put the power of our light towers to work for you.

### COMMON LIGHTING APPLICATIONS

- Road construction
- Security
- Jobsite lighting/power
- Special events
- Emergency response
- General construction
- Parking areas
- Disaster relief
- Airports
- Mining
- 360° Glare-free lighting



BALLOON LIGHTS



TOWABLE LIGHTS



TYPE	POWER (LIGHTING)	WORKING HEIGHT	WEIGHT (LBS.)	FUEL CAPACITY	DAY	WEEK	4 WEEKS
STAND TYPE	1000 WATT			N/A	53.00	180.00	380.00
BALLOON TYPE	2000 WATT	UP TO 24' FT		N/A	90.00	200.00	400.00
TOWABLE TOWER	4000 WATT	UP TO 30' FT		27 GAL	115.00	245.00	580.00
IR LIGHTSOURCE	4000 WATT	** CALL FOR RATES AND AVAILABILITY **					

DEVELON PORTABLE LIGHTING FEATURES:

- Able to withstand 65-mph winds with outriggers extended and jacks down
- Heavy-duty axle, wide track and low center of gravity provides trouble-free towing on road or off
- Automatic protective shutdowns for high engine coolant temperature and low engine oil pressure
- Fully galvanized steel tower for rust resistance and enhanced corrosion protection
- Telescoping mast with 360° rotation and position lock extends from 12' -30' with dual, hand-operated winches and automatic safety brake
- Standard 1,000-watt metal halide lamps in cast aluminum housings for added durability
- Weather-resistant connections for attaching floodlights
- Illuminate up to 7 1/2 acres (7 football fields)
- Large fuel tanks allow up to 60 hrs. of continuous light

# BOBCAT EQUIPMENT



#### QUICK SPECS:

BOBCAT 630 M-SERIES

- Tier 4 Diesel Engine
- 45.3" Wheelbase
- 2180 lbs. Operating Capacity



THE BEST FOR **40 YEARS**

Best Line Equipment has been a Bobcat dealer for over 30 years, and has grown to be one of the largest dealers in the northeast. With its 9 Bobcat dealerships, Best Line can service all of your compact construction equipment needs. From skid steers and excavators to attachments

and utility vehicles, Best Line has it all. With our wide range of equipment, Best Line also offers an extensive parts network and factory trained technicians that can get you back up and running fast. Best Line Equipment is your one stop shop for everything Bobcat.

The Most Complete Line of **Bobcat Equipment** In the Region



COMPACT TRACK  
LOADERS



SKID-STEER  
LOADERS



COMPACT  
EXCAVATORS



MINI TRACK  
LOADERS



TOOLCAT  
WORK MACHINES



UTILITY  
VEHICLES

# COMPACT EXCAVATORS

## CONVENTIONAL HOUSE EXCAVATORS



MODEL	DIG DEPTH	WEIGHT	REACH
BOBCAT 324.....	.89"	.3655 LBS.....	.154"
BOBCAT 324 W/SCRUBBER.....	.89"	.3655 LBS.....	.154"
BOBCAT E32.....	120.3"	.7183 LBS.....	.192.3"
BOBCAT E42.....	120.9"	.10077 LBS.....	.216.8"
BOBCAT E50/E55.....	144.8"	.12478 LBS.....	.240"

## CONVENTIONAL HOUSE EXCAVATORS



MODEL	DIG DEPTH	WEIGHT	REACH
BOBCAT E60.....	163.2"	.13556 LBS.....	.255.6"
BOBCAT E85.....	180.6"	.18689 LBS.....	.294"

## ZERO (TAIL OR HOUSE) SWING EXCAVATORS



MODEL	DIG DEPTH	WEIGHT	REACH
BOBCAT E10/418.....	.72"	.2593 LBS.....	.122"
BOBCAT E20.....	.102"	.4306 LBS.....	.168"
BOBCAT E26.....	.102"	.5666 LBS.....	.178.8"
BOBCAT E45.....	129.6"	.10077 LBS.....	.223.2"

## COMPACT / MID-SIZE EXCAVATOR ATTACHMENTS

TYPE	SPECS
AUGER.....	.....
GRADING BUCKET.....	.....
ROTATING GRAPPLE.....	.....
HYDRAULIC BREAKER (680, 880, 980).....	.494 LBS
HYDRAULIC BREAKER (1180).....	.876 LBS
HYDRAULIC BREAKER (2380).....	.700 LBS
ANGLE BUCKET (3&4).....	.285 LBS
COMPACTOR/ PLATE TAMPER (PCF 34).....	.600 LBS
COMPACTOR/ PLATE TAMPER (PCF 64).....	.600 LBS
RIPPER TOOTH.....	.195 LBS
HYD CLAMP E26/425.....	.....
HYD CLAMP E32/E35.....	.....
HYD CLAMP E50/E55.....	.....
HYD CLAMP E80/E85.....	.....

### CONVENTIONAL HOUSE OR ZERO HOUSE SWING:

There are many things to consider when choosing an excavator. A zero tail swing (ZTS) or Zero House Swing (ZHS) excavator gives you more unrestricted rotation and provides greater flexibility if you are constantly working close to objects, or against a wall. Generally speaking, zero tail swing excavators are a little wider than a conventional swing excavator. If your biggest obstacle is gaining access, like squeezing your way into a gate, or maneuvering into a crowded backyard, a conventional compact excavator can take you there.

**THINK BEFORE YOU DIG.**

SMART DIGGING  
MEANS CALLING  
811 BEFORE  
EACH JOB.



# SKID-STEER LOADERS



## M-SERIES MODEL

### CONVERSION GUIDE

The 500 frame size M-series loader model numbers, like the other M-series loaders, are aligned with the size and performance of the loader which take into account Horsepower, Tip Load, Machine Weight and some loader dimensions. This is different from the K-series loaders where the model numbers were aligned only with the ROC of the loader.


This change most notably affects the S160 & S175 and their respective M-series replacements. For example, the S160 will be replaced by the S550 while the S175 will be replaced by the S530.



BOBCAT S150



BOBCAT S510



### SKID-STEER LOADERS

BOBCAT S130.....	BOBCAT S450
BOBCAT S150.....	BOBCAT S510
BOBCAT S175.....	BOBCAT S530
BOBCAT S160.....	BOBCAT S550
BOBCAT S185.....	BOBCAT S570
BOBCAT S205.....	BOBCAT S590
BOBCAT S250.....	BOBCAT S650
BOBCAT S300.....	BOBCAT S750
BOBCAT S330.....	BOBCAT S770

#### WHEELED LOADER TYPES:

**Skid-Steer Loader:** Choice of lift arm designs, wheel base, and sizes, excellent reach and lift.

**Compact Track Loader:** Low ground pressure, increased push force and lift capacity, elevated sprockets

### SKID-STEER LOADERS

MODEL	POWER	OP. WEIGHT	OP. CAP.	1/2 DAY	DAY	WEEK	4 WEEKS
BOBCAT S70 LOADER.....	23.5 HP.....	2708 LBS.....	700 LBS.....	175.00 .....	250.00 .....	725.00 .....	1550.00
BOBCAT S450 LOADER.....	49 HP.....	5235 LBS.....	1300 LBS.....	175.00 .....	250.00 .....	760.00 .....	1620.00
BOBCAT S510 LOADER.....	46 HP.....	5935 LBS.....	1500 LBS.....	200.00 .....	285.00 .....	825.00 .....	1680.00
BOBCAT S570 LOADER.....	61 HP.....	6220 LBS.....	1850 LBS.....	200.00 .....	285.00 .....	825.00 .....	1680.00
BOBCAT S590 LOADER.....	75 HP.....	6655 LBS.....	2050 LBS.....	200.00 .....	285.00 .....	825.00 .....	1680.00
BOBCAT S595 LOADER.....	75 HP.....	6655 LBS.....	2050 LBS.....	200.00 .....	285.00 .....	825.00 .....	1680.00
BOBCAT S64 LOADER.....	75 HP.....	6655 LBS.....	2050 LBS.....	200.00 .....	285.00 .....	825.00 .....	1680.00
BOBCAT S66 LOADER.....	75 HP.....	6655 LBS.....	2050 LBS.....	200.00 .....	285.00 .....	825.00 .....	1680.00
BOBCAT S630 LOADER.....	75 HP.....	7483 LBS.....	2200 LBS.....	CALL FOR RATES.....			
BOBCAT S650 LOADER.....	75 HP.....	7825 LBS.....	2500 LBS.....	CALL FOR RATES.....			
BOBCAT S740 LOADER.....	81 HP.....	8448 LBS.....	3000 LBS.....	CALL FOR RATES.....			
BOBCAT S750 LOADER.....	81 HP.....	8448 LBS.....	3000 LBS.....	CALL FOR RATES.....			
BOBCAT S770 LOADER.....	81 HP.....	8448 LBS.....	3000 LBS.....	CALL FOR RATES.....			

RADIUS LIFT



VERTICAL LIFT



#### RADIUS VS. VERTICAL LOADER LIFT PATH

**RADIUS LIFT:** The radius lift path style provides greater forward reach and maximum reach at mid-range heights.

**VERTICAL LIFT:** The vertical lift path is designed to provide more reach at full lift height while keeping the load closer to the machine.

# COMPACT TRACK LOADERS



## M-SERIES MODEL

## CONVERSION GUIDE

BOBCAT T140.....	BOBCAT T450
BOBCAT T180.....	BOBCAT T550
BOBCAT T190.....	BOBCAT T590
BOBCAT T200.....	BOBCAT T630
BOBCAT T250.....	BOBCAT T650
BOBCAT T300.....	BOBCAT T750
BOBCAT T320.....	BOBCAT T770

### COMPACT TRACK LOADERS

MODEL	POWER	OP. WEIGHT	OP. CAP.	1/2 DAY	DAY	WEEK	4 WEEKS
BOBCAT T450	41.8 HP	5202 LBS	1595 LBS	280.00	400.00	1030.00	3210.00
BOBCAT T550	61 HP	7367 LBS	1800 LBS	CALL FOR RATES			
BOBCAT T590	61 HP	7612 LBS	1900 LBS	CALL FOR RATES			
BOBCAT T650	74 HP	9440 LBS	2570 LBS	CALL FOR RATES			
BOBCAT T740	74 HP	8794 LBS	3100 LBS	CALL FOR RATES			
BOBCAT T750	85 HP	9500 LBS	3325 LBS	CALL FOR RATES			
BOBCAT T770	92 HP	10327 LBS	4960 LBS	CALL FOR RATES			

**MINI TRACK LOADERS** offer the attachment versatility of larger sibling Bobcat loaders. Equip your machine with the Common Industry Interface (CII) or the exclusive Bob-Tach® mounting system. The Common Industry Interface design allows you to pair your loader with many attachments you may already own and use, while the time-tested Bob-Tach mounting system delivers rapid attachment changes and superior attachment fitment.

### MINI TRACK LOADERS

MODEL	POWER	OP. WEIGHT	OP. CAP.	1/2 DAY	DAY	WEEK	4 WEEKS
BOBCAT MT55	25 HP	2610 LBS	520 LBS	175.00	245.00	790.00	1780.00
BOBCAT MT100	25 HP	3390 LBS	1000 LBS	205.00	290.00	940.00	2090.00

# MINI TRACK LOADERS



## BOBCAT MT (MINI TRACK) AND S70 LOADER ATTACHMENTS

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
36" PALLET FORKS.....	22.00	60.00	180.00	
36" INDUSTRIAL GRAPPLE.....	43.00	110.00	340.00	
GRAPPLE BUCKET.....	43.00	110.00	340.00	
MODEL 10 AUGER.....	75.00	230.00	600.00	
SG30 STUMP GRINDER.....	140.00	230.00	925.00	3710.00
40" TILLER.....	70.00	300.00	700.00	
48" ANGLE BROOM.....	65.00	205.00	455.00	
48" UTILITY BLADE.....	60.00	185.00	400.00	
48" SOIL CONDITIONER.....	85.00	285.00	700.00	
HB680 BREAKER.....	190.00	630.00	1850.00	
LT113 TRENCHER.....	130.00	530.00	2120.00	



# SKID-STEER ATTACHMENTS

Our full-line of attachments and implements can help you grow your business, gain versatility, replace less-efficient machines and give you the tools to accomplish major projects.



## SKID-STEER (SS) ATTACHMENTS

TYPE	DAY	WEEK	4 WEEKS
48" HD PALLET FORKS.....	34.00	125.00	340.00
48" PALLET FORKS.....	22.00	60.00	180.00
60" LANDSCAPE RAKE.....	130.00	400.00	970.00
60" SWEEPER.....	5.00	230.00	530.00
62" ROTO-TILLER.....	85.00	340.00	800.00
62" IND GRAPPLE BUCKET.....	60.00	125.00	400.00
68" ANGLE BROOM.....	75.00	230.00	530.00
68" IND GRAPPLE.....	60.00	125.00	400.00



# SKID-STEER ATTACHMENTS

## ATTACHMENTS

Our full-line of attachments and implements can help you grow your business, gain versatility, replace less-efficient machines and give you the tools to accomplish major projects.

- Choose from the most attachments available in the region
- Get performance matched to your machine
- Work harder with stronger components and construction



**DON'T SEE THE ATTACHMENT YOU NEED?**  
 .....  
*Chances are, we have it or can get it quickly. Call today to learn more:*  
 .....  
 1-800-679-BEST



### SS ATTACHMENTS (CONTINUED)

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
72" LANDSCAPE RAKE.....	135.00	425.00	1010.00	
72" PAD ROLLER.....	190.00	540.00	1230.00	
72" ROOT GRAPPLE .....	70.00	215.00	505.00	
72" SMOOTH ROLLER .....	200.00	570.00	1300.00	
72" SOIL CONDITIONER.....	120.00	410.00	970.00	
72" SWEEPER .....	75.00	230.00	530.00	
76" ROTO-TILLER.....	115.00	375.00	875.00	
74" INDUSTRIAL GRAPPLE .....	60.00	125.00	400.00	
82" ROOT GRAPPLE .....	115.00	335.00	800.00	
84" ANGLE BROOM .....	85.00	255.00	570.00	
84" SOIL CONDITIONER.....	130.00	435.00	1040.00	
84" SWEEPER.....	85.00	255.00	570.00	
90" & 96" DOZER BLADE.....	75.00	225.00	505.00	
GRADER.....	160.00	480.00	1430.00	
HD WOLF DISC.....	130.00	540.00	1610.00	
LT313 TRENCHER.....	130.00	530.00	2120.00	
PLANER 14" STD HYD.....	305.00	1130.00	3260.00	
PLANER 18".....	325.00	1190.00	3590.00	
PLANER 24".....	345.00	1240.00	3860.00	
PLANER 40".....	690.00	1700.00	4250.00	
SG6o/SGX6o STUMP GRINDER.....	180.00	265.00	1060.00	4230.00
SUPER SCRAPER .....	23.00	80.00	205.00	
WHEEL SAW 24".....	360.00	1320.00	3760.00	



## Bobcat Fluids and Lubrication

ALL FLUIDS ARE NOT CREATED EQUAL

Oils • Grease • Antifreeze & Coolant • Tire Sealant • Gearcase & Differential Fluids

# STID-STEER ATTACHMENTS



## WINTER ATTACHMENTS

TYPE	DAY	WEEK	4 WEEKS
SB150 SNOWBLOWER (SS & MT)	125.00	280.00	635.00
SB200 SNOWBLOWER (SS & MT)	135.00	305.00	690.00
72" SNOW BLADE	54.00	170.00	480.00
84" SNOW BLADE	58.00	175.00	500.00
108" V-SNOW BLADE	75.00	225.00	675.00

# THE REGION'S #1 BOBCAT DEALER FOR 40 YEARS



### LANDOWNER

- Compact Tractors
- Utility Vehicles
- Toolcat® Workmachines

### CONTRACTOR

- E-Series Excavators
- Skid-Steer Loaders
- Mini Track Loaders

### GAS & OIL WELL

- Compact Track Loaders
- Utility Vehicles
- M-Series Excavators

EQUIPMENT | ATTACHMENTS | OILS | PARTS | SERVICE

Allentown • Harrisburg • Mechanicsburg • Muncy  
Shippensburg • State College • Towanda • West Chester • Warminster



# HEAVY EQUIPMENT



THE BEST FOR **40 YEARS**

#### QUICK SPECS:

- 174 hp Maximum Power
- 1.28 m3 Bucket Capacity
- 129 kW / 174 hp @ 1800 rpm Engine Power

DEVELON DX225LC-7

**DEVELON**

Best Line Equipment is your source for all things heavy equipment. Best Line carries DEVELON for heavy excavators and wheel loaders and all the attachments that go along with them. From screening buckets, rotating grapples, thumbs, pallet forks, pipe grapples we have all

the accessories to get you going fast. Best Line carries heavy rollers as well with dealerships for Bomag and Sakai. Whatever your jobs call for, the expert staff at Best Line Equipment has everything to satisfy your heavy equipment needs.

The Most Complete Line of **Heavy Equipment** In the Region



WHEEL LOADERS



CRAWLER EXCAVATORS



WHEEL EXCAVATORS



ARTICULATING DUMP TRUCKS



BULLDOZERS

# EXCAVATORS

## EXCAVATORS FOR ANY JOB



### DX225LC

#### {INCREASED PRODUCTION}

The DEVELON DX225LC series boosts your performance with powerful engines and hydraulic systems. Choose between four work modes, auto-idle and machine diagnostics.



### DX420

#### {POWERFUL PERFORMANCE}

The DX420LC is a leader in the 40-50 metric ton size class. The solid performance, excellent fuel efficiency, and exceptional durability deliver consistent results.



### DX140

#### {TRUSTED RELIABILITY}

When you need big-time productivity in a machine that's easy to transport and maneuver, turn to the DEVELON DX140.



**DX350LC**  
CRAWLER  
EXCAVATOR

**DEVELON EXCAVATORS:** have exceptional power that is matched with the controllability to efficiently manage that power, increasing efficiency and productivity.

## CRAWLER EXCAVATORS

OP. WEIGHT	WIDTH/HEIGHT	MAX REACH	MAX DIG DEPTH	DAY	WEEK	4 WEEKS
30,865 LBS.....	8' 6" / 8' 9"	25' 3"	17' 3"	CALL FOR RATES.....		
38,934 LBS.....	9' 4" / 9' 5"	29' 6"	20' 1"	CALL FOR RATES.....		
48,722 LBS.....	10' 6" / 9' 10"	31' 11"	21' 9"	CALL FOR RATES.....		
55,556 LBS.....	10' 10" / 10' 2"	32' 10"	22' 4"	CALL FOR RATES.....		
66,580 LBS.....	11' 2" / 11' 0"	34' 7"	24' 2"	CALL FOR RATES.....		
77,603 LBS.....	11' 5" / 11' 0"	36' 0"	24' 9"	CALL FOR RATES.....		
92,369 LBS.....	11' 4" / 11' 5"	37' 0"	25' 4"	CALL FOR RATES.....		
111,774 LBS.....	13' 9" / 13' 9"	34' 4"	22' 3"	CALL FOR RATES.....		



### DX210W

#### {UNMATCHED MANEUVERABILITY}

The DX210W-5 offers the greatest horsepower, breakout force, and dig depth of any DEVELON wheel excavator.

## WHEEL EXCAVATORS

OP. WEIGHT	WIDTH /HEIGHT	MAX REACH	MAX DIG DEPTH	4 WEEKS
30,865 LBS.....	8' 6" / 8' 9"	25' 3"	17' 3"	CALL FOR RATES.....
38,934 LBS.....	9' 4" / 9' 5"	29' 6"	20' 1"	CALL FOR RATES.....
48,722 LBS.....	10' 6" / 9' 10"	31' 11"	21' 9"	CALL FOR RATES.....
55,556 LBS.....	10' 10" / 10' 2"	32' 10"	22' 4"	CALL FOR RATES.....

**WHEEL EXCAVATORS:** Featuring advanced controls, increased ground clearance and easy maneuverability in tight spaces, these ultra-reliable machines let you accomplish more work in less time. Wheel excavators provide versatile, mobile performance and are a popular choice for operators tackling utility work, street maintenance and construction site tasks.

# EXCAVATOR ATTACHMENTS



## EXCAVATOR ATTACHMENTS

TYPE	DAY	WEEK	2 WEEKS	4 WEEKS
BRUSH LOG.....			CALL FOR RATES.....	
SCREENING BUCKET.....			CALL FOR RATES.....	
BREAKER.....			CALL FOR RATES.....	
BUCKET W/ THUMB.....			CALL FOR RATES.....	
CRUSHER .....			CALL FOR RATES.....	
DITCHING BUCKET .....			CALL FOR RATES.....	
TRENCHING BUCKET .....			CALL FOR RATES.....	
BREAKER.....			CALL FOR RATES.....	
SHAKER HEAD.....			CALL FOR RATES.....	
SHEAR.....			CALL FOR RATES.....	
BARRIER LIFT .....			CALL FOR RATES.....	
CONCRETE PULVERIZER.....			CALL FOR RATES.....	

Don't see the bucket or attachment you need?  
Give us a call – chances are we carry it. 1-800-679-BEST.

## SPECIALTY BUCKETS

When jobs require a specific execution or application, there's no match for a specialty bucket that can perform the task at hand. At Best Line Equipment, we carry a large selection of even the most unique specialty buckets, bucket teeth, accessories and more.



- 4-in-1 Bucket
- Digs, grades, grips and clamshells
- Powerful hydraulic rotary actuator



- Dig, rip and tear with the bucket
- Ideal for demolition and land clearing
- Use 100% of the excavator's reach



## DEVELON

- Rock Bucket
- Used for handling and digging of hard compacted material and blasted rock



# EXCAVATOR ATTACHMENTS

## HYDRAULIC **BREAKERS**

We've earned a reputation for carrying the highest-quality breakers around. In fact, we're the only Tramac dealer in Pennsylvania. By listening to our customers in the demolition, hardscape, and mining industries, and carrying models with their needs in mind, we've become the go-to breaker specialists.

**DEVELON**



**INDECO**



**Bobcat**

**FRD** FURUKAWA  
ROCK DRILL USA

**OKADA**

HIGH QUALITY | HUGE SELECTION



- All Okada rock-breakers utilize solely 100% oil pressure for the creation of piston energy.
- A sealed rubber diaphragm accumulator combined with a pressure regulator continually adjusts a constant percussion pressure.
- A specialized energy recovery valve allows a real recovery of piston rebound energy (up to 30 %) by recycling a certain quantity of oil directly into the accumulator.
- High blow Impact with proven breaker technology, using the best balance between hydraulic oil from the carrier and nitrogen gas.
- Robust design, with enhanced welding structure, to reduce internal torsion stress and increase breaker lifetime.
- Increased life of dampers and wear plates, reducing vibrations and minimizing shock on the carrier.
- Long piston strokes to maximize impact energy and minimize recoil.

## **BREAKER POINTS**



### **MOIL POINT**

- Hard Ground
- Hard Ground with Failures
- Concrete



### **BLUNT TOOL**

- Block Splitting
- Compact Abrasive
- Demolition
- Concrete Slabon



### **CHISEL**

- Trenching
- Soft Ground with Fault
- Concrete



### **PYRAMIDAL**

- Trenching
- Asphalt
- Mass Quarry Excavation
- Reinforced Concrete

## **GEITH QUICK COUPLERS**



Get the best Quick Coupler on the market today. Geith Quick Couplers are recognized for their safety, reliability and performance and comply with applicable international standards and regulations.

# WHEEL LOADERS



## DEVELON DL420 WHEEL LOADER

- 280 HP Cummins Engine
- Power Shift Transmission
- 47210 lb Breakout Force
- 1070 lb ft Max Torque
- 6 Second Rise Time



### OPERATOR **COMFORT**

- Customizable Controls
- Ergonomic Seats
- Unsurpassed Viability
- Easy Cab Access
- Easy-to-Read LCD Display Panel
- Automotive-Style Heat and Air Conditioning
- Radio/CD /MP3



## DEVELON DL250 WHEEL LOADER

- 29101 lb Breakout Force
- 593 lb ft Max Torque
- 5.4 Second Rise Time
- 9' 4" Dump Height



## DEVELON DL300 WHEEL LOADER

- 36419 lb Breakout Force
- 759 lb ft Max Torque
- 5.9 Second Rise Time
- 9' 4" Dump Height



## DEVELON DL350 WHEEL LOADER

- 37699 lb Breakout Force
- 810 lb ft Max Torque
- 6 Second Rise Time
- 10' Dump Height

MODEL	OP. WEIGHT	DUMP HEIGHT	BUCKET CAP.	YARD	DAY	WEEK	4 WEEKS
DL200	24,912 LBS.	8' 4" / 10' 8"	2.6 YD <sup>3</sup>	23,149 LB	CALL FOR RATES		
DL250	30,865 LBS.	9' 0" / 10' 10"	3.3 YD <sup>3</sup>	29,101 LB	CALL FOR RATES		
DL300	38,493 LBS.	9' 7" / 11' 3"	4.2 YD <sup>3</sup>	35,715 LB	CALL FOR RATES		
DL350	43,358 LBS.	9' 10" / 11' 3"	4.8 YD <sup>3</sup>	37,699 LB	CALL FOR RATES		
DL420	66,017 LBS.	11' 2" / 12' 6"	6.8 YD <sup>3</sup>	60,186 LB	CALL FOR RATES		

**2-BAR AND TOOL CARRIER AVAILABLE**

# DEVELON

\*\*Common sizes listed. Additional sizes in rental fleet. Call for details.\*\*

# WHEEL LOADER ATTACHMENTS



## WHEEL LOADER ATTACHMENTS

TYPE	DAY	WEEK	4 WEEKS
CONSTRUCTION BUCKET.....	.....	.....	.....
CONSTRUCTION FORKS.....	.....	.....	.....
GRAPPLE BUCKET.....	.....	.....	.....
LOG GRAPPLE.....	.....	.....	.....
PIPE GRAPPLE.....	.....	.....	.....

### HEAVY EQUIPMENT ATTACHMENTS

We rent and sell full lines of attachments from the industry leaders

Don't see an attachment you need? Call your local Best Line Equipment location or Salesperson to check possible availability.



PALADIN



ROTOBEEG

STRICKLAND



## BUCKET TEETH

# IN STOCK

ALL BRANDS • ALL SIZES

**THINK BEFORE YOU DIG.**

Call 811 every time.



## DEVELON Wheel Loader Attachments

### GENERAL PURPOSE AND LIGHT MATERIAL BUCKETS

When you need to move snow, mulch or other light material in a hurry, the light material bucket is the economical choice. Comes standard with bolt-on cutting edge.

PIN-ON

QUICK-COUPLER



### MULTI-PURPOSE BUCKET

Leveling, dozing, digging, grappling, loading and dumping—the multi-purpose bucket is ready for whatever you've got. Available with bolt-on cutting edge or teeth.

PIN-ON

QUICK-COUPLER



### GENERAL PURPOSE BUCKET

Pallet forks are commonly used on job sites to move pallets and to perform other material handling duties such as pipes, steel frames, concrete blocks. Operator visibility was tested and optimized to ensure safe, precise and fast control at ground level and up to truck bed height.

QUICK-COUPLER



# DUMP TRUCKS

# DUMP TRUCKS



## DEVELON ARTICULATING DUMP TRUCKS

High productivity means more material moved every day. The DEVELON articulated dump truck (ADT) lineup offers larger load capacities in their respective weight class categories along with superior power and traction.

### STANDARD EQUIPMENT:

- Auto air-conditioning
- Radio with CD/MP3
- Heated wing mirrors
- Automatic driving lights
- 12V/24V plug in the cab
- Interval wiper front
- Sun blinds in front
- Portable lamp
- Red cabin light at night
- Autotipping brake

TYPE	WEIGHT	PAYLOAD	DAY	WEEK	4 WEEKS
912HM 1800 MULTI-TIP DUMP	18,000 LBS	11 TON		CALL FOR RATES	
922HM REAR DUMP	35,540 LBS	22 TON		CALL FOR RATES	

## MAXIMUM POWER

Engine sizes, torque and horsepower have been carefully selected to achieve max performance across criteria including load capacity, driveline ratio performance and transmission efficiency.

The reliability of DEVELON articulated dump trucks sets them apart from the rest. How? Durable components and proven manufacturing processes.



# DEVELON

# DOZERS



## DEPENDABLE AND HIGH PERFORMING

Our DEVELON dozer lineup is one of the best in the business. With an extensive inventory of dozers ranging from 100 horsepower up to 200 horsepower units, we have the ability to satisfy any needs. Our dozers are available with 6-way blades, enclosed cabs, dual-path hydrostatics, automatic load sensing, power management, and dynamic braking and winch packages to add to their versatility. If you are looking for dependable, high performing, and efficient dozers for your next project, look no further than Best Line Equipment.

### DEVELON CRAWLER DOZERS

- Dynamic breaking
- Exceptional controllability
- Hydrostatic drive

#### DEVELON DD110 CRAWLER DOZER

- BLADE ANGLE: 22.5 DEGREES
- DRAWBAR PULL: 33,721 LBF
- TRACK LENGTH: 7 FT. 7 IN



MODEL	WEIGHT	HORSEPOWER	BLADE WIDTH	4 WEEKS
DEVELON DD110.....	25,309 LBS.....	122 HP .....	8' 10".....	CALL FOR RATES

# PUMPS & HOSES



**QUICK SPECS:**

- Large solid handling capacity
- Back pullout design
- Diesel Engine

VENTURI DRY PUMP

**GENERAC**



## MOVE **VOLUMES**

Need to move large volumes of water, mud, or sediment from one location to another? Look no further than Best Line Equipment. With our lineup of Generac Pumps, any issues you encounter can be solved by talking to our expert team. With a wide variety of pump types and sizes, no

job is too big. Best Line also carries Honda and Tsurumi pumps to take care of smaller jobs you may have. We offer engineering services to find solutions to problems that you are unsure how to tackle. Give the knowledgeable staff at Best Line a call to see how we can satisfy your pump needs.

### The Most Complete Line of **Generac Pumps** In the Region



MTP6DZD 6"  
DIAPHRAGM DRY PRIME  
TRASH PUMP



MTP4DZV 4" VENTURI  
DRY PRIME TRASH PUMP



MTP4SZ 4" WET PRIME  
TRASH PUMP



MCP5538 DIAPHRAGM  
WATER PUMP


# PUMPS

## PUMP PERFORMANCE

- A** - Maximum depth of suction point to ground level.
- B** - Length of suction hose required
- C** - Vertical elevation difference from pump to discharge point
- D** - Length of discharge hose/ pipe required

### Dry-Prime Pumps

Derived from the rugged Thompson heavy duty wet priming centrifugal trash pumps and improved by the addition of an auxiliary vacuum pump, these pumps are used in many situations including open pumping, wellpoint systems and sewage bypass. The pumps deliver the fastest priming in the industry and provide continuous pumping of liquids mixed with a high percentage of air.



### SKID-MOUNTED DRY PRIME CENTRIFUGAL TRASH PUMPS/TOWABLE

SIZE	MAX GPM	SOLIDS	MAX LIFT	MAX HEAD	WEIGHT	DAY	4 WEEKS
4"	CALL FOR RATES AND SPECIFICATIONS						
6"	CALL FOR RATES AND SPECIFICATIONS						
8"	CALL FOR RATES AND SPECIFICATIONS						
12"	CALL FOR RATES AND SPECIFICATIONS						
18"	CALL FOR RATES AND SPECIFICATIONS						

### TOWABLE WET PRIME CENTRIFUGAL TRASH PUMPS

SIZE	MAX GPM	SOLIDS	MAX LIFT	MAX HEAD	WEIGHT	1/2 DAY	DAY	4 WEEKS
6"	940 GPM	DIESEL	140 FT.	140 FT.	2000 LBS.	215.00	655.00	1820.00

Unit Model	Size (in.)	Max Capacity (GPM)	Max Head (ft.)	Maximum Solids (in.)
4JSCM	4	1,450	175	3.00
6JSCD	6	1,410	440	3.00
6JSCE	6	2,600	195	3.00
8JSCE	8	3,200	300	3.00
12JSCG	12	5,300	405	3.38

## PUMP APPLICATIONS

- Bypass
- Dewatering
- Waste Treatment
- Mining
- Industrial
- Agriculture
- Gas & Oil
- Construction
- Civil Engineering

### DIAPHRAGM PUMPS

TYPE	MAX GPM	POWER TYPE	MAX HEAD	1/2 DAY	DAY	WEEK	4 WEEKS
2"	PNEUMATIC			90.00	305.00	945.00	
3"	80 GPM	GAS	50 FT.	65.00	255.00	640.00	

# PUMPS

## UTILITY PUMPS

TYPE	MAX GPM	POWER TYPE	MAX HEAD	DAY	WEEK	4 WEEKS
WATERBED PUMP.....	5.....	ELECTRIC.....	20' .....	22.00.....		



Single-phase pumps are meant for use with small to medium volume pump applications. Our pumps can be operated off of the standard 115V or off of a portable generator. Ideal for applications like flooded basements, dewatering pools, and features like automatic start/stop switches and trash pumps.

## SINGLE PHASE SUBMERSIBLE

TYPE	MAX GPM	POWER TYPE	MAX HEAD	1/2 DAY	DAY	WEEK	4 WEEKS
3/4" - 1 1/4" .....		ELECTRIC.....		21.00 .....	32.00 .....	80.00 .....	160.00 .....
2" .....		ELECTRIC.....		37.00 .....	55.00 .....	130.00 .....	265.00 .....
3" .....		ELECTRIC.....		37.00 .....	60.00 .....	140.00 .....	375.00 .....

## TRASH PUMPS

TYPE	MAX GPM	POWER TYPE	MAX HEAD	1/2 DAY	DAY	WEEK	4 WEEKS
2" .....	187 GPM.....	GAS .....	98 FT.....	47.00 .....	70.00 .....	205.00 .....	500.00 .....
3" .....	319 GPM.....	GAS .....	89 FT.....	55.00 .....	80.00 .....	265.00 .....	630.00 .....
4" .....	433 GPM.....	GAS .....	85 FT.....	70.00 .....	100.00 .....	355.00 .....	1010.00 .....

## DEWATERING PUMPS

TYPE	MAX GPM	POWER TYPE	MAX HEAD	1/2 DAY	DAY	WEEK	4 WEEKS
2" .....	152 GPM.....	GAS .....	92 FT.....	32.00 .....	47.00 .....	130.00 .....	310.00 .....
3" .....	275 GPM.....	GAS .....	85 FT.....	38.00 .....	60.00 .....	160.00 .....	370.00 .....
4" 4WTX .....				CALL FOR RATES.....			

# PUMP HOSE



KANALINE SR HOSE



CARGO HOSE



HDPE HOSE



DISCHARGE HOSE

## PUMP HOSES

TYPE	SIZE	LENGTH	DAY	WEEK	4 WEEKS
HEAVY DUTY GARDEN HOSE.....		50' FT.....	4.00 .....	15.00 .....	42.00 .....

PUMP HOSES

TYPE	SIZE	LENGTH	DAY	WEEK	4 WEEKS
SUCTION	2 INCH	20 FT.	5.00	16.00	45.00
SUCTION	3 INCH	20 FT.	6.00	19.00	55.00
SUCTION	4 INCH	20 FT.	7.00	23.00	69.00
SUCTION	6 INCH	20 FT.	24.00	75.00	225.00
SUCTION	8 INCH	20 FT.	CALL FOR RATES		
DISCHARGE	2 INCH	50 FT.	9.00	21.00	42.00
DISCHARGE	3 INCH	50 FT.	14.00	25.00	65.00
DISCHARGE	4 INCH	50 FT.	18.00	36.00	75.00
DISCHARGE	6 INCH	25 FT.	26.00	63.00	130.00
DISCHARGE	6 INCH	50 FT.	34.00	83.00	170.00
DISCHARGE	8 INCH	20 FT.	CALL FOR RATES		
HDPE	12 INCH	20 FT.	CALL FOR RATES		
HDPE	18 INCH	20 FT.	CALL FOR RATES		
HDPE	24 INCH	20 FT.	CALL FOR RATES		
HDPE	36 INCH	20 FT.	CALL FOR RATES		

COUPLINGS

Our comprehensive line of couplings and ends includes the complete range of Bauer couplings in a range of sizes. Not sure what connections you need? No problem - contact your local Best Line Equipment and ask for a pump specialist. We'll help you diagram the set-up you need and answer any of your questions.

HOSE ENDS	FLANGED ENDS	PIPE BENDS
 <p><b>HOSE SHANK X BALL</b> 2"   3"   4"   6"   8"   10"   12" SIZES AVAILABLE</p>	 <p><b>BALL &amp; LEVER</b> 2"   3"   4"   6"   8"   10"   12" SIZES AVAILABLE</p>	 <p><b>90 DEGREE ELBOW</b> 2"   3"   4"   6"   8"   10"   12" SIZES AVAILABLE</p>
 <p><b>HOSE SHANK X SOCKET</b> 2"   3"   4"   6"   8"   10"   12" SIZES AVAILABLE</p>	 <p><b>SUCTION</b> 2"   3"   4"   6"   8"   10"   12" SIZES AVAILABLE</p>	 <p><b>60 DEGREE ELBOW</b> 2"   3"   4"   6"   8"   10"   12" SIZES AVAILABLE</p>
		<i>*45 DEGREE AND OTHER BENDS AVAILABLE</i>
HOSE END ACCESSORIES	SCREW ENDS	ADAPTERS
 <p><b>LEVER CLOSE RING</b> 2"   3"   4"   6"   8" SIZES AVAILABLE</p>	 <p><b>MALE NPT BALL</b> 2"   3"   4"   6"   8" SIZES AVAILABLE</p>	 <p><b>REDUCER</b> VARIOUS SIZES AVAILABLE</p>
 <p><b>RUBBER SEALING RING</b> 2"   3"   4"   6"   8" SIZES AVAILABLE</p>	 <p><b>MALE NPT SOCKET</b> 2"   3"   4"   6"   8" SIZES AVAILABLE</p>	 <p><b>INCREASER</b> 2"   3"   4"   6"   8" SIZES AVAILABLE</p>

OTHER COUPLERS AND ADAPTERS AVAILABLE, INCLUDING

**STRAINERS | TEE ADAPTERS | Y ADAPTERS | QUICK COUPLERS | CAM LOCKS (2", 4", 6")**

# LAWN & LANDSCAPE



**QUICK SPECS:**

**BG 56 C-E BLOWER**

- 27.2cc Engine
- Easy2Start™ system
- 159mph Blowing Force

**STIHL®**



## GET YOUR JOB **DONE RIGHT**

Best Line Equipment is here to assist you, both contractors and weekend warriors. We can help with all your residential needs; from wood cutting, seeding and fertilizing your lawn to washing and painting your deck. We've got it all! Give us a call today and our friendly and knowledgeable staff will help you every step of the way.

**POWER TOOLS • BLOCK SAWS • LOG SPLITTERS  
AERATORS • SEEDERS • CARTS • POWER WASHERS  
TRAILERS • UTILITY VEHICLES • PAINT SPRAYERS  
SANDERS • TILLERS • ROLLERS • CHIPPERS  
MOWERS • BLOWERS**



**Husqvarna® HONDA**

**eXmark**

**SpeeCo**



**MORBARK**



**BOSCH**

# LAWN & LANDSCAPE



TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
<b>PRESEEDERS</b>				
ATI PRESEEDER.....	115.00	180.00	525.00	1450.00
<b>OVERSEEDERS</b>				
SELF PROPELLED OVERSEEDER.....	105.00	140.00	435.00	1100.00
WALK BEHIND OVERSEEDER.....	50.00	100.00	280.00	840.00
<b>DETHATCHER</b>				
DETHATCHER .....	65.00	95.00	235.00	580.00
<b>WALK BEHIND VACUUM</b>				
WALK BEHIND VACUUM.....	60.00	80.00	235.00	580.00
<b>ROLLERS</b>				
36" LAWN ROLLER.....	22.00	34.00	100.00	200.00
48" LAWN ROLLER .....	26.00	39.00	110.00	220.00
<b>PRUNERS</b>				
GAS POWERED TREE PRUNER .....	47.00	70.00	210.00	550.00
<b>AERATORS</b>				
SELF PROPELLED AERATOR .....	70.00	105.00	340.00	630.00
TOWABLE AERATOR.....	55.00	80.00	195.00	525.00
RIDE-ON AERATOR.....		230.00	750.00	2095.00
<b>BRUSH CUTTERS</b>				
WALK BEHIND BRUSH CUTTER.....	85.00	120.00	340.00	685.00
<b>BALE MULCHERS</b>				
GOOSEN SB1300 .....	130.00		520.00	1310.00
GOOSEN SB4000 (TOWABLE).....	205.00		730.00	2090.00
<b>CHIPPERS</b>				
BRUSH CHIPPER 6"-9".....	235.00		815.00	2090.00
BRUSH CHIPPER 12".....	370.00		1,180.00	2890.00



## Grass Seed and Silt Fence

We carry many different types of grass seed and silt fence. Special orders are available, but please allow for a 2 day waiting period. Call 1-800-679-BEST for more information.



# LAWN & LANDSCAPE

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
<b>BRUSH &amp; SOD CUTTERS</b>				
SELF PROPELLED STUMP GRINDER.....	265.00	840.00	2360.00	
SOD CUTTER.....	80.00	110.00	265.00	790.00
<b>LOG SPLITTER</b>				
LOG SPLITTER.....	70.00	100.00	265.00	630.00
<b>EDGERS</b>				
LAWN EDGER.....	28.00	41.00	100.00	
BED EDGER.....	70.00	100.00		
<b>TRIMMERS</b>				
GAS POWERED HEDGE TRIMMER.....	28.00	41.00	105.00	255.00
<b>TILLERS</b>				
SMALL FRONT TINE TILLER.....	37.00	60.00	160.00	485.00
REAR TINE TILLER.....	65.00	95.00	265.00	685.00
STUMP GRINDER.....	130.00	185.00	520.00	1520.00
<b>BLOWERS</b>				
HAND HELD LEAF BLOWER.....	30.00	44.00	110.00	215.00
BACK PACK LEAF BLOWER.....	41.00	55.00	190.00	490.00
<b>POST HOLE DIGGERS</b>				
POST HOLE DIGGER 2 MAN.....	60.00	90.00	235.00	580.00
POST HOLE DIGGER 1 MAN.....	5.00	110.00	290.00	710.00
MANUAL POST HOLE DIGGER.....	7.00	13.00	23.00	46.00



# TRENCHERS




SEE PAGE 43  
SKID STEER  
TRENCHER  
ATTACHMENT



**THINK BEFORE YOU DIG.**

SMART DIGGING MEANS  
CALLING 811 BEFORE EACH JOB.

CALL 811.COM



TYPE	MAX GPM	POWER TYPE	MAX HEAD	1/2 DAY	DAY	WEEK	4 WEEKS
WALK BEHIND.....	GAS.....	12" INCH.....	2" INCH.....	85.00	115.00	460.00	1850.00
WALK BEHIND.....	GAS.....	18" INCH.....		110.00	160.00	530.00	2120.00
SELF PROPELLED.....				CALL FOR RATES.....			
VIBRATORY PLOW WITH TRENCHER AND UNDERGROUND BORING ATTACHMENT.....				CALL FOR RATES.....			
SKID STEER AND TRENCHER ATTACHMENT.....				SEE PAGE 19.....			
RIDING TRENCHER.....				CALL FOR RATES AND AVAILABILITY.....			

# CONTRACTOR & PROJECT EQUIPMENT



- 1500 Watt Motor
  - Long Carbon Brush Lifetime
  - Direct Cooling, Overload Protection
- 

## THE BEST FOR **40 YEARS**

Do you have contractor projects? Do you have plans to improve your home? Are you missing that one tool to help your business complete another project? Look no further than Best Line Equipment for all your project needs. We

carry many recognizable brands such as Bosch, Diamond, Lands, Miller, and many more. With competitive prices and service that cannot be beat, Best Line will work with you to get the job done right, the first time.

From the weekend warriors to journeymen, **we've got your equipment.**

**POWER TOOLS • WELDING EQUIPMENT • PUMPS • JACKS/STANDS**  
**TRAFFIC SAFETY • POWER WASHERS • TRAILERS • UTILITY VEHICLES**  
**PAINT SPRAYERS • SANDERS • TILLERS • ROLLERS • CHIPPERS**



# WELDING EQUIPMENT



## WELDING PPE



GLOVES • BOOTS • WELDING JACKET  
WELDING MASK • EYE PROTECTION

WE SELL ASSORTED  
SIZES OF QUALITY  
WELDING CABLE  
BY THE FOOT

ASK ABOUT  
TRAILER MOUNTED UNITS.



## ENGINE-DRIVEN WELDERS



Engine-driven welders provide stick, TIG and wire welding in even the most extreme environments. Portable models allow you to set up almost anywhere.




TYPE	RATED OUTPUT	FUEL	1/2 DAY	DAY	WEEK	4 WEEKS
ARC WELDER.....	250-300 AMP.....	GAS.....	90.00	125.00	320.00	650.00
ARC WELDER.....	400 AMP.....	DIESEL.....		190.00	425.00	990.00
ARC WELDER.....	230 - 800 AMP	ELECTRIC	CALL FOR RATES AND AVAILABILITY			
400 AMP.....	ELECTRIC.....		CALL FOR RATES AND AVAILABILITY			
600 AMP.....	ELECTRIC.....		CALL FOR RATES AND AVAILABILITY			
8 PAK WELDER.....	ELECTRIC.....		CALL FOR RATES AND AVAILABILITY			

# SCAFFOLDING



TYPE	SPECIFICATIONS	DAY	WEEK	4 WEEKS
<b>BASIC UNIT (2 END FRAMES 2 CROSS BRACES, 4 PINS)</b>				
END FRAME .....	3 FT. HIGH X 5 FT. WIDE END FRAME .....	2.00	5.00	15.00
END FRAME .....	4 FT. HIGH X 5 FT. WIDE END FRAME .....	2.00	5.00	15.00
END FRAME .....	5 FT. HIGH X 5 FT. WIDE END FRAME .....	2.00	5.00	15.00
END FRAME .....	6 FT. HIGH X 28 IN. WIDE END FRAME.....	2.00	5.00	15.00
WALK THROUGH FRAME.....	6 FT. WALK-THRU END FRAME .....	3.00	7.00	18.00
MULTI-PURPOSE.....	6 FT. MULTI-PURPOSE .....	14.00	39.00	90.00
DIAGONAL BRACES .....		1.00	2.00	4.00
CAT-A-CORNER SQUARING BRACES .....		1.00	3.00	6.00
DECK PLANK .....	19" IN. WIDE X 7' FT. LONG.....	6.00	13.00	26.00
BASE PLATE .....		2.00	3.00	6.00
ADJUSTABLE SCREW JACKS.....		3.00	6.00	15.00
SIDE BRACKETS.....		3.00	7.00	18.00
GUARD RAILS .....	28" IN. WIDE X 7' FT. LONG .....	6.00	15.00	27.00
GUARD RAILS .....	5' END .....	6.00	15.00	27.00
STABILIZERS/OUTRIGGERS .....		4.00	8.00	19.00
JIB POLE.....		6.00	17.00	32.00
WELL WHEEL .....		5.00	15.00	27.00
TRASH CHUTE - includes hopper, outrigger, chutes (x10).....	50' FT .....	6.00	19.00	42.00
CASTERS.....		3.00	6.00	15.00



# DOLLIES / HOISTS / JACKS



## DOLLIES AND APPLIANCE TRUCKS

Move large items fast and safely with our rugged, quality dollies and appliance trucks

**DON'T FORGET: GLOVES**

- Large Selection
- Many Styles & Sizes

TYPE	CAPACITY	SIZE	1/2 DAY	DAY	WEEK	4 WEEKS
HYDRAULIC PALLET TRUCK	5000 LBS.	48" L X 27" W		47.00	130.00	305.00
APPLIANCE TRUCK	750 LBS.	60" H X 17" W	13.00	18.00	50.00	105.00
4 WHEEL WOOD DOLLY	UP TO 900 LBS.	18" X 30" W		7.00	23.00	46.00
ELECTRIC PALLET TRUCK	UP TO 1500 LBS.			145.00	395.00	770.00



## ROLLERS AND DOLLIES

TYPE	CAPACITY	DAY	WEEK	4 WEEKS
MACHINE DOLLIES	40 TON - 60 TON	85.00	225.00	610.00
HILMAN ROLLERS	4 TON	85.00	225.00	610.00
HILMAN ROLLERS	24 TON	85.00	225.00	610.00



## JACKS / PARTS / STANDS

TYPE	CAPACITY	EXT. HEIGHT	1/2 DAY	DAY	WEEK	4 WEEKS
HYDRAULIC BOTTLE JACK TYPE	22 1/2 TON	UP TO 16 5/16"	15.00	20.00	50.00	105.00
TRANSMISSION JACK			20.00	28.00	85.00	180.00
ENGINE HOIST	UP TO 1200 LBS.	N/A		70.00	170.00	355.00

## MATERIAL LIFTS

TYPE	CAPACITY	EXT. HEIGHT	1/2 DAY	DAY	WEEK	4 WEEKS
DUCT LIFT	750 LBS.	8 FT.	65.00	95.00	225.00	470.00
DUCT LIFT	750 LBS.	12 FT.	65.00	95.00	225.00	470.00
DUCT LIFT		24 FT.	70.00	105.00	265.00	525.00
DRY WALL / SHEETROCK LIFT		12 - 15' (TILTING LIFT)	26.00	39.00	115.00	225.00

## DUMP HOPPERS

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
DUMP HOPPER		28.00	65.00	110.00

# DOLLIES/HOISTS/JACKS

## MISCELLANEOUS

TYPE	CAPACITY	1/2 DAY	DAY	WEEK	4 WEEK
METAL DETECTOR.....		17.00	22.00	46.00	105.00
MAGNET.....		17.00	22.00	46.00	105.00
RAMPS.....		7.00	13.00	50.00	130.00
ALUMINUM BRAKE.....	10'6"	39.00	55.00	160.00	340.00



# PAINTING & CLEANING



TYPE	SIZE	1/2 DAY	DAY	WEEK	4 WEEKS
PRESSURE WASHER - COLD WATER.....	900 - 1000 PSI (ELEC.).....	37.00	55.00	130.00	315.00
PRESSURE WASHER - COLD WATER.....	2000-3000 PSI.....	55.00	80.00	265.00	790.00
PRESSURE WASHER - COLD WATER.....	4000 PSI.....	70.00	100.00	310.00	930.00
PRESSURE WASHER - HOT WATER.....	SKID MOUNT GAS 3000 PSI.....	110.00	160.00	525.00	1580.00
PRESSURE WASHER - HOT WATER.....	PORTABLE GAS 3000 PSI.....	110.00	160.00	525.00	1580.00
PRESSURE WASHER-TRAILER TANK KIT.....			265.00	790.00	2630.00
VACUUMS, INDUSTRIAL.....	WET OR DRY, 10 GALLONS.....	25.00	39.00	100.00	255.00
WALLPAPER STEAMER.....		25.00	38.00	90.00	225.00
DRYWALL SANDER.....		28.00	42.00	125.00	310.00





# TRAFFIC SAFETY



BARRICADES • WARNING LIGHTS • SOLAR ARROW & MESSAGE BOARDS • TRAFFIC CONES • BARRELS • TRAFFIC CONTROL SIGNS

CALL FOR PRICES AND AVAILABILITY

For more info  
scan here



## Your Complete Heavy Equipment Service Company



### Repair Shop & Field Service (On-Site Repair):

Since 1981, Field-Tec Services has proudly provided our customers with the best repair, installation, and fabrication services. Our staff of trained in-shop technicians utilize the latest equipment for component testing to OEM specifications and API. We have a fully stocked inventory, or can custom order parts in. Our fleet of service trucks allow us to provide in-field service, reducing your down time and improving your bottom line.

### Services:

- On-site Repair Services
- Powertrain Supplier & Component Repair/Rebuild
- Hydraulic Cylinder Repair & Manufacturing
- Hydraulic Pump, Motor, Valve Service & Repair
- Stationary Hydraulic Systems
- Truck Mounted Equipment & Systems Service & Repair
- Hydraulic Steel Tubing and Hoses

2040 Lime Bluff Road • Muncy, PA 17756

1-800-326-8588 • Hours: M-F 8:00am-4:30pm

# SANDBLASTING EQUIPMENT

## ABRASIVES QUICK REFERENCE

**SAND:** 100psi for jobs < 500ft<sup>2</sup> (anything >500ft<sup>2</sup> cannot be used)

**SLAG:** 125psi

**METAL SHOT:** 150psi Also used in the cleaning and preparation of concrete. Application must tolerate potential ferrous residue. Round abrasive media that is extremely durable and dense Available with specific hardness, roundness, and size specifications as required for certain peening applications.

**GLASS BEAD:** Glass Bead blasting can be used on a wide range of materials including metal, glass, plastic and rubber. The smaller the glass spheres, the smoother the surface; Larger spheres produce a more textured finish.

**SODA:** sodium bicarbonate based media (baking soda) is manufactured to be in a consistent, larger crystal size. When it strikes the material you are soda blasting the crystal explodes outward and the explosion is the force that strips your target of grease, paint, mold, dirt, whatever it is you are removing.

**DRY ICE:** 200 psi max Also known as Cryo blasting and Co2 blasting, Dry ice blasting is similar to sand blasting, plastic bead blasting, or soda blasting where a medium is accelerated in a pressurized air stream to impact a surface to be cleaned or prepared. Instead of using hard abrasive media to grind on a surface (and damage it), dry ice blasting uses soft dry ice, accelerated at supersonic speeds, and creates mini-explosions on the surface to lift the undesirable item off the underlying substrate. We do not carry "Cryo-Blasters". We carry the high pressure air compressors they require to operate.

**WALNUT SHELLS:** Walnut shell grit is the hard fibrous product made from ground or crushed walnut shells. When used as a blasting media, walnut shell grit is extremely durable, angular and multi-faceted, yet is considered a 'soft abrasive' and it can clean brittle surfaces without leaving scratches. It is suitable for cleaning metal, stainlessness, glass, ceramics, semi-conductor integrated circuit package lead frames, etc. Walnut shell blasting grit is an excellent replacement for sand (free silica) to avoid inhalation health concerns.

**CORN COBS:** Corn Cob blasting is recommended by the log home industry to open the pores of the wood, allowing oil based finishes to penetrate more effectively. Equipment requirements: 1) cob fines are crushed to 40mm size or smaller. 2) A moisture separator is used on the 160-185cfm size air compressor. 3) A standard Clemco 5/8" nozzle is used. See your local Best Line representative for more information.

### COMPRESSED AIR REQUIREMENTS & ABRASIVE CONSUMPTION

Nozzle Orifice	Pressure At The Nozzle (psi)							Air, Power, & Abrasive Requirements
	50	60	70	80	90	100	125	
No. 2 1/8"	11	13	15	17	19	20	25	Air (cfm)
	67	77	88	101	112	123	152	Abrasive (lb/hr)
	2.5	3	3.5	4	4.5	5	5.5	Compressor (hp)
No. 3 3/16"	26	30	33	38	41	45	55	Air (cfm)
	150	171	196	216	238	264	319	Abrasive (lb/hr)
	6	7	8	9	10	10	12	Compressor (hp)
No. 4 1/4"	47	54	61	68	74	81	98	Air (cfm)
	268	312	354	408	448	494	608	Abrasive (lb/hr)
	11	12	14	16	17	18	22	Compressor (hp)
No. 5 5/16"	77	89	101	113	126	137	168	Air (cfm)
	468	534	604	672	740	812	982	Abrasive (lb/hr)
	18	20	23	26	28	31	37	Compressor (hp)
No. 6 3/8"	108	126	143	161	173	196	237	Air (cfm)
	668	764	864	960	1052	1152	1393	Abrasive (lb/hr)
	24	28	32	36	39	44	52	Compressor (hp)
No. 7 7/16"	147	170	194	217	240	254	314	Air (cfm)
	896	1032	1176	1312	1448	1584	1931	Abrasive (lb/hr)
	33	38	44	49	54	57	69	Compressor (hp)
No. 8 1/2"	195	224	252	280	309	338	409	Air (cfm)
	1160	1336	1512	1680	1856	2024	2459	Abrasive (lb/hr)
	44	50	56	63	69	75	90	Compressor (hp)

We carry **BLACK BEAUTY®** blasting abrasives. Black Beauty Abrasives are known for their high quality, low dusting and low free silica attributes.



SIZE	(ASSUME 100# OF MEDIA PER CUBIC FOOT VOLUME/SIZE.) DIMENSIONS	WEIGHT
1.5 CU.FT	23' L X 22"W X 34"H	130 LB.
3.5 CU.FT	30" L X 23"W X 47"H	240 LB.
6.5 CU.FT	38" L X 34"W X 52"H	390 LB.
10 CU.FT	38" L X 34" X 64"H	430 LB.
20 CU.FT	39" L X 37"W X 65"H	780 LB.
120 CU.FT	8'11" L X 6'5"W X 9'4"H	2,750 LB.
160 CU.FT	9'7" L X 7'5"W X 9'10"H	3,350 LB.
500 CU.FT	8' L X 10'W X 19'2"H	8,050 LB.
650 CU.FT	8' L X 10'W X 24'11"H	9,500 LB.
800 CU.FT	8' L X 10'W X 27'2"H	11,000 LB.

Example – If 4425# per hour, a 120 cu ft tank would hold 12000#. Divide 12000#/4425# = 2.7 hrs between blast pot reloads (too short, ½ shift desired) Likely recommend 160 cu foot with a 3.6 hour runtime.

# SANDBLASTING EQUIPMENT

## RATED

	1/2 DAY	DAY	WEEK	4 WEEKS
100 - LBS.....	70.00	80.00	205.00	520.00
200 - LBS.....	85.00	100.00	310.00	730.00
300 - LBS.....	105.00	120.00	415.00	940.00
SANDBLASTING KIT.....	CALL FOR RATES.....			

## FILTERS & RESPIRATORS

### DON'T FORGET: *Respirators*

Our Clemco Apollo 20 HP helmet is a NIOSH approved, type CE respirator (approval number TC-19C-338) and is recognized by OSHA as having an assigned protection factor (APF) against lead dust of 1000 times the permissible exposure limit (PEL).



## IN-LINE AIR FILTERS

Clemco's CPF in-line air filters remove moisture, oil, and dirt particles from compressed air before it reaches your respirator. Multi-stage filtration system includes activated charcoal to eliminate odors and improve the "taste" of your breathing air.



## NOZZLES



### ASK THE EXPERTS: **SANDBLASTING**

Best Line carries everything the modern blasting and painting contractor needs to blast safely and efficiently. We specialize in portable blast systems and offer an array of industrial-quality blast machines, accessories, and parts.

## SIZES: 1/2", 7/16", 3/8", 5/16", 3/16", 1/4"

Clemco offers more than 150 nozzles in tungsten carbide, rugged boron carbide, and ultra light and durable silicon carbide. You can choose short or long and metal or urethane jackets. We also offer versatile Supa Blast Hose for unmatched flexibility and long life along with their 2-braid and 4-ply hoses for permanent applications. Clemco designs their equipment to be very user friendly for the operator which results in increased productivity.

### SAFETY CABLES



- Safety Cables (Whip Checks)
- Made from steel cable
  - Meets OSHA safety standards

### COUPLINGS



- Threaded and nylon
- Quick attach
- Secure with Safety Cables

### HOSE



- 2 ply, 4 ply and braided
- High quality

## ACCESSORY TYPE

	DAY	WEEK	4 WEEKS
FRESH AIR PUMP, 10 PSI.....	CALL FOR RATES.....		
SANDBLAST HOOD.....	CALL FOR RATES.....		
SANDBLAST HOSE 50' FT. ....	CALL FOR RATES.....		
WHIP HOSE & TUNGSTEN CARBIDE NOZZLE.....	CALL FOR RATES.....		
EXTRA NOZZLE.....	CALL FOR RATES.....		
DEADMAN CONTROLS.....	CALL FOR RATES.....		
CONTROLLER WITH 50' FT. HOSE.....	CALL FOR RATES.....		
EXTRA 50' FT. SECTION OF HOSE.....	CALL FOR RATES.....		

# CONVEYORS

TYPE	POWER TYPE	BELT WIDTH	LENGTH	1/2 DAY	DAY	WEEK	4 WEEK
TOWABLE.....	ELECTRIC.....	10".....	21' FT.....	75.00.....	110.00.....	480.00.....	1010.00.....

# FLOOR CARE

## SANDERS

EQUIPMENT	WEIGHT	PAPER SIZE	SPEED	1/2 DAY	DAY	WEEK	4 WEEK
DRUM.....	115 LBS.....	8"W X 20"L.....	1800 RPM.....	47.00.....	70.00.....	205.00.....	565.00.....
FLAT / ORBITAL.....	120 LBS.....	18"W X 12"L.....	1725 RPM.....	47.00.....	70.00.....	205.00.....	565.00.....
EDGER.....	30 LBS.....	7" DIAMETER.....	3600 RPM.....	28.00.....	42.00.....	125.00.....	310.00.....
CHERRY HILL (4 DISC).....	125 LBS.....			47.00.....	70.00.....	205.00.....	565.00.....

### DON'T FORGET YOUR

**PPE** PERSONAL PROTECTIVE EQUIPMENT

Remember, proper equipment for the job goes beyond the machinery. Make sure you take proper precautionary and protective consideration on all the jobs you work on, big or small! If you do not own or have access to proper protective gear, be sure to ask your local Best Line Representative for PPE rental and purchase options.

## CARPETING TOOLS



TYPE	1/2 DAY	DAY	WEEK	4 WEEK
CARPET KICKER.....	8.00.....	15.00.....	34.00.....	65.00.....
CARPET STRETCHER.....	32.00.....	46.00.....	105.00.....	255.00.....
CARPET IRON.....	17.00.....	23.00.....	60.00.....	115.00.....
CARPET DRYER.....	19.00.....	26.00.....	65.00.....	125.00.....
CARPET & TILE REMOVER, ELECTRIC.....	55.00.....	80.00.....	235.00.....	570.00.....



### TILE/LINOLEUM REMOVER USES:

IDEAL FOR REMOVING VINYL TILE, LINOLEUM TILE, VCT AND CARPETING.



## LINOLEUM & TILE TOOLS

TYPE	1/2 DAY	DAY	WEEK	4 WEEK
LINOLEUM ROLLER.....	16.00.....	21.00.....	51.00.....	110.00.....

## FLOOR POLISHER

13".....	19.00.....	26.00.....	70.00.....	180.00.....
15" - 17".....	23.00.....	34.00.....	100.00.....	305.00.....
20" - HIGH SPEED.....	28.00.....	41.00.....	120.00.....	340.00.....

# DRAIN CLEANERS



## SAFETY FIRST: DRAIN CLEANERS

- Always wear leather gloves for hand protection when guiding cable into drain.
- Use eye protection to avoid slash ups from drain clogging materials and bacterial drain cleaner.



TYPE	LENGTH	1/2 DAY	DAY	WEEK	4 WEEKS
DRILL TYPE DRAIN CLEANER S.....		25.00	39.00	115.00	230.00
1 1/4"-3" ELECTRIC LINE DRAIN CLEANER E & N (50'-75').....		46.00	70.00	210.00	420.00
1 1/4"-3" ELECTRIC LINE DRAIN CLEANER Z (75') .....		48.00	70.00	210.00	420.00
2"-5" ELECTRIC LINE DRAIN CLEANER R (100').....		70.00	100.00	210.00	420.00
3"-10" ELECTRIC LINE DRAIN CLEANER C (UP TO 175') .....		90.00	130.00	265.00	525.00



## Construction Lasers: Spectra Precision Grade Lasers

Spectra Precision® Lasers and dual grade transmitters are rugged, cost-effective, automatic self-leveling lasers that do three jobs—level, grade, and vertical alignment.

- Automatic electronic self-leveling
- Large compensated grade range from -10% to +15%
- Single and Dual grade application
- Electronic leveling vibration filter
- Automatic temperature and grade compensation
- Automatic Grade Matching
- PlaneLok
- Mask mode
- High capacity NiMH battery pack



# CONSTRUCTION LASERS

TYPE	1/2 DAY	DAY	WEEK	4 WEEKS
SITE LEVEL WITH TRIPOD.....	28.00	41.00	100.00	200.00
SITE TRANSIT WITH TRIPOD.....	28.00	41.00	100.00	200.00
ROTATING LASER LEVEL.....	48.00	70.00	280.00	690.00
MEASURING WHEEL.....	7.00	13.00	28.00	65.00

# UTILITY VEHICLES



**POLARIS**



**CUSHMAN**



**GANYGOM**



**Bobcat**



## UTILITY: GAS/DIESEL/ELECTRIC

TYPE	TRACTION	FUEL	CAB	BED CAPACITY (LBS)	DAY	WEEK	4 WEEKS
1 PERSON	TRACKS	DIESEL	OPEN	5,500		CALL FOR RATES	
2 PERSON	4X2	GAS	OPEN	500		CALL FOR RATES	
2 PERSON	4X4	ELECTRIC	OPEN	500		CALL FOR RATES	
2 PERSON	4X4	GAS/DIESEL	OPEN	800		CALL FOR RATES	
2 PERSON	4X4	GAS	CAB	800		CALL FOR RATES	
2 PERSON	4X4	DIESEL	CAB	800		CALL FOR RATES	
2 PERSON	4X4	DIESEL	CAB, HEAT, AC	800		CALL FOR RATES	
4 PERSON	4X4	GAS/DIESEL	OPEN	1000		CALL FOR RATES	
4 PERSON	4X4	GAS	CAB	800		CALL FOR RATES	

▶ **SEE PAGE 39 FOR BOBCAT UTILITY ATTACHMENTS.** \*Other dimensions available and above rates subject to change based on availability.



## CARTS: GAS/ELECTRIC

TYPE	FUEL	EXTRAS	DAY	WEEK	4 WEEKS
2 PERSON	ELECTRIC/GAS	SMALL BED		CALL FOR RATES	
2 PERSON	ELECTRIC	LONG BED (48"W X 70"L)		CALL FOR RATES	
2 PERSON	ELECTRIC	LSV LEGAL		CALL FOR RATES	
4 PERSON	ELECTRIC	LSV LEGAL		CALL FOR RATES	
6 PERSON	ELECTRIC	LSV LEGAL		CALL FOR RATES	
6 PERSON	ELECTRIC/GAS	SHUTTLE - NO BED		CALL FOR RATES	

\*Other dimensions available and above rates subject to change based on availability.

## SMALL ENGINE OIL & FUEL

Improve Equipment Performance | Reduce Downtime | Extend Engine Life

- 2-Cycle Engine Oil
- Grease & Lubricants
- 2-Cycle Premixed Fuel +Oil (40:1)
- Bar & Chain Oil
- 4-Cycle Unleaded Fuel
- 2-Cycle Premixed Fuel+ Oil (50:1)





## The Original American Motorcycle

Indian Motorcycle, an American legend since 1897, is Best Line Powersports' newest lineup of piston-pumping pleasure. Rev up on smooth-riding cruisers, unique baggers, and luxurious touring motorcycles that redefine the original classic.



### INDIAN® SCOUT®

- Great Balance
- Light Weight

### INDIAN SPRINGFIELD™

- Vintage Styling
- Modern Engineering



### INDIAN® ROADMASTER®

- Pure American Luxury
- Dramatic design



INDIAN MOTORCYCLE®  
of *Muncy*



INDIAN MOTORCYCLE®  
of *State College*



## SLINGSHOT®

Sitting just inches off the ground, the slingshot allows you to feel the road in your seat and in your chest. Plus, the performance-driven sport tuned stick charges every corner with responsive powerful acceleration giving both driver and passenger a front row seat to the action.

### Slingshot®

- 2.4 Liter DOHC Engine
- 5-Speed Manual Trans.
- ABS Disc Brakes
- Waterproof Seats



### Slingshot® SLR

- 2.4 Liter DOHC Engine
- 173 HP with 166 ft.-lbs. of Torque
- Stability & Traction Control



# POLARIS

Our Polaris dealerships deliver the most complete line-up of customizable machines purpose-built for the way you ride. Explore our huge selection of elite snowmobiles, Sportsman® ATVs, and Ranger® and RZR® UTVs. Plus, we offer parts, service, apparel, and accessories.

### SPORTSMAN® 850 SP

- Automotive Style Paint
- 26" CST Tires



### RANGER XP® 900

- On-Demand AWD/2WD
- 4-Stroke



### RZR® S 1000 EPS

- 100HP PROSTAR® Eng.
- Evans Shocks



### ACE® 570

- 45HP ProStar® engine
- True AWD



### RUSH® PRO-S

- AXYS® Chassis
- Active Pitch Control™



# Kawasaki

## Good Times, Great Rides!

At Best Line Powersports, we sell and service a full line of Kawasaki's bestselling Ninja® sportbikes, classic Vulcan™ cruisers, rugged ATVs and Mule™ Side x Side vehicles, parts and accessories. Test Ride a Kawasaki today and see the definition of Good Times.



### NINJA® 1000 ABS

- 4 Stroke Engine
- 6-Speed Trans.

### MULE™ 4010 TRANS4x4®

- 617cc Engine
- CVT Transmission



### VULCAN® S ABS SE

- 649cc Engine
- Lightweight

### FORCE® 750 4x4i

- Digital Fuel Injection
- Steel Frame



# TRAILERS

## HAULING YOUR EQUIPMENT: TOWING CAPACITY & TRAILER WEIGHT CLASS

Before you select a towing vehicle you need to determine the weight of the trailer being towed as well as the weight the vehicle will carry while towing. Provide a good margin of safety.

**For safe towing your trailer should always be set up to tow on a level plane.**




1. Measure from the ground to the top of the hitch.
2. Measure from the ground to the (inside) top of the trailer coupler, then level.
3. Subtract the height of the hitch ball (Most are 2 1/2" - 3" high) from coupler measurement.

### STANDARD BALL SIZES:

- 1 7/8" - (47.6mm)
- 2" - (50.8mm)
- 2 5/16" - (47.6mm)

Please verify to ensure proper hitch and receiver.

### BALL MOUNT MEASUREMENTS:



### Class I

Cars factory equipped with hitch, SUV, Small Trucks\*\*



#### LIGHT LOADS

- 2,000-pound maximum
- Folding camping trailers, trailers for small boats, motorcycles, and snowmobiles
- Load-carrying (non-equalizing) hitch

### Class III

SUV equipped with factory towing package, 150 and 1500 size trucks\*\*



#### LARGER LOADS

- 5,000-pound maximum
- Dual-axle or large single-axle trailers
- Weight-distributing hitch not required, unless specified for a particular vehicle

### Class II

SUV, Small Trucks\*\*



#### LIGHT LOADS

- 3,500-pound maximum
- Single-axle, small to medium length (up to 18 feet) trailers

### Class IV 250, 350, 2500, and 3500 size and larger trucks\*\*



#### LARGER LOADS

- 10,000-pound maximum
- Largest trailers made for recreation
- Weight-distributing hitch is required; as indicated by each weight class

**REMEMBER:** A hitch system is only as strong as its lowest-rated component. Compare the maximum tow weight ratings of your hitch, ball mount and hitch ball. Your hitch system rating is the lowest weight rating among those components.

### Gooseneck / 5th Wheel



#### LARGEST LOADS

- Must have fifth-wheel or gooseneck coupling on towing vehicle.
- Light (8K lbs.), Mid-Size (10K lbs.) and Full-Size (15K lbs.) weight classes; also maximum lengths.

\* Graphics are for example purposes only. Consult your vehicle and towing apparatus specifications before hauling your equipment. \*\* For comparison purposes only. Consult your vehicle manual for accurate towing capacity.

TYPE	PAYLOAD	GVWR	1/2 DAY	DAY	WEEK	4 WEEKS
5'X8' UTILITY TRAILER.....			24.00	36.00	135.00	455.00
6'X12' UTILITY TRAILER.....			32.00	46.00	160.00	525.00
SINGLE AXLE EQUIPMENT HAULER.....	5,800 LBS	7,200 LBS	55.00	80.00	240.00	580.00
DUAL AXLE EQUIPMENT HAULER.....	7,500 LBS	9,990 LBS	55.00	80.00	240.00	580.00
LARGE EQUIPMENT HAULER.....		14,000 LBS	CALL FOR RATES, AVAILABILITY, AND VEHICLE REQUIREMENTS.....			
HYDRAULIC DUMP TRAILER.....			90.00	130.00	370.00	920.00
5'X8' DUMP TRAILER.....		5000 LBS	80.00	105.00	310.00	725.00

# TIE-DOWN SELECTION GUIDE

Before operating your vehicle on public roads, please be sure that your equipment is properly tied-down. If you have any questions on proper tie-down procedures, please ask a Best Line Representative for more information.









Chart is for informational purposes only. Please consult proper DOT standards for your load and vehicle type.

Contained (Sided) Vehicle			
FOR LOAD WEIGHT	REQUIRED TIE DOWN	A TO A	B TO B
0 - 100 lbs.	Twine	1	1
101+ lbs.	3/4" Rope	1	1



Passenger Vehicle			
FOR LOAD WEIGHT	REQUIRED TIE DOWN	A TO A	B TO B
0 - 100 lbs.	Twine	1	1
101+ lbs.	3/4" Rope	2	1
0 - 100 lbs.	Twine	2	1
101+ lbs.	3/4" Rope	2	1
0 - 100 lbs.	Twine	1	1
101+ lbs.	3/4" Rope	1	1
0 - 100 lbs.	Twine	1	1
101+ lbs.	3/4" Rope	1	1



WE RENT  
TIE DOWN  
EQUIPMENT!

## SAFE LOADING POLICY

WE RENT  
TIE DOWN  
EQUIPMENT!



OCCUPANTS						
	SMALL CAR	LARGE CAR	SMALL TRUCK	SUV	MINIVAN	1.5 TON TRUCK
1	700 lbs.	860 Lbs.	1,200 lbs.	1,260 lbs.	1,430 Lbs.	2,800 lbs.
2	500 lbs.	660 lbs.	1,000 lbs.	1,060 lbs.	1,230 Lbs.	2,600 lbs.
3	300 lbs.	460 lbs.	N/A	860 lbs.	1,030 Lbs.	N/A
4	N/A	260 lbs.	N/A	660 lbs.	830 lbs.	N/A
5	N/A	60 lbs.	N/A	460 lbs.	630 lbs.	N/A
6	N/A	N/A	N/A	260 lbs.	430 lbs.	N/A

Chart is for informational purposes only. Consult your vehicles individual specifications before use. All figures based on 200 lbs. per occupancy estimate.

<b>A</b>		<b>D</b>		<b>H</b>	
<b>Aerial Equipment</b> .....	20	Compact Excavators .....	36	Diamond Blades .....	15
<b>Air Compressors</b> .....	5	Compaction .....	10	Dollies .....	60
Accessories .....	6	Compact Track Loaders ...	38	Dozers .....	49
High Pressure (400 CFM -		Compact Tractors .....	41	Drain Cleaners .....	66
1070+ CFM) .....	6	<b>Concrete &amp;</b>		Drills .....	61
Portable (4 CFM - 17CFM+)		<b>Masonry</b>		Drywall Sander .....	60
.....	6	Brick / Block Saw .....	14	Duct Hose .....	32
Towable (160 CFM - 1600		Ceramic Tile Saw .....	14	Duct Lift .....	59
CFM) .....	6	Chisel Scaler .....	13	Dump Trucks.....	48
Air Tools .....	7	Concrete Buggies .....	13	<b>E</b>	
Air Dryers .....	7	Concrete Equipment .....	13	Electric Carts .....	67
Air Hose .....	8	Concrete Finishing		Engine Hoist .....	59
Air Line Lubricators .....	6	Equipment .....	13	Excavators.....	43
Appliance Trucks .....	59	Concrete Grinding .....	13	Extension Cords .....	62
Attachments (Bobcat) ...	39,40	Concrete Mixers .....	13	<b>F</b>	
<b>B</b>		Concrete Saws.....	14	Fans .....	32
Bale Mulchers.....	55	Core Bits .....	16	Feeder Panels .....	29
Balloon Light .....	34	Cut-Off Saw .....	14	<b>Floor Care Equipment</b> .....	65
Banding Tools .....	60	Diamond Blade .....	15	Carpeting Tools .....	65
Bare Cable .....	28	Power Trowel .....	13	Floor Polisher .....	65
<b>Bobcat Equipment</b> .....	35	Scabbler .....	14	Sanders .....	65
Attachments .....	39,40	Scarifier .....	15	Footage Boring Tool .....	7
<b>Boom Lifts</b> .....	22	Construction Lasers .....	66	Forklift Attachments .....	19
Articulating .....	22	<b>Contractor &amp;</b>		Forklifts .....	17
Telescoping .....	22	<b>Project Equipment</b>		Industrial .....	18
Brick / Block Saw.....	14	Contractor Equipment ..	57	Reach.....	19
Breakers / Breaker Points .	45	Contractor Pumps .....	62	<b>G</b>	
<b>C</b>		Conveyors .....	65	Generator Accessories .....	27
Cable .....	27	Hammer Drills.....	61	<b>Generators</b>	
Cam-Lok Cables .....	27	Material Lifts.....	59	Industrial Units .....	25
Carpeting Tools .....	65	Paint Sprayers.....	60	Portable .....	25
Ceramic Tile Saw .....	14	Pressure Washers.....	60	Grinders .....	61
Chipping Hammer .....	8	Welders .....	58	<b>Crawler Excavators</b> .....	43
Circular Saws .....	61	Attachments .....	44	Attachments .....	44
		Cut-Off Saw .....	14		

Light Towers .....33	Pick Up & Delivery .....2	<b>Rollers</b> .....11	Sheetrock Lift .....59
Linoleum & Tile Tools .....65	Piercing Tools .....7	Double Drum .....11	Shooting Boom Forklifts ..22
<b>Locations</b>	Pipe Cutting Equipment.....61	Single Drum .....11	Single Man Lifts .....21
Allentown ..... 1	Pipe Wrench ..... 60	Trench .....11	Skid-Steer Loaders .....37
Bensalem.....2	Portable Air Compressors... 6	Walk Behind .....11	Spider Box Cables .....27
Jessup .....2	Portable Heating .....31	<b>S</b>	<b>T</b>
Keyport.....2	<b>Portable Lighting</b> .....33	<b>Safety</b>	Tampers ..... 8
State College ..... 1	Balloon Lights .....34	BTU Calculator .....32	Telehandlers .....19
Harrisburg ..... 1	Towable Tower .....34	Cable Selection Guide ....29	Tractors .....41
Mechanicsburg ..... 1	Portable Washers..... 60	Compressed Air	Traffic Safety .....62
Muncy ..... 1	Portable Pumps.....62	Requirements .....63	Trailers .....70
Shippensburg .....2	Portable Welders.....58	Customer Tie-Down Guide	Trenchers .....56
Towanda ..... 1	Power Generation .....23	.....71	Trench Rollers
Uniontown ..... 1	Power Tools .....61	Extension Cord Gauge	(Straight and Articulated) ....11
Warminster ..... 1	<b>Powersports Vehicles</b>	Guide .....29	<b>U</b>
West Chester .....2	2-4 Person UTVs.....67	OSHA & ANSI Aerial Lift /	Utility Vehicles .....67
<b>M</b>	Electric Carts.....67	Work Platform Safety	<b>V</b>
Manhole Blower .....32	LSV Legal Carts .....67	Training .....20	Vibratory Plate Compactors
Masonry Equipment .....12	4-7 Person Carts.....67	OSHA & ANSI Forklift /	..... 10
Mitre Saws .....61	Utility Vehicles (UTVs) ....67	Fork Truck Safety Training	<b>W</b>
Mobile Service .....2	Pressure Washers ..... 60	..... 4	Website .....3
<b>N</b>	<b>Pumps</b> .....51	Safety Cables ..... 64	Welding Equipment .....58
Nailers ..... 8	Couplings .....53	Towing Capacity and Trailer	ARC Welders .....58
<b>P</b>	Dewatering .....62	Weight Class .....70	Wheel Loaders ..... 46
Painting Equipment ..... 60	Dry Prime .....51	<b>Sandblasting Equipment</b>	Attachments .....47
Paint Sprayers ..... 60	Pump Hose .....52	.....63	
Paving Breakers.....7	Submersible .....62	Abrasives .....63	
<b>Paving Breaker Tools</b> .....7	Trash Pumps .....62	Couplings .....53	
Asphalt Cutter .....7	Utility Pumps .....62	Filters & Respirators .....64	
Chisels .....7	Wet Prime .....51	Hose .....64	
Clay Spade .....7	Push-type Lifts .....21	Safety Cables .....64	
Clay Spade .....7	<b>R</b>	Sanders .....61	
Pad Tamper .....7	Reach Forklifts .....19	Scaffolding .....58	
Pin Driver .....7	Rivet Buster ..... 8	<b>Scissor Lifts</b> .....21	
Rock Buster .....7	Rock Drill ..... 8	Rough Terrain .....22	

**DON'T SEE SOMETHING YOU NEED?**  
 Chances are, we can get what your looking for.  
**1-800-321-2378**

**Best Line Equipment**  
2582 Gateway Drive  
State College, PA 16801



Phone: 814-237-5156  
Fax: 814-237-3632  
BestLine.com  
BestLinePowersports.com

Company Name \_\_\_\_\_ Email \_\_\_\_\_  
Phone Number \_\_\_\_\_ Cell \_\_\_\_\_ Fax \_\_\_\_\_  
Billing Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_  
Physical Address \_\_\_\_\_

Federal Tax ID Number \_\_\_\_\_  
Sales Tax Status \_\_\_\_\_ Taxable \_\_\_\_\_ Tax-Exempt \_\_\_\_\_  
Company Type \_\_\_\_\_ Proprietorship \_\_\_\_\_ Corporation \_\_\_\_\_

Date Business Started \_\_\_\_\_ State & Date of Incorporation \_\_\_\_\_  
President or Partners \_\_\_\_\_  
Years with Company \_\_\_\_\_  
A/P Contact Person(s) \_\_\_\_\_  
Requested Credit Amount (required information) \_\_\_\_\_  
Your Best Line Salesperson / Location \_\_\_\_\_  
Do you require: \_\_\_\_\_ PO \_\_\_\_\_ Job # \_\_\_\_\_

**Credit References** (applications with incorrect information will be delayed)

Bank Name \_\_\_\_\_ Account Officer \_\_\_\_\_  
Address \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Company Name \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Address \_\_\_\_\_  
Company Name \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Address \_\_\_\_\_  
Company Name \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Address \_\_\_\_\_

Applicant Signature: \_\_\_\_\_  
Spouse Signature: \_\_\_\_\_

*\*By your signature above, you hereby authorize us to contact your references listed for the purpose of obtaining credit information. Spouse's signature is required for any applicant not incorporated. If tax exempt, you must include a current tax-exempt certificate, otherwise you will be charged tax. Terms stated are Net 30. Any balance due after Net 30 terms is subject to 1.5% monthly finance charge.*

Download Credit Applications at [www.bestline.com/financing](http://www.bestline.com/financing)

## SHIFTS EXPLAINED

½ Day: Any consecutive 5 hour period with no more than 4 hours of use on hour-meter. Not available with all rental items, not available when equipment is delivered.

Day: Any consecutive 24 hour period – Maximum of 8 hours of use on hour-meter.

Week: Any consecutive 5 day period – Maximum of 40 hours of use on hour-meter.

Month: Any consecutive 28 day period – Maximum of 160 hours of use on hour-meter.

Weekends and Holidays: Contact your local store for details.

## SHIFT USAGE:

- Additional rental fees will apply for double or triple shift usage.
- Double Shift usage:
  - 16 hours per day
  - 80 hours per week
  - 320 hours per 4 weeks
- Triple Shift usage:
  - 2x book rate
  - 24 hours per day
  - 120 hours per week
  - 480 hours per month

## CUSTOMER RESPONSIBILITIES:

- Customer will be charged a cleaning fee if equipment is returned excessively dirty.
- Customer is responsible for all tire damage and flattened tires.
- Customer is responsible for refueling rented equipment, If equipment is returned with less than a full tank, the customer will be charged for the fuel required to fill the tank at a rate greater than market fuel prices.

## DELIVERY:

- We provide delivery to our entire service area.
- Delivery fees are not included in the rental rate, please contact your local store for accurate delivery fees.
- ½ day rates are not available when equipment is delivered, minimum charge is daily rate for delivered equipment.
- Customer-owned equipment may be transported at the discretion and convenience of the branch location.
- Accurate pickup and delivery locations must be specified or quoted rental rates will be adjusted upward to reflect additional lost time.

## RENTAL TERMS AND CONDITIONS

Lessor hereby leases to Lessee and Lessee hereby takes from Lessor the person property listed under "Item Rented" herein called the "rented property") subject to the following terms and conditions:

1. Lessee agrees to pay the rental rate specified for each item leased hereunder for each time period or fraction thereof, that the rented property is charged to the possession of the Lessee. The Lessee shall be charged with possession of the rented property from the time it (wherever appropriate herein, the words "he" or "she" may be substituted) acquires possession of such property as indicated under "Date Out" and "Time Out" until the rented property is returned to Lessor as indicated under "Date In" and "Time In." Special weekly and monthly rates apply only when the rented property is originally rented on a weekly basis and such rate is indicated at the time this contract is signed.
2. Lessee agrees to pay rental charges in advance or immediately upon returning the rented property at Lessor's sole discretion. Lessee further agrees that its deposit may be credited against any rental or other charges incurred by it hereunder and further agrees to pay upon demand all costs and charges payable under this lease over and above the advance deposit, together with all costs of collection including but not limited to collection agency fees and Lessor's reasonable attorney fees.
3. Lessee agrees to pay lessor additional rental charges for equipment used in excess of single shift operation. Single shift operation will be defined as 8 hour work days, 40 hour work week.
4. Lessee agrees to return the rented property to Lessor immediately upon termination of this contract in the same condition as that in which the said property was received, ordinary wear and tear from a use permitted under this lease expected.
5. Lessee agrees to use the rented property only at the address and only for the purpose designated herein unless the Lessor consents in writing to its use at another location and / or for another purpose. Lessee further agrees to keep and retain all Lessor's labels, plates or markings in place on the rented property.
6. Lessee acknowledges that it has inspected the rented property and has found it to be clean and in good working condition at the time of entering into this contract. Lessee further acknowledges that it has received safe operation instructions in respect to the rented property.
7. Lessee agrees to immediately cease using any rented property if, while Lessee is charged with possession thereof, said property is found to be unsafe or in disrepair. Lessee shall notify Lessor immediately in either such case, and Lessor agrees, upon payment to it in full of all moneys chargeable to Lessee under this lease to the date of such replacement including but not limited to, all repair or replacement costs, to replace the rented property with similar property in good working condition with reasonable dispatch. Rental and other charges under this lease shall continue at all times pending such replacement and thereafter, in accordance with the terms of the lease.
8. Lessee agrees to pay all cleaning, repair and replacement charges of any rented property which is required to be cleaned, repaired or replaced upon its return to Lessor.
9. Lessee agrees to pay Lessor in full for all loss or damage resulting to the rented property while said property is charged to its possession, whether such loss or damage is caused by loss or theft of the rented property or by reason or accident thereto, or by careless or abusive use thereof.
10. Lessee agrees that use of the rented property shall be entirely at its own risk and that it will indemnify and save harmless Lessor, its agents and employees from any and all liabilities, losses, payments or expenses of any nature including the cost of defense of all claims (1) for injury or death to any person or persons and (2) for damage to any property occurring in respect of the Lessee, its agents or employees or the rented property while the said rented property was or is in, or arising, directly or indirectly, because the rented property is or has been in possession of the Lessee, its agents or employees, provided however, Lessee shall not be liable for any injury, death, damage or loss caused directly by the negligence of Lessor, its agents or employees. Lessee further agrees to notify Lessor immediately of any injury, death, damage or loss included under the terms of this paragraph.
11. Lessor makes no warranties of safety for use, merchantability, fitness for a particular purpose or any other warranty, express or implied, in respect to the rented property.
12. The parties hereto agree that the terms and conditions of this contract are severable, and, in the event that any term or condition hereof is invalid under the laws of any state where used such term or condition shall be deemed not to be part of this contract in such state, but shall not invalidate any other provision hereof.

*Questions? See your local Best Line Equipment representative for more details.*



RENTAL | SALES | SERVICE | PARTS

# EMERGENCY SERVICES

## POWER GENERATION

### GENERATORS

- 1000W - 1.5MW
- Electronic Sensitive
- Electronic Rated
- Reserve Fuel tanks

### DISTRIBUTION

- Distribution Boxes
- Transfer Switches
- Switch Gear
- Cables
- Load Banks
- Transformers
- Cable Ramps
- Cam Locks

## LIGHTING

### SELF-CONTAINED

- Light Towers
- Highway Balloon Lights
- Multi-Directional
- Industrial Halogen Lights

## PUMPS

- High Pressure, Hydraulic, Dry-Prime, Electric Driven and more
- Complete Turn-Key Solutions

## AIR COMPRESSORS

### PORTABLE / MOBILE

- Diesel Air Compressors
- Moisture Free
- After Coolers / Dryers
- Air Tools
- 160-1600CFM
- Towable and Skid-Mounted
- Industrial
- Job Site

## TEMPERATURE CONTROL

### PORTABLE / MOBILE

- Fans
- Blowers
- Mobile Air Dryers
- Indirect/Direct Fired Heaters
- Electric Heaters
- Portable Air Conditioners
- Dehumidification
- Ground Thaw Units
- 1,000,000btu Towable heaters

## GAS INDUSTRY


- Replacement Units
- Equipment logistics
- 24 Hour Emergency Service



BESTLINE.COM • 1-800-679-BEST

# BEST LINE EQUIPMENT

RENTAL | SALES | SERVICE | PARTS



### **MUNCY, PA**

25 Legion Rd  
Muncy, PA 17756  
(570) 546-8422

### **TOWANDA, PA**

183 Tomahawk Rd. (Routes 6 & 220)  
Towanda, PA 1884  
(570) 265-4440

### **STATE COLLEGE, PA**

140 Hawbaker Industrial Drive  
State College, PA 16803  
(814) 237-9050

### **UNIONTOWN, PA**

2266 University Drive  
Lemont Furnace, PA 15456  
(724) 437-1578

### **MECHANICSBURG, PA**

5120 East Trindle Road  
Mechanicsburg, PA 17050  
(717) 697-1177

### **KEYPORT, NJ**

275 Clark Street  
Keyport, NJ 07735  
(732) 334-6225

### **ALLENTOWN, PA**

1315 Hausman Road  
Allentown, PA 18104  
(484) 223-3814

### **BENSALEM, PA**

(MATERIAL HANDLING)  
1311 Ford Rd  
Bensalem, PA 19020  
(215) 447-0000

### **WARMINSTER, PA**

900 Louis Drive  
Warminster, PA 18974  
(215) 675-3009

### **WEST CHESTER, PA**

515 South Bolmar Street  
West Chester, PA 19382  
(610) 241-3633

### **SHIPPENSBURG, PA**

8001 Possum Hollow Road  
Shippensburg, PA 17257  
(717) 530-8400

### **JESSUP, MD**

8366 Washington Blvd  
Jessup, MD 20794  
(410) 792-4750

### **HARRISBURG, PA**

6700 Allentown Boulevard  
Harrisburg, PA 17112  
(717) 540-7867

### **SHIPPENSBURG, PA**

(REFURBISHING)  
1000 Mount Rock Road  
Shippensburg, PA 17257  
(717) 532-5900

### **FIELD-TEC SERVICES**

2040 Lime Bluff Road  
Muncy, PA 17756  
(570) 546-2607

[WWW.BESTLINE.COM](http://WWW.BESTLINE.COM) | 1-800-679-BEST