

2025/26

2ND EDITION

# RENTAL

## GUIDE



DAILY ENDURANCE

BEST PLACES  
to work in PAINDUSTRIAL  
CONTRACTOR

# BEST LINE

## EQUIPMENT

GAS & OIL FIELD  
GOVERNMENT

RENTAL | SALES | SERVICE | PARTS

WWW.BESTLINE.COM | 1-800-679-BEST

## 01

**INTRODUCTIONS**

|                       |            |
|-----------------------|------------|
| LOCATIONS .....       | PGS. 01-02 |
| HISTORY .....         | PG. 03     |
| SAFETY TRAINING ..... | PG. 04     |

## 12

**CONCRETE & MASONRY**

|                           |           |
|---------------------------|-----------|
| MIXERS / BURGERS .....    | PG. 13    |
| CONCRETE GRINDERS .....   | PG. 13    |
| FINISHING EQUIPMENT ..... | PG. 13    |
| CUTTING EQUIPMENT .....   | PG. 14/15 |
| CORE BITS/COSTARS .....   | PG. 16    |

## 23

**POWER GENERATION**

|                             |        |
|-----------------------------|--------|
| FACT LIST .....             | PG. 24 |
| HAND-HELD UNITS .....       | PG. 25 |
| INDUSTRIAL GENERATORS ..... | PG. 25 |
| GENERATOR ACCESSORIES ..... | PG. 27 |
| CABLES .....                | PG. 27 |
| FEEDER PANELS .....         | PG. 29 |

## 05

**AIR COMPRESSORS  
& AIR TOOLS**

|                          |           |
|--------------------------|-----------|
| PORTABLE / TOWABLE ..... | PG. 06    |
| HIGH PRESSURE .....      | PG. 06    |
| ACCESSORIES .....        | PG. 06    |
| AIR TOOLS .....          | PG. 07/08 |

## 17

**FORKLIFTS**

|                               |        |
|-------------------------------|--------|
| PNEUMATIC / DIESEL FUEL ..... | PG. 18 |
| ELECTRIC .....                | PG. 18 |
| PALLET TRUCKS .....           | PG. 18 |
| TELEHANDLERS .....            | PG. 19 |
| ATTACHMENTS .....             | PG. 19 |

## 30

**PORTABLE  
HEATING SOLUTIONS**

|                        |        |
|------------------------|--------|
| DIRECT-FIRED .....     | PG. 31 |
| INDIRECT-FIRED .....   | PG. 31 |
| RADIANT HEATERS .....  | PG. 31 |
| HYDRONIC HEATERS ..... | PG. 31 |
| FANS / BLOWERS .....   | PG. 32 |

## 09

**COMPACTION**

|                           |        |
|---------------------------|--------|
| PLATE COMPACTORS .....    | PG. 10 |
| TAMPERS / RAMMERS .....   | PG. 10 |
| SINGLE DRUM ROLLERS ..... | PG. 11 |
| DOUBLE DRUM ROLLERS ..... | PG. 11 |

## 20

**AERIAL EQUIPMENT**

|                          |        |
|--------------------------|--------|
| SCISSOR LIFTS .....      | PG. 21 |
| SINGLE MAN LIFTS .....   | PG. 21 |
| BOOM LIFTS .....         | PG. 22 |
| ARTICULATING BOOMS ..... | PG. 22 |

## 33

**LIGHTING**

|                            |        |
|----------------------------|--------|
| LIGHTING SYSTEMS .....     | PG. 34 |
| TOWABLE LIGHT TOWERS ..... | PG. 34 |
| BALLOON-STYLE LIGHTS ..... | PG. 34 |

# 35

## BOBCAT EQUIPMENT

|                            |        |
|----------------------------|--------|
| COMPACT EXCAVATORS.....    | PG. 36 |
| SKID STEER LOADERS.....    | PG. 37 |
| COMPACT TRACK LOADERS..... | PG. 38 |
| ATTACHMENTS.....           | PG. 39 |
| COMPACT TRACTORS.....      | PG. 41 |

# 42

## HEAVY EQUIPMENT

|                         |        |
|-------------------------|--------|
| CRAWLER EXCAVATORS..... | PG. 43 |
| BREAKERS.....           | PG. 45 |
| WHEEL LOADERS.....      | PG. 46 |
| BACKHOES.....           | PG. 48 |
| DUMP TRUCKS.....        | PG. 48 |
| DOZERS.....             | PG. 49 |

# 50

## PUMPS & HOSES

|                    |        |
|--------------------|--------|
| DRY/WET PRIME..... | PG. 51 |
| DEWATERING.....    | PG. 52 |
| PUMP HOSE.....     | PG. 52 |
| COUPLINGS.....     | PG. 53 |

# 54

## CONTRACTOR & PROJECT EQUIPMENT

|                        |        |
|------------------------|--------|
| WELDING EQUIPMENT..... | PG. 55 |
| SCAFFOLDING.....       | PG. 55 |
| PRESSURE WASHERS.....  | PG. 56 |
| POWER TOOLS.....       | PG. 57 |
| SALE MULCHERS.....     | PG. 58 |
| CHIPPERS.....          | PG. 58 |
| STUMP GRINDERS.....    | PG. 58 |
| SANDBLASTING.....      | PG. 60 |
| UTILITY VEHICLES.....  | PG. 61 |
| CARTS.....             | PG. 61 |

# 62

## TRAILERS

|                        |        |
|------------------------|--------|
| UTILITY TRAILERS.....  | PG. 62 |
| EQUIPMENT HAULERS..... | PG. 62 |

## ADDITIONAL INFORMATION

|                          |        |
|--------------------------|--------|
| DELIVERY SERVICES.....   | PG. 62 |
| MOBILE SERVICES.....     | PG. 62 |
| HISTORY.....             | PG. 63 |
| TRAINING SERVICES.....   | PG. 64 |
| COSTARS.....             | PG. 66 |
| TIE-DOWN CHART.....      | PG. 62 |
| SAFE LOADING POLICY..... | PG. 63 |
| APPENDIX.....            | PG. 64 |
| CREDIT APPLICATION.....  | PG. 66 |
| TERMS & CONDITIONS.....  | PG. 67 |

## RENTAL EQUIPMENT AT BEST LINE EQUIPMENT

Whether you're in the construction, landscaping, earth-moving, natural gas industry, or a home owner, Best Line Equipment has the tools-of-the-trade to get the job done right. Best Line has over 35 years of experience in the equipment rental business. Our expert team will provide you with the proper equipment from these categories and many more, keeping your production high and your down time to a minimum.

With the support of our vast parts department and 24 hour emergency service, you'll never be without the equipment you need. Huge selection, expert staff, and service that's second-to-none...only at Best Line Equipment.

## IMPORTANT INFORMATION

We do our best to make sure to have all the items we offer in this guide. If you do not see the items you are looking for here we more than likely can get it for you. Please contact your nearest location with your requests.



Online Rental Guide:

[BLERENTALGUIDE.COM](http://BLERENTALGUIDE.COM)

**MUNCY**



**Best Line Equipment**  
25 Leppin Road  
Muncy, PA 17756  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**570-546-8422**

Bobcat • Bomag • Silt • Hustler • eXmark  
Honda OPE • Bobcat Portable Power • JLG • Genie • Wacker  
Bri-Mar • Integrity • Billy Goat • Aluma

**TOWANDA**



**Best Line Equipment**  
183 Tomahawk Rd.  
Towanda, PA 16848  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**570-265-4440**

Kubota • Bobcat • Bobcat Portable Power • Develon Heavy  
Honda OPE • Wacker • Bomag • Hustler • eXmark • Billy Goat  
Peters • Wolf Cargis • Integrity • Silt • Aluma • Land Pride • Woods

**STATE COLLEGE**



**Best Line Equipment**  
140 Hartzler Ind. Dr.  
State College, PA 16803  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**814-237-9050**

Silt • Hustler • Bobcat • Bobcat Portable Power • Bomag • JLG  
Develon Heavy • Genie • Gehl • Honda OPE  
Billy Goat • Wacker • Bri-Mar • Integrity • Aluma • eXmark

**MECHANICSBURG**



**Best Line Equipment**  
5300 East Trindle Road  
Mechanicsburg, PA 17050  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**717-697-1177**

Bobcat • Hustler • Honda OPE • JLG • Genie  
Bobcat Portable Power • Bomag • Wacker  
Bri-Mar • Integrity • Aluma • Silt

**UNIONTOWN**



**Best Line Equipment**  
2266 University Drive  
Limestone Furnace, PA 15456  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**724-437-1578**

Develon Heavy • Silt • Bomag Compaction  
Wacker • JLG • Genie • Eagle Beaver • Gehl  
Subaru Generators • Bri-Mar • Integrity Trailers

**ALLENTOWN**



**Best Line Equipment**  
1335 Hausman Rd  
Allentown, PA 18104  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**484-223-3814**

Bobcat • Kubota • Develon Heavy • Bomag Compaction  
Bri-Mar • Integrity Trailers • Dynapac  
Silt • Subaru Generators • Walker • Aluma

**WARMINTON**



**Best Line Equipment**  
900 Louis Drive  
Warmintown, PA 18974  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**215-675-3009**

Bobcat • Bomag • Edco  
Tamco • CST • Genie  
STHE • Honda Power

**HARRISBURG**



**Best Line Equipment**  
6700 Allentown Blvd.  
Harrisburg, PA 17110  
Mon-Fri 7:30a - 5:30p  
Sat 7:30a - 10:00p

**717-540-7867**

Bobcat • Develon Heavy • Hustler • Husqvarna • JLG  
Genie • Bobcat Portable Power • Bri-Mar  
Integrity • Bomag • Subaru Generators & Pumps • Wacker

# LOCATIONS

1-800-679-BEST

## SHIPPENSBURG



**Best Line Equipment**  
8001 Possum Hollow Rd  
Shippensburg, PA 17257

Mon - Friday: 8am - 5pm  
Saturday: 9am - 12pm

**717-530-8400**

Bobcat • Develon Heavy • Silt • Bering • Hustler  
Wacker • Honda OPE • JLG • Genie • Aluma  
Bobcat Portable Power • Bri-Mar • Dynapac

## SHIPPENSBURG



**Best Line Wholesale**  
8001 Possum Hollow Rd  
Shippensburg, PA 17257

Call for more information or to make an appointment

**717-532-5900**

Wholesale and Refurbishing Center  
Body Shop • Service Bays

## KEYPORT



**Best Line Equipment**  
275 Clark Street  
Keyport, NJ 07735

Mon - Fri  
7am - 5pm

**732-334-6225**

Develon Heavy

## WEST CHESTER



**Best Line Equipment**  
545 South Bolmar St.  
West Chester, PA 19382

Mon - Friday: 8am - 5pm  
Saturday: 9am - 12pm

**610-241-3633**

Bobcat • Develon • JLG • Hustler  
Silt • Honda OPE

## BENSALEM



**Best Line Equipment**  
1301 Ford Rd  
Bensalem, PA 19002

Monday - Friday:  
7am - 5pm

**215-447-0002**

Advance • Bobcat Forklift • Genie  
IPC Eagle • JLG • Karcher • Heli

## JESSUP



**Best Line Equipment**  
8366 Washington Blvd  
Jessup, MD 20794

Monday - Friday:  
7am - 5pm

**410-792-4750**

Develon • JLG • Genie  
LaBounty • Crafts • Ezyre

### PICKUP & DELIVERY

At Best Line Equipment, we know the importance of having equipment on-site and ready to work. That's why we offer pick up and delivery services on most rental and sales items within 500 miles of our stores at competitive rates. Call your local Best Line location for more information.

### MOBILE SERVICE

We offer many service options including scheduled, mobile, fleet, and emergency services at competitive rates. Start getting the longest life and strongest performance with Best Line mobile service. Call today for more information.

ONLINE AT:

[BestLine.com](http://BestLine.com) • [BestLineBobcat.com](http://BestLineBobcat.com) • [BestLineDevelon.com](http://BestLineDevelon.com)





# HISTORY

## BEST LINE

*by the numbers*

**1985**  
YEAR FOUNDED

**14**  
LOCATIONS

**100,000+**  
PARTS IN STOCK

OVER  
**250**  
SERVICE  
TECHNICIANS

The Best Line Equipment story began in 1985 when Industrial Engineer Michael Houseknecht started a small equipment rental and service company in Muncy, PA. Through hard work and employee dedication, Mr. Houseknecht built a successful 13 location business servicing all of Pennsylvania and portions of 7 surrounding states.

Through our growth, we have been able to service you better. We sell, service, distribute, and rent over 60 major industry manufacturers to give you more quality options. With our sales and service force of more than 400 employees, we are able to promote customer service and service an extensive customer base.

Our goal is to provide our customers with the equipment, rental, sales, and professional service to satisfy their needs quickly and efficiently. With this goal in mind, our highly trained, knowledgeable and reliable employees will work hard to make sure your needs are fulfilled. Give us a try and you'll learn why they call us the BEST.



# SAFETY TRAINING

MEWP & OSHA Aerial Lift and Work Platform Safety Training



» **On-site Training Available!**

## Safety-Training Packages

### PACKAGE 1:

#### » MEWP Certification ONLY

- Max Class size is 12 students for each certification
- 1-day course

Choose one or two of the following:

- Boom
- Scissor
- Personnel
- Crawler
- Towable

### PACKAGE 2:

#### » Industrial Forklift or Telehandler Certification

- Max Class size is 12 students for each certification
- 1-day course

Choose one or all of the following:

- Industrial (Type 1-5)
- Telehandler (Type 7)

### PACKAGE 3:

#### » MEWP Certification + Forklift Certification

- Max Class size is 12 students for each certification
- 2-day course

Day 1:

- Boom
- Scissor
- Personnel
- Crawler
- Towable

Day 2:

- Industrial (Type 1-5)
- Telehandler (Type 7)

» To schedule safety training, request pricing or discuss future training needs, email our Safety Department at [safetydep@bestline.com](mailto:safetydep@bestline.com) or call 1-800-679-BEST.

## SAFETY | Explanation of Icons

It is important that you wear all the manufacturer's recommended safety equipment, review all safe operation manuals and details and follow all safety precautions when utilizing tools and operating equipment. Operating/your accounts are responsible for the use, care and inspection of PPE (Personal Protective Equipment).



WEAR HARD HAT



WEAR OVERALLS



WEAR SNIFF MASK



WEAR GLOVES



WEAR EYE PROTECTION



WEAR HEARING PROTECTION



WEAR SAFETY SHOES



WEAR WELDING MASK



WEAR SAFETY HARNESS



When you need instant solutions, our mobile technicians can get you up and running day or night.

**CALL: 1-800-679-2378**

# AIR COMPRESSORS & AIR TOOLS



## KEEPS YOU GOING **STRONG**

Air compressors are a top priority at Best Line Equipment, and we understand your needs to keep you going strong. Best Line offers compressors small enough to handle roofing guns up to the largest high pressure units. Anything you need in between, Best Line has the options to help you get the job done right. We also offer air tools! From paving breakers and

### QUICK SPECS:

- 1770 cfm
- 365 psi Rated Pressure
- 18,050 lbs Operating Weight

### BOBCAT PA1170P



**Bobcat**

Authorized Dealer

rock drills to piercing tools and sand blasters, we have it all. With professional rental sales, and service support, Best Line Equipment continues to be an industry leader.



**Bobcat**

Authorized Dealer

Portable air compressors from Bobcat Portable Power offer superior performance and value for rental customers. Available in a variety of configurations, our compressors are designed to increase both productivity and profits.

Industry's largest tool storage system

High-capacity fuel tanks

# AIR COMPRESSORS


**Bobcat**
*Authorized Dealer*

Towable air compressors are suited for many jobs including pavement repair or demolition, sandblasting, pneumatic tools, line stripping, and general construction. These units include single or tandem axle trailer mounting for towable speeds up to 55mph.

## TOWABLE

| CUBIC FEET PER MINUTE | POWER TYPE | RATED PRESSURE | WEIGHT    |
|-----------------------|------------|----------------|-----------|
| 160 BSCFM             | DIESEL     | 125 PSI        | 2150 LBS  |
| 325 CFM               | DIESEL     | 125 PSI        | 4775 LBS  |
| 600 CFM               | DIESEL     | 100 PSI        | 5600 LBS  |
| 800 CFM               | DIESEL     | 125 PSI        | 8400 LBS  |
| 915 CFM               | DIESEL     | 150 PSI        | 10750 LBS |
| 1300 CFM              | DIESEL     | 150 PSI        | 19500 LBS |
| 1600 CFM              | DIESEL     | 150 PSI        | 17750 LBS |

## HIGH PRESSURE

| CUBIC FEET PER MINUTE | POWER TYPE | RATED PRESSURE | WEIGHT    |
|-----------------------|------------|----------------|-----------|
| 400 CFM               | DIESEL     | 400 PSI        | 4775 LBS  |
| 1175 CFM              | DIESEL     | 350 PSI        | 11750 LBS |

## COMPRESSOR ACCESSORIES



### SAFETY CABLES

(WHP CHAINS)

- MADE FROM STEEL CABLE
- MEETS OSHA STANDARDS



### HIGH PRESSURE HOSE

- MANY WIDTHS AND LENGTHS AVAILABLE



### AIR LINE LUBRICATORS

- FULLY ADJUSTABLE



## PAVING BREAKERS

Air powered light, medium, and heavy duty jackhammers and breakers complement the heavy duty compressors. Air tools require like sized hoses that come with universal couplings.



### TYPE

- 35 L.B. CLASS
- 65 L.B. CLASS
- 90 L.B. CLASS
- 50 L.B. ROCK DRILL



\*Broken accessories will be charged at the full replacement value.\*

## PAVING BREAKER TOOLS



### TYPE

- 1/2" POINT
- 1-INCH CHISEL
- 3-INCH CHISEL
- ASPHALT CUTTER
- CLAY SPADE
- PIN DRIVER
- ROCK BUSTER
- PAD TAMPER



(We also sell all points and accessories for our air tools)

## PIERCING TOOLS



### TYPE

- 3" PNEUMATIC BORING TOOL



OTHER AIR TOOL POINTS AND BITS AVAILABLE UPON REQUEST!

## AIR TOOLS

**Our large select of hydraulic powered rock drills, tools and bits are designed for drilling blast, anchor and rock-splitting holes.**

## TAMPERS / ROCK DRILLS



## TYPE


- AIR TAMPER
- RIVET BUSTER
- RIVET BUSTER POINT
- RIVET BUSTER CHISEL
- CHIPPING HAMMER
- CHIPPING HAMMER CHISEL

## TYPE

- CHIPPING HAMMER BULL POINT
- CHIPPING HAMMER WIDE CHISEL
- CHIPPING HAMMER BUSH TOOL
- ROCK DRILL
- 3" ROCK DRILL (STEEL)
- 6" ROCK DRILL (STEEL)
- ROCK DRILL BITS



## AIR HOSE



## TYPE

- 1/4" 3/4" X 50' AIR HOSE
- 3/4" X 50' AIR HOSE
- 1" X 50' AIR HOSE
- 2" X 50' AIR HOSE



 Eye protection required when operating air compressors.

**DON'T FORGET:  
GLOVES**



We offer over 30 performance work glove styles. Our extensive line covers a broad variety of working conditions.

OSHA listed certified gloves available upon request.



# COMPACTION



#### QUICK SPECS:

- 1500mm Rolling Width
- Cummins T31 Engine
- 34kW @ 2000rpm (99hp) h Rated Power

DYNAPAC CC280D



## KEEPS YOU GOING **STRONG**

Best Line Equipment offers the most productive line of compaction equipment in the region. With brands like Wacker Neuson and Dynapac, Best Line can supply you for any job. We have it all - smooth and combination single and double drum rolls, articulating trenchers, plate compactors, rammers, and more. Best Line is your solution for any and all compaction needs.

Dynapac C24500  
Soil Compactor



### ROLLERS

Suitable for the compaction of earthworks and road construction

### PLATE COMPACTORS

Compact granular soils, crushed aggregates and hot mix asphalt in open jobsites of all sizes

### JUMPING JACKS

Backfill around footings and foundations, sub-base and base preparations with ease

### TRENCH COMPACTORS

Trench compactors are suitable for work in confined areas, or difficult to compact soils



**WACKER  
NEUSON**

## COMPACTION EQUIPMENT

Vibratory plates are often used on construction sites with confined working locations. The easy transportation of BOMAG plates and their almost maintenance free design ensure high-quality use on soils, granular materials, asphalt and block paving.

## VIBRATORY PLATES

| TYPE | WEIGHT | CENTRIFUGAL FORCE | TRAVEL | PLATE SIZE |
|------|--------|-------------------|--------|------------|
|------|--------|-------------------|--------|------------|

## PLATE COMPACTOR - ONE DIRECTION

|                |     |      |  |  |
|----------------|-----|------|--|--|
| BOMAG BP100/36 | 160 | 2290 |  |  |
| BOMAG BP180/51 |     |      |  |  |

| TYPE | WEIGHT | CENTRIFUGAL FORCE | TRAVEL | PLATE SIZE |
|------|--------|-------------------|--------|------------|
|------|--------|-------------------|--------|------------|

## PLATE COMPACTOR - REVERSIBLE PLATE

|                  |      |           |        |         |
|------------------|------|-----------|--------|---------|
| BOMAG BP102/40   | 255  |           |        |         |
| BOMAG BP135/50   | 400  | 7560 LBS  | 28 FPM | 23"X30" |
| BOMAG BP145/55   | 608  | 10960 LBS | 32 FPM | 24"X30" |
| MULTIQUIP HAW500 | 722  | 14000 LBS | 75 FPM | 32"X32" |
| BOMAG BP170/700  | 1276 | 15736 LBS | 75 FPM | 32"X36" |

## JUMPING JACK / RAMMERS

| TYPE | CENTRIFUGAL FORCE | WEIGHT | FUEL | PLATE SIZE |
|------|-------------------|--------|------|------------|
|------|-------------------|--------|------|------------|

|             |     |          |          |         |
|-------------|-----|----------|----------|---------|
| WACKER B350 | 120 | 2500 LBS | 2 CYCLES | 11"X13" |
| BOMAG G5/4  | 131 | 3035 LBS | 4 CYCLE  | 11"X13" |
| BOMAG B5/4  | 150 | 3642 LBS | 4 CYCLES | 11"X13" |

## WHAT TYPE OF COMPACTION EQUIPMENT DO I NEED?



## CLAY



Big Sand  
and Anti-skid type 1 & 2

Heavy & medium size single  
drum rollers, trench  
compactors & heavy plates

FINE AGGREGATE

## SILT



## SAND



Big Sand/Anti-skid type 1 & 2  
or 2b stone

Vibratory and tandem rollers,  
single drum rollers,  
heavy and medium size plates

COARSE AGGREGATE

## GRAVEL



## COBBLES



#3 or #4 Stone  
and #1 Stone

Heavy single drum rollers,  
heavy plates

ROCK FILL

## BOULDERS



## COMPACTION EQUIPMENT

## ROLLERS

## WALK BEHIND

| TYPE                                       | WEIGHT    | TOTAL IMPACT FORCE |
|--------------------------------------------|-----------|--------------------|
| 25" DOUBLE DRUM                            | 1400 LBS  | 3036 LBS           |
| TRENCH ROLLERS   STRAIGHT & ARTICULATED    |           |                    |
| 32" REMOTE CONT.                           | 2500 LBS  | 3600 LBS           |
| 32" REMOTE CONT.                           | 2900 LBS  | 3900 LBS           |
| RIDE ON   STATIC   VIBRATORY   SINGLE DRUM |           |                    |
| 42" SINGLE DRUM ROLLER                     | 3 TON     | 10100 LBS          |
| 66" SINGLE DRUM ROLLER                     | 3 TON     | 32100 LBS          |
| 84" SINGLE DRUM ROLLER                     | 11 TON    | 59300 LBS          |
| RIDE ON   STATIC   VIBRATORY   DOUBLE DRUM |           |                    |
| 36" DOUBLE DRUM ROLLER                     | 3600 LBS  | 7000 LBS           |
| 42" DOUBLE DRUM ROLLER                     | 5236 LBS  | 8300 LBS           |
| 66" DOUBLE DRUM ROLLER                     | 1950 LBS  | 18854 LBS          |
| 79" DOUBLE DRUM ROLLER                     | 25353 LBS | 38800 LBS          |
| 84" DOUBLE DRUM ROLLER                     | 26420 LBS | 40235 LBS          |

**DYNAPAC**

**Dynapac CA3500**  
Single Drum Vibratory Roller

Dynapac vibratory rollers are used to compact all types of soil with the exception of rock and are suitable for most types of road construction, airfields, dam construction, harbor projects and industrial constructions.

## Double Drum Vibratory Rollers



## Combo Rollers



## Pneumatic Rollers



# CONCRETE & MASONRY



MAKE HARD WORK **EASY**

Concrete work is hard, let Best Line Equipment make it easy. We carry concrete grinders, mixers, saws, and more. With brands like Stihl, Edco, and others, Best Line has the tools to help get your job done. Come see us about what tools and solutions we have to help you achieve the goals you are looking to accomplish.

**STIHL®**

DIAMOND  
CONCRETE

**DDM**  
DISTRIBUTION  
MANUFACTURING

**MQ**  
MULTIQUIP

**CORE  
CUT**

**EDCO**

#### QUICK SPECS:

- 14" Max Wheel Size
- 4.9" Cutting Depth
- Gas Powered Engine

STIHL TS 700 CUTQUIK

**STIHL®**

We provide you with "Rental Tough" products built to withstand daily use and provide reliable performance for concrete applications:

- Mixers / Buggies
- Finishing Equipment
- Grinders
- Tile and Block Saws
- Concrete Saws
- Blades
- Core Bits and More!



**CONCRETE & MASONRY****CONCRETE MIXERS / BUGGIES**

| TYPE                     | MOTOR    | SIZE FT <sup>2</sup> |
|--------------------------|----------|----------------------|
| CONCRETE, PEDESTAL       | ELECTRIC | 2 1/2                |
| CONCRETE, TOWABLE        | GAS      | 8                    |
| CONCRETE, TOWABLE        | GAS      | 8                    |
| MORTAR, TOWABLE          | GAS      | 8                    |
| MORTAR, TOWABLE          | GAS      | 7                    |
| MORTAR, TOWABLE          | GAS      | 8                    |
| POWER BUGGY, RUBBER TIRE | GAS      | 10                   |
| POWER BUGGY, TRACK       | GAS      | 16                   |
| POWER BUGGY, RUBBER TIRE | L.P.     | 21                   |

**FINISHING EQUIPMENT**

| TYPE                      | MOTOR    | SIZE FT <sup>2</sup> |
|---------------------------|----------|----------------------|
| POWER TROWEL, WALK BEHIND | GAS      | 36" - INCH           |
| POWER TROWEL, WALK BEHIND | GAS      | 48" - INCH           |
| POWER TROWEL, RIDE ON     | GAS      |                      |
| BULL FLOAT, 3 EXTENSIONS  | N/A      | 36" - INCH           |
| LIGHT, VIBRATORY SCREED   | GAS      | UP TO 12- FEET       |
| CONCRETE VIBRATOR         | ELECTRIC | NA                   |

**CONCRETE GRINDING**

| TYPE                         | MOTOR    | SIZE FT <sup>2</sup> |
|------------------------------|----------|----------------------|
| SINGLE HEAD CONCRETE GRINDER | ELECTRIC |                      |

\*Includes one set of accessories.

| TYPE              | MOTOR | SIZE FT <sup>2</sup> |
|-------------------|-------|----------------------|
| DUAL DISC GRINDER | GAS   |                      |

\*Includes one set of grinding accessories.

**CONCRETE GRINDING****TYPE**

- TURBO GRINDER (NO DISC)
- DIAMOND DISC
- 7" TURBO COMBO GRINDER
- 7" DIAMOND CUP WHEEL
- CHISEL SCALER
- BIG STICK SINGLE BEVEL
- BIG STICK SINGLE BEVEL CHISEL
- 3M MILLED W/ 1/2" BLADE
- HPT CHIPPING POINT



# CONCRETE & MASONRY

## CONCRETE GRINDING



### TYPE

SCABBLER W/ BIT..... REMOVE UP TO 1/4" PER PASS

### EDGE SCABBLERS

- Removes up to 1/4" depth per pass
- Removes up to 1/4" depth per pass
- Removes up to 1/4" depth per pass
- Removes up to 1/4" depth per pass
- Removes up to 1/4" depth per pass
- Removes up to 1/4" depth per pass



### TYPE

SCARIFIER..... REMOVES TRAFFIC LINES AT 800-1,000 LINEAL FT. PER HOUR

DUST COLLECTOR..... FILTERS AIR TO HEPA STANDARD

INDUSTRIAL VAC..... FILTERS AIR TO HEPA STANDARD

## CUTTING EQUIPMENT



Best Line offers several models of ceramic, quarry tile, brick and block saws. Features like sliding, cutting tables, angle guides and wet/dry capabilities are accommodating for the precision you require. Table top or stand usage and electronic or gas models provide the selection you need for all jobs.



### TYPE

### MOTOR

### MAX BLADE SIZE

### BLADE USE

|                    |          |                         |             |
|--------------------|----------|-------------------------|-------------|
| CERAMIC TILE SAW   | ELECTRIC | 6" - 8" INCLUDES BLADE  | CERAMIC     |
| CERAMIC TILE SAW   | ELECTRIC | 8" - 10" INCLUDES BLADE | CERAMIC     |
| BRICK / BLOCK SAW* | ELECTRIC | 14"                     | BRICK/BLOCK |
| BRICK / BLOCK SAW* | GAS      | 14"                     | BRICK/BLOCK |

\*Does not include blade.



Best Line offers a variety of different cutting options. From cut off saws to diamond blade chain saws, our variety allows for standard and unique cuts like perfect corner cuts, plunge and irregular shape cuts. Air, electric, hydraulic and gas saws will allow for cuts in all environments.

### TYPE

### MOTOR

### MAX BLADE SIZE

### BLADE USE

|                    |          |     |                 |
|--------------------|----------|-----|-----------------|
| CUT-OFF SAW*       | GAS      | 12" | ALL             |
| CUT-OFF SAW*       | ELECTRIC | 14" | ALL (DRY/GREEN) |
| CUT-OFF SAW        | ELECTRIC | 18" |                 |
| CUT-OFF SAW*       | GAS      | 14" | ALL             |
| CUT-OFF SAW*       | GAS      | 18" | ALL             |
| CONCRETE CHAINSAW* | GAS      | 9"  | CHAIN           |
| CUT 'N BREAK SAW*  | GAS      | 16" | DUAL            |

\*DOES NOT INCLUDE BLADE \*\*PLUS \$12.95 PER FOOT CHAIN WEAR, CHAINSAW ONLY

# CONCRETE & MASONRY

Our selection of self-propelled street saws are the best heavy duty wet cutting asphalt saws around. The hydrostatic drive systems that are coupled with the saws cutting power and water system allow for maximum performance under tough conditions.

## WALK BEHIND

| MOTOR/TYPE               | MAX BLADE SIZE |
|--------------------------|----------------|
| ELECTRIC WALK BEHIND SAW | 14"            |
| ELECTRIC WALK BEHIND SAW | 18"            |
| GAS WALK BEHIND SAW      | 18"            |
| PROPANE WALK BEHIND SAW  | 18"            |

\* Blades are rented separately \*



## SELF PROPELLED

| MAX BLADE SIZE | MOTOR        |
|----------------|--------------|
| 20"            | 20 HP        |
| 30"            | 38 HP        |
| 36"            | 61 HP DIESEL |

\* Blades are rented separately \*

# CORE CUT

## CORE DRILLS

| TYPE        | WEIGHT             | DIAMETER CAPACITY |
|-------------|--------------------|-------------------|
| HAND HELD   | 15 LBS. W/OUT BIT  | 5"                |
| VACUUM BASE | 140 LBS. W/OUT BIT | 12"               |



### DIAMOND 14" TRIPLE XL TURBO 42891 BLADE

Diamond Product 42891, XXX-Turbo specialty Turbo Diamond Blade 14-inch x 1.75 x 1.1-inch. It has a serrated turbo segment for the fastest cut. It has an extended blade life with slant segment wear protection and tall segments. It is for use on high speed, small walk behind and masonry saws.

### CONCRETE BLADE CUTTING DEPTH

| BLADE SIZE | CUT DEPTH |
|------------|-----------|
| 7"         | 1-1/2"    |
| 8"         | 2"        |
| 10"        | 2-5/8"    |
| 12"        | 3-5/8"    |
| 14"        | 4-5/8"    |
| 16"        | 5-5/8"    |
| 18"        | 6-5/8"    |
| 20"        | 7-5/8"    |
| 24"        | 9-5/8"    |
| 30"        | 12-5/8"   |
| 36"        | 14-3/4"   |



### BLADE SIZES:

- 12" DIAMOND BLADE
- 14" DIAMOND BLADE
- 15" DIAMOND BLADE
- 18" DIAMOND BLADE
- 20" DIAMOND BLADE
- 24" DIAMOND BLADE
- 30" DIAMOND BLADE
- 36" DIAMOND BLADE

**Diamond Blades  
Available for  
Rentals or Purchase!**

## CONCRETE / MASONRY



### CORE BIT'S SIZE

- 1" CORE BIT
- 2" CORE BIT
- 2.5" CORE BIT
- 3" CORE BIT
- 3.5" CORE BIT
- 4" CORE BIT
- 6" CORE BIT
- 8" CORE BIT
- 10" CORE BIT
- 12" CORE BIT



BE SURE TO WEAR PROPER

**EYE | EAR | RESPIRATORY PROTECTION**

WITH ALL CONCRETE & MASONRY EQUIPMENT.



## STATE CONTRACTS

# PENNSYLVANIA'S LARGEST COSTARS™ EQUIPMENT STATE CONTRACT PROVIDER



**JLG**

**HYDREMA**



**POLARIS**

**SKYJACK**

**Genie**

**GEHL**

**BRI-MAR**

**THAYER**

**Cracklite**

**GENERAC**

**MAKITA**



**DYNAPAC**



**COSTARS™**

MANUFACTURER HELD CONTRACTS:



**Bobcat**



**BOMAG**

**DEVELON**

EMAIL US FOR MORE INFO:

[PAStateSales@bestline.com](mailto:PAStateSales@bestline.com)

# FORKLIFTS



MAKE HARD WORK **EASY**

#### QUICK SPECS:

- AC Drive Control
- Increased Comfort
- Intelligent Torque Control (ITC)

#### BOBCAT D70 SERIES



**Bobcat**

Authorized Dealer

Forklifts are an essential part of your day-to-day operations, but not all are the same. Our line of Bobcat, Lift King, & JLG offer dependable solutions at competitive rates. Whether you need a pallet truck or industrial forklift for SALE or RENT, to move material onto a roof or remove pallets from the top rack of a shelf in a warehouse, Best Line has the forklift for your application. Our dedicated representatives will work to solve your material handling needs quickly and efficiently.



**Bobcat**

Authorized Dealer

**LIFT KING**  
Manufacturing Corp.

**JLG**

#### ELECTRIC FUEL

Great for indoor use where clean fuel is a concern.



#### PNEUMATIC or CUSHION TIRE

Availability to meet all your material handling needs.



#### PALLET TRUCKS | Manual or Motorized

Great for low lifting applications especially in tough spots.



#### ROUGH TERRAIN

Great for difficult terrain where 4WD and high lift heights are needed.



## FORKLIFTS



## INDUSTRIAL

TIRES: PNEUMATIC (AIR/SOLID/DUAL/NON-MARKING) OR CUSHION (MARKING/NON-MARKING)

| BASE CAPACITY | FUEL TYPE       | TIRE TYPE | OVERALL MIN. WIDTH | OVERALL HEIGHT | FORK LIFT HEIGHT | OPERATING WEIGHT |
|---------------|-----------------|-----------|--------------------|----------------|------------------|------------------|
| 4000 lbs.     | L.P.            | Pneumatic | 48"*               | 85.4"          | 18"              | 6450 lbs.        |
| 4000 lbs.     | L.P.            | Cushion   | 36"                | 88"            | 177"             | 6800 lbs.        |
| 4000 lbs.     | Electric        | Cushion   | 48"*               | 84"            | 18"              | 7550 lbs.        |
| 5000 lbs.     | L.P./Gas/Diesel | Pneumatic | 48"*               | 88"            | 18"              | 8880 lbs.        |
| 5000 lbs.     | L.P.            | Cushion   | 43.7"              | 85"            | 18"              | 8775 lbs.        |
| 5000 lbs.     | Electric        | Cushion   | 43.7"              | 83"            | 18"              | 10445 lbs.       |
| 6000 lbs.     | L.P./Gas/Diesel | Pneumatic | 47.4"              | 88"            | 18"              | 9550 lbs.        |
| 8000 lbs.     | L.P. / Gas      | Pneumatic | 54"                | 98"            | 18"              | 13275 lbs.       |
| 10000 lbs.    | L.P./Gas/Diesel | Pneumatic | 57.4"              | 98"            | 18"              | 14825 lbs.       |
| 12000 lbs.    | L.P./Gas/Diesel | Pneumatic | 57.4"              | 98"            | 18"              | 16943 lbs.       |
| 15000 lbs.    | Diesel          | Pneumatic | 61"                | 108"           | 19"              | 21563 lbs.       |
| 20000 lbs.    | Diesel          | Pneumatic | 85.8"              | 135"           | 16"              | 28500 lbs.       |
| 36000 lbs.    | Diesel          | Pneumatic | 88"                | 142"           | 15"              | 42500 lbs.       |

\*Sample dimensions - other dimensions of truck and optional lift heights available and allow subject to change.

## ROUGH TERRAIN: STRAIGHT MAST/4WD/CAB

| BASE CAPACITY | FUEL TYPE | TIRE TYPE | OVERALL MIN. WIDTH | OVERALL HEIGHT | FORK LIFT HEIGHT | OPERATING WEIGHT |
|---------------|-----------|-----------|--------------------|----------------|------------------|------------------|
| 8000 lbs.     | Diesel    | Pneumatic | 64"                | 105"           | 25.4"            | 16975 lbs.       |
| 10000 lbs.    | Diesel    | Pneumatic | 87.5"              | 122"           | 33.2"            | 18920 lbs.       |

## PALLET TRUCKS (PEDESTRIAN): MANUAL/MOTORIZED

| BASE CAPACITY | FUEL TYPE          | FORK DIMENSIONS         | OTHER SPECS.    | OPERATING WEIGHT |
|---------------|--------------------|-------------------------|-----------------|------------------|
| 4500 lbs.     | Motorized/Electric | 27" W x 48" H           | No Wall Charger | 1560 lbs.        |
| 5500 lbs.     | Manual             | 27" W x 20.5" W x 48" H |                 | 300 lbs.         |

## AVAILABLE ATTACHMENTS:

- Booms
- Various Fork Lengths
- Fork Extensions
- Sideshift
- Carpet Poles
- Industrial Chargers
- Dump Champs
- Sales Clamps
- Rotating Forks

FOR

RENT OR SALE ▶ Stackers, Reach and Pallet Trucks - for a variety of applications!

## FORKLIFTS

G6 | G9 | G10 | G12  
JLG TELEHANDLERS

## FEATURES

- Roomier cab for added comfort
- All-wheel steering
- Full range of attachments
- Single joystick control for smooth operation
- Power shift transmission provides efficient control

JLG R3100  
JLG ROTATING TELEHANDLERS

## FEATURES

- Full rotation of the upper frame allows for both horizontal and vertical lifting and placing
- The cab features an intuitive operator interface, dual joystick proportional controls



## ROUGH TERRAIN

## REACH FORKLIFTS | SHOOTING BOOM FORKLIFTS | TELEHANDLERS

| MAX LIFT CAPACITY | MAX LIFT HEIGHT | MAX WEIGHT CAP. @ MAX LIFT HEIGHT | WEIGHT CAPACITY @ MAX REACH | MAX REACH | TYPICAL MODEL | OPERATING WEIGHT |
|-------------------|-----------------|-----------------------------------|-----------------------------|-----------|---------------|------------------|
| 5500 LBS          | UP TO 19'       | UP TO 3000 LBS                    | UP TO 1850 LBS              | 17'       | R5219         | 10000 LBS        |
| 6000 LBS          | UP TO 34'       | UP TO 4000 LBS                    | UP TO 900 LBS               | 27'       | R65           | 15000 LBS        |
| 6600 LBS          | UP TO 42'       | UP TO 6000 LBS                    | UP TO 3000 LBS              | 28'       | R56           | 23500 LBS        |
| 7000 LBS          | UP TO 42'       | UP TO 7000 LBS                    | UP TO 1500 LBS              | 22'       | VR642         | 23000 LBS        |
| 8000 LBS          | UP TO 42'       | UP TO 7000 LBS                    | UP TO 3000 LBS              | 28'       | R58           | 23350 LBS        |
| 8000 LBS          | UP TO 43'       | UP TO 8000 LBS                    | UP TO 3300 LBS              | 28'       | VR643         | 22230 LBS        |
| 9000 LBS          | UP TO 43'       | UP TO 7000 LBS                    | UP TO 1100 LBS              | 30'       | 69            | 25200 LBS        |
| 10000 LBS         | UP TO 58'       | UP TO 6000 LBS                    | UP TO 3000 LBS              | 41'       | G10           | 2628 LBS         |
| 11000 LBS         | UP TO 52'       | UP TO 5000 LBS                    | UP TO 3000 LBS              | 42'       | G12           | 25000 LBS        |

## FORKLIFT ATTACHMENTS



## Trans Boom

- Move roof trusses with precision and lower into tight spaces
- 10ft and 15 ft versions available
- 2000 lb maximum capacity
- Instant hook available



## Material Handling Buckets

- Clearmap, spread grapple or rip-rap with a range of material handling buckets
- 11.75 ft pitch 60 in. wide
- 1.25 ft pitch 74 in. wide
- 1.75 ft pitch 100 in. wide for G Series



## Forks

- Move pallets, crates, materials and more with ease
- Many sizes available
- Heavy duty units available
- Accessories and hardware available

# AERIAL EQUIPMENT



#### QUICK SPECS:

- 50' 2" Horizontal Outreach
- 55' 8" Max Platform Height
- 11" Ground Clearance

JLG 500SJ

**JLG**



## WHAT YOU NEED TO KNOW

We carry an aerial fleet that includes single-man personnel lifts, scissor lifts, telescopic boom lifts, and articulating (knuckle) boom lifts for spots that aren't easily accessible.

Our gas and diesel aerial work platforms are built to navigate difficult outdoor job site terrain, while our electric and propane aerial lifts easily maneuver through indoor environments with clean, fume-free operation.

Whether you're a service professional doing indoor repairs and maintenance at thirty feet, or a contractor completing a new construction fabrication at 85 feet, we have the aerial lift equipment for rent or for sale to fit your project needs.

- Articulating Boom Lifts
- Scissor Lifts
- Rough Terrain Lifts
- Straight Boom Lifts

#### OSHA & MEWP Aerial Lift/Work Platform Safety Training

Best Line's Aerial Lift Operator Safety Course reduces workplace injuries, product damage, and lift repairs while promoting an increase in safety awareness and customer satisfaction.

Call 1-800-679-BEST (2376) for more information.



## SCISSOR LIFTS

## SCISSOR LIFTS

PROVIDE SUPERIOR FLEXIBILITY IN TIGHT QUARTERS

Whether you're looking for electric scissor lifts with longer runtime or engine-powered scissors for rough terrain, we've got the models you need with the capacity and height for the job. Plus, with scheduled maintenance plans and delivery options available, you'll have the peace of mind only found with Best Line Equipment serial rentals.



## ELECTRIC, LEVEL SLAB TYPE

| OP. HEIGHT | STOWED HEIGHT | WIDTH     | FUEL TYPE | OP. WEIGHT           |
|------------|---------------|-----------|-----------|----------------------|
| 12' FT.    | 5' 4" - 5' 5" | 30" - 32" | ELECTRIC  | 1150 LBS - 1250 LBS  |
| 15' FT.    | 6' 4" - 6' 6" | 30" - 32" | ELECTRIC  | 2160 LBS - 2650 LBS  |
| 19' FT.    | 6' 6" - 6' 7" | 30" - 32" | ELECTRIC  | 2600 LBS - 2950 LBS  |
| 20' FT.    | 5' 5" - 8' 7" | 34" - 46" | ELECTRIC  | 3490 LBS - 4320 LBS  |
| 26' FT.    | 5' 5" - 1' 0" | 33" - 60" | ELECTRIC  | 4280 LBS - 5550 LBS  |
| 32' FT.    | 5' 2" - 8' 8" | 32" - 48" | ELECTRIC  | 5185 LBS - 6100 LBS  |
| 40' FT.    | 4' 5" - 8' 5" | 47" - 60" | ELECTRIC  | 7500 LBS - 10100 LBS |

\*\* CALL FOR PRICES &amp; AVAILABILITY \*\*

## SINGLE MAN LIFTS

IT'S TIME TO LET GO OF THE LADDER

Now you can focus on the job, not the risk. Single man lifts feature an enclosed carriage and secure platform that can help keep you stable as high as 14 feet. They provide a 360-degree range of motion so you can use both hands to get the job done. And with the single man lifts are lightweight and portable in design, so your next job is never far away.

## PERFECT FOR:

- PAINTING
- LIGHTING
- DRYWALL
- WAREHOUSING
- STOCKING

Genie

4000-100  
4000-100A  
EAL1000  
SINGLE MAN



## PUSH-TYPE, SINGLE MAN

| PLATFORM HEIGHT | OP. WEIGHT | STOWED HEIGHT | DIMENSIONS    |
|-----------------|------------|---------------|---------------|
| 20' FT.         | 767 LBS    | 70"           | 48" L X 28" W |
| 25' FT.         | 892 LBS    | 78"           | 52" L X 28" W |
| 30' FT.         | 940 LBS    | 78"           | 53" L X 28" W |
| 35' FT.         | 1107 LBS   | 78"           | 55" L X 28" W |
| 41' FT.         | 1200 LBS   | 78"           | 58" L X 28" W |



Best Line carries many types and brands of access equipment including JCB®, Genie and SkyJack®. Plus, Best Line has an array of complementary accessories that increase the versatility and efficiency of these products.

## SELF PROPELLED, SINGLE MAN

| PLATFORM HEIGHT | OP. WEIGHT | POWER    | DIMENSIONS            |
|-----------------|------------|----------|-----------------------|
| 15'             |            |          |                       |
| 30'             | 3325 LBS   | HAT 15HP | 52" L X 38" W X 35" H |

## SCISSOR LIFTS

## ROUGH TERRAIN



| OP. HEIGHT        | STOWED HEIGHT | FUEL TYPE        | OP. WEIGHT              |
|-------------------|---------------|------------------|-------------------------|
| 25' FT. - 27' FT. | 6' 6"         | GAS, L.P. DIESEL | 1050 LBS.               |
| 31' FT. - 33' FT. | 6' 6"         | GAS, L.P. DIESEL | 3200 LBS. - 4900 LBS.   |
| 43' FT.           | 8' 10"        | GAS, L.P. DIESEL | 15300 LBS.              |
| 56' FT.           | 10' 2"        | GAS, L.P. DIESEL | 17200 LBS. - 18400 LBS. |

\*\* CALL FOR PRICES &amp; AVAILABILITY \*\*

## BOOM LIFTS

## ARTICULATING



| OP. HEIGHT | STOWED HEIGHT | WIDTH         | FUEL TYPE        | OP. WEIGHT (LBS)        |
|------------|---------------|---------------|------------------|-------------------------|
| 45' FT.    | 5' 1" - 7' 4" | 5' 0" - 7' 4" | GAS, L.P. DIESEL | 15500 LBS. - 16000 LBS. |
| 60' FT.    | 6' 7" - 8' 9" | 7' 0" - 8' 0" | GAS, L.P. DIESEL | 22900 LBS. - 24200 LBS. |
| 80' FT.    | 8' 10"        | 8' 0"         | GAS, L.P. DIESEL | 33900 LBS.              |
| 105' FT.   |               |               | GAS, L.P. DIESEL | 44900 LBS.              |
| 130' FT.   |               |               | GAS, L.P. DIESEL | 58900 LBS.              |

## TELESCOPING STRAIGHT BOOM LIFTS



| OP. HEIGHT | STOWED HEIGHT | WIDTH | FUEL TYPE        | OPERATING WEIGHT (LBS) |
|------------|---------------|-------|------------------|------------------------|
| 40' FT.    | 7' 10"        | 7' 0" | GAS, L.P. DIESEL | 12500 LBS.             |
| 60' FT.    | 8' 5"         | 8' 0" | GAS, L.P. DIESEL | 22500 LBS.             |
| 80' FT.    | 9' 0"         | 8' 0" | GAS, L.P. DIESEL | 28400 LBS.             |
| 60' FT.    | 8' 0"         | 8' 2" | GAS, L.P. DIESEL | 27900 LBS.             |
| 80' FT.    | 9' 1"         | 8' 2" | GAS, L.P. DIESEL | 33000 LBS.             |
| 88' FT.    | 10' 0"        | 8' 2" | GAS, L.P. DIESEL | 36350 LBS.             |
| 120' FT.   | 10' 0"        | 8' 2" | GAS, L.P. DIESEL | 42500 LBS.             |
| 135' FT.   | 10' 0"        | 8' 2" | GAS, L.P. DIESEL | 44750 LBS.             |
| 150' FT.   | 10' 0"        | 8' 2" | GAS, L.P. DIESEL | 48000 LBS.             |
| 165' FT.   | 10' 0"        | 8' 2" | GAS, L.P. DIESEL | 48000 LBS.             |

## TOWABLE ARTICULATING BOOM

| OP. HEIGHT | STOWED HEIGHT | WIDTH | FUEL TYPE | OP. WEIGHT            |
|------------|---------------|-------|-----------|-----------------------|
| 50' FT.    | 18'           | 45'   | ELECTRIC  | 2600 LBS. - 2800 LBS. |

## ARTICULATING ATRIUM BOOM

| TYPE    | OP. HEIGHT | STOWED HT. | WIDTH | FUEL TYPE | OP. WEIGHT |
|---------|------------|------------|-------|-----------|------------|
| X770    | 77' FT.    | 26'        | 39'   | ELECTRIC  | 9600 LBS.  |
| X600-AJ | 60' FT.    | 20'        | 3'    | ELECTRIC  | 5100 LBS.  |

## MAST ATRIUM BOOM

| TYPE  | OP. HEIGHT | STOWED HT. | WIDTH  | FUEL TYPE | OP. WEIGHT |
|-------|------------|------------|--------|-----------|------------|
| T200E | 20' FT.    | 8 1/2'     | 3 1/2' | ELECTRIC  | 6334 LBS.  |
| T300E | 30' FT.    | 15'        | 3 1/2' | ELECTRIC  | 9340 LBS.  |

## ELECTRIC ARTICULATING BOOM

| OP. HEIGHT | STOWED HEIGHT | WIDTH | OP. WEIGHT |
|------------|---------------|-------|------------|
| 30' FT.    | 7' 8"         | 4' 0" | 15548 LBS. |
| 40' FT.    | 7' 8"         | 6' 0" | 12099 LBS. |
| 40' FT.    | 7' 8"         | 5' 0" | 13100 LBS. |
| 45' FT.    | 7' 8"         | 6' 0" | 14400 LBS. |

# POWER GENERATION



#### QUICK SPECS:

- 62.2hp
- Tier 4 Emissions Level
- 50 kVA (40 kW), 60 Amps

#### BOBCAT P650



## ANYTHING YOU NEED

Power generation is becoming more of a necessity each year, no matter if you are operating on a big construction project or tailgating at a football game. This is where Best Line comes in. We carry Bobcat generators of all sizes, capable of powering anything your jobsite calls for. For your smaller power needs, we offer Honda units, including quiet series generators. Best Line also offers all of the cables, distribution boxes, and other accessories you need to get

the job done right. Let Best Line Equipment take away the worry of power generation, and see how we can help you get up and running.



## BEST LINE EQUIPMENT | EMERGENCY SERVICES

Are you in need of fast friendly service? Are you looking to have a piece of equipment delivered? Do you need this in the middle of the night? Best Line has you covered. We offer 24/7 emergency services on all of our products to keep you up and running, any time of the day or night.

Call **1-800-679-BEST (2378)** for this service.



## POWER GENERATION

### FIRST THINGS FIRST: HOW MUCH POWER DO YOU NEED?

## ACCEPTED MANUSCRIPT

|                                         | START (METS)            | END (METS) |
|-----------------------------------------|-------------------------|------------|
| <b>AIR CONDITIONER</b>                  |                         |            |
| WINDOW UNIT, 10,000 BTU                 | 2000                    | 1500       |
| AC, 12,000 BTU                          | 2000                    | 1800       |
| AUTOMATIC CLOTHES WASHER                | 6000                    | 1000       |
| BOX FAN OFF TABLE FAN, 30"              | 400                     | 300        |
| <b>CLOTHES DRYER</b>                    |                         |            |
| ELECTRIC                                | 2500                    | 3400       |
| NATURAL GAS                             | 1800                    | 280        |
| COFFEE MAKER                            | 600                     | 50         |
| DESHASHER/DISHWASHER                    | 500                     | 400        |
| ELECTRIC BLANKET                        | 50                      | 100        |
| ELECTRIC FISH PAIL                      | 1500                    | 1500       |
| <b>ELECTRIC RANGE</b>                   |                         |            |
| 8-INCH ELEMENT                          | 1800                    | 1000       |
| 6-INCH ELEMENT                          | 2000                    | 100        |
| <b>FURNACE FAN, GAS OR FUEL OIL</b>     |                         |            |
| 1/2 HORSEPOWER                          | 300                     | 300        |
| 1/3 HORSEPOWER                          | 750                     | 300        |
| 1/4 HORSEPOWER                          | 1000                    | 500        |
| 1/2 HORSEPOWER                          | 1400                    | 700        |
| 1/3 HORSEPOWER                          | 2200                    | 850        |
| FLUORESCENT LIGHTS                      | A.1. RELOCATION OF BULB |            |
| <b>MICROWAVE OVEN</b>                   |                         |            |
| 500 WATTS                               | 800                     | 900        |
| 800 WATTS                               | 1000                    | 1200       |
| 1000 WATTS                              | 1500                    | 1200       |
| RADIANT HEATER                          | 1000                    | 1500       |
| SACKS                                   | 30 TO 250               | 50 TO 200  |
| REFRIGERATOR OR FREEZER (ENERGY STAR)   | 200                     | 13-150     |
| <b>SUMP PUMP</b>                        |                         |            |
| 1/2 HORSEPOWER                          | 1500                    | 800        |
| 1/3 HORSEPOWER                          | 2000                    | 1000       |
| TELEVISION                              | 300                     | 300        |
| TOASTER                                 | 1500                    | 1500       |
| <b>CONTRACTOR</b>                       |                         |            |
| <b>AIR COMPRESSOR</b>                   |                         |            |
| 1/2 HORSEPOWER                          | 700                     | 500        |
| 1 HORSEPOWER                            | 4500                    | 1800       |
| BENCH GRINDER, 8 INCHES                 | 800                     | 1400       |
| CIRCULAR SAW, HEAVY DUTY, 11 1/4 INCHES | 2000                    | 1400       |
| <b>CONCRETE VIBRATOR</b>                |                         |            |
| 1/2 HORSEPOWER                          | 840 (AVG)               | 840 (AVG)  |
| 1 HORSEPOWER                            | 1000 (AVG)              | 1000 (AVG) |
| 2 HORSEPOWER                            | 1500 (AVG)              | 1500 (AVG) |
| 3 HORSEPOWER                            | 2400 (AVG)              | 2400 (AVG) |
| DEMOLITION HAMMER                       | 1000 (AVG)              | 1200 (AVG) |
| DRAIN CLEANER                           | 250 (AVG)               | 250 (AVG)  |
| <b>DRILLS</b>                           |                         |            |
| 5/8 INCH, 3 AMPS                        | 600                     | 400        |
| 1/2 INCH, 5.2 AMPS                      | 900                     | 600        |
| HAND DRILL, 1/2 INCH                    | 900                     | 600        |
| ELECTRIC OVEN SAW, 14 INCHES, 3 HP      | 1700                    | 100        |
| HIGH-PRESSURE WASHER, 1 HORSEPOWER      | 1500                    | 1000       |
| ROTARY HAMMER                           | 1000 (AVG)              | 1000 (AVG) |
| TABLE SAW, 10 INCHES                    | 100                     | 100        |

#### INDUSTRIAL PICTURES

|                                                 | START (WETTS) | END (WETTS) |
|-------------------------------------------------|---------------|-------------|
| <b>CAPACITOR START INDUCTION RUN</b>            |               |             |
| 1/8 HORSEPOWER                                  | 850           | 775         |
| 1/4 HORSEPOWER                                  | 950           | 850         |
| 1/2 HORSEPOWER                                  | 1150          | 950         |
| 3/4 HORSEPOWER                                  | 1450          | 1150        |
| 1 1/4 HORSEPOWER                                | 1750          | 1450        |
| 1 HORSEPOWER                                    | 2000          | 1650        |
| 1 1/2 HORSEPOWER                                | 2200          | 1850        |
| 2 HORSEPOWER                                    | 2450          | 2000        |
| 3 HORSEPOWER                                    | 2850          | 2400        |
| 4 HORSEPOWER                                    | 3000          | 2650        |
| <b>CAPACITOR START CAPACITOR RUN</b>            |               |             |
| 1/8 HORSEPOWER                                  | 850           | 775         |
| 1/4 HORSEPOWER                                  | 950           | 850         |
| 1/2 HORSEPOWER                                  | 975           | 875         |
| 3/4 HORSEPOWER                                  | 1200          | 1000        |
| 1 1/4 HORSEPOWER                                | 1450          | 1250        |
| 1 HORSEPOWER                                    | 1500          | 1300        |
| 1 1/2 HORSEPOWER                                | 1700          | 1500        |
| 2 HORSEPOWER                                    | 1900          | 1700        |
| 3 HORSEPOWER                                    | 2100          | 1900        |
| 4 HORSEPOWER                                    | 2300          | 2100        |
| 550 D.T.V. 1/2 HORSEPOWER                       | 300           | 600         |
| <b>SPLIT PHASE</b>                              |               |             |
| 1/8 HORSEPOWER                                  | 750           | 750         |
| 1/4 HORSEPOWER                                  | 750           | 750         |
| 1/2 HORSEPOWER                                  | 1050          | 850         |
| 3/4 HORSEPOWER                                  | 1500          | 1200        |
| <b>RANGE EQUIPMENT</b>                          |               |             |
| <b>BATTERY CHARGER</b>                          |               |             |
| 75 AMP                                          | 120           | 120         |
| 30 AMP WITH 400 AMP BOOST                       | 1200/1275     | 1200/1275   |
| 100 AMP WITH 400 AMP BOOST                      | 1400/1400     | 1400/1400   |
| ELECTRIC FENCE, up to 1250                      | 125           | 125         |
| <b>ELECTRIC WELDER</b>                          |               |             |
| 300 AMP AC                                      | 1000          | 1000        |
| 225 AMP AC, AT 100 AMP                          | 1500          | 1500        |
| MEL'S COOKER                                    | 1850          | 1850        |
| HL 600 W/4000 RPMPS, 1/2 HORSEPOWER             | 1200          | 1000        |
| <b>PORTABLE HEATER (HEATING OIL, MEL, FUEL)</b> |               |             |
| 30,000 BTU                                      | 600           | 400         |
| 30,000 BTU                                      | 700           | 500         |
| 15,000 BTU                                      | 500           | 300         |
| <b>OFFICE</b>                                   |               |             |
| DESKTOP COMPUTER                                | 600 TO 800    | 500 TO 600  |
| FAX MACHINE                                     | 800 TO 800    | 500 TO 600  |
| LAPTOP COMPUTER                                 | 200 TO 250    | 200 TO 250  |
| <b>HONDA</b>                                    |               |             |
| CRF STYLE                                       | 200 TO 250    | 200 TO 250  |
| UCD STYLE                                       | 90            | 30          |
| PM 100                                          | 400 TO 500    | 400 TO 500  |

## WE RENT EXTENSION CORDS


See page 20 for details.

## POWER GENERATION

## NOISE LEVEL COMPARISONS

(decibels)

## QUIET



## LOUD

Our mobile environmental generators are engineered for reliable performance. They are designed to be compact and quiet, while powering a full load in extreme temperature conditions. The fluid containment system offers double-wall protection, keeps fluids from creating environmental hazards, and provides 24-hour minimum run times. These generators also feature AREP technology for best-in-class motor starting capability.

*\*Noise levels at rated load, measured at 15 Feet (4.5 Meters) from the control panel side of the generator. "Leq" is an international noise level measurement that uses a weighted factor to reflect noise "toxicity" in addition to the sound power (dB) level.*

**HONDA**  
GENERATORS

**Bobcat**

**SUBARU**
PORTABLE  
HAND-HELD UNITS

## MAX POWER (WATT)

- 1000 WATT (INVERTER)
- 1700 WATT (INVERTER)
- 2000 WATT (INVERTER)
- 3000 WATT (INVERTER)
- 4000 WATT (INVERTER)
- 6500 WATT (INVERTER)
- 10000 WATT (INVERTER)
- 8000 WATT
- 4000 WATT
- 5000 WATT
- 6500 WATT
- 10000 WATT
- 10000 WATT



## INDUSTRIAL UNITS

| POWER (0 PF @)   | RUN TIME (at 100% LOAD) | SOUND LVL | WEIGHT (LBS.) | FUEL CAP. |
|------------------|-------------------------|-----------|---------------|-----------|
| 25 KVA / 20 KW   | 21 HRS.                 | 65 DB     | 2585          | 40 GAL.   |
| 40 KVA / 32 KW   | 20.5                    | 65 DB     | 3505          | 47 GAL.   |
| 60 KVA / 48 KW   | 27 HRS.                 | 67 DB     | 4655          | 103 GAL.  |
| 70 KVA / 56 KW   | 21 HRS.                 | 68 DB     | 4175          | 92 GAL.   |
| 80 KVA / 64 KW   | 20 HRS.                 | 67 DB     | 4555          | 103 GAL.  |
| 90 KVA / 72 KW   | 16.5 HRS.               | 70 DB     | 5210          | 115 GAL.  |
| 125 KVA / 100 KW | 19 HRS.                 | 68 DB     | 5630          | 144 GAL.  |
| 145 KVA / 116 KW | 27.2 HRS.               | 70 DB     | 5642          | 229 GAL.  |
| 150 KVA / 120 KW | 26.2 HRS.               | 68 DB     | 11071         | 220 GAL.  |

\* Up to 2000KW Available \*

## POWER GENERATION

## ALTERNATING CURRENT REFERENCE CHARTS

FULL-LOAD CURRENT IN AMPERES - ALTERNATING CURRENT (AC) MOTORS

|       | Single Phase Motors |        | Three-Phase Induction Type |       |        |        | Three-Phase synchronous |       |        |
|-------|---------------------|--------|----------------------------|-------|--------|--------|-------------------------|-------|--------|
|       | 110V                | 230V   | 300W                       | 330W  | 440W   | 570W   | 330V                    | 440V  | 570V   |
| 1/8   | 4.4                 | 2.2    |                            |       |        |        |                         |       |        |
| 1/4   | 8.8                 | 4.4    |                            |       |        |        |                         |       |        |
| 1/3   | 13.2                | 6.6    |                            |       |        |        |                         |       |        |
| 1/2   | 17.6                | 8.8    | 3.3                        | 3.3   | 5      | 6.6    |                         |       |        |
| 3/4   | 26.4                | 13.2   | 5.5                        | 5.5   | 7.5    | 11     |                         |       |        |
| 1     | 35.2                | 17.6   | 7.7                        | 7.7   | 10     | 13.2   |                         |       |        |
| 1 1/2 | 52.8                | 26.4   | 11                         | 11    | 15     | 19.8   |                         |       |        |
| 2     | 70.4                | 35.2   | 14.3                       | 14.3  | 20     | 26.4   |                         |       |        |
| 3     | 105.6               | 52.8   | 21.5                       | 21.5  | 30     | 39.6   |                         |       |        |
| 4     | 140.8               | 70.4   | 28.7                       | 28.7  | 40     | 52.8   |                         |       |        |
| 5 1/2 | 193.6               | 96.8   | 38.5                       | 38.5  | 55     | 72.6   |                         |       |        |
| 6 1/2 | 228.8               | 114.4  | 44                         | 44    | 63     | 82.8   |                         |       |        |
| 8     | 281.6               | 140.8  | 55                         | 55    | 80     | 105.6  |                         |       |        |
| 10    | 352                 | 176    | 68.7                       | 68.7  | 100    | 132    |                         |       |        |
| 15    | 528                 | 264    | 102.5                      | 102.5 | 150    | 198    |                         |       |        |
| 20    | 704                 | 352    | 136.7                      | 136.7 | 200    | 264    | 330                     | 440   | 570    |
| 25    | 880                 | 440    | 170.9                      | 170.9 | 250    | 330    | 420                     | 550   | 700    |
| 30    | 1056                | 528    | 205                        | 205   | 300    | 396    | 500                     | 650   | 825    |
| 40    | 1408                | 704    | 276.7                      | 276.7 | 400    | 528    | 660                     | 850   | 1100   |
| 50    | 1760                | 880    | 340                        | 340   | 500    | 660    | 825                     | 1075  | 1375   |
| 60    | 2112                | 1056   | 408                        | 408   | 600    | 792    | 1000                    | 1300  | 1650   |
| 75    | 2640                | 1320   | 510                        | 510   | 750    | 990    | 1250                    | 1625  | 2062   |
| 100   | 3520                | 1760   | 680                        | 680   | 1000   | 1320   | 1650                    | 2150  | 2750   |
| 125   | 4400                | 2200   | 850                        | 850   | 1250   | 1650   | 2075                    | 2687  | 3437   |
| 150   | 5280                | 2640   | 1020                       | 1020  | 1500   | 1980   | 2500                    | 3250  | 4125   |
| 200   | 7040                | 3520   | 1367                       | 1367  | 2000   | 2640   | 3300                    | 4250  | 5375   |
| 250   | 8800                | 4400   | 1709                       | 1709  | 2500   | 3300   | 4125                    | 5312  | 6718   |
| 300   | 10560               | 5280   | 205                        | 205   | 3000   | 3960   | 4900                    | 6375  | 8062   |
| 400   | 14080               | 7040   | 276.7                      | 276.7 | 4000   | 5280   | 6600                    | 8500  | 10750  |
| 500   | 17600               | 8800   | 340                        | 340   | 5000   | 6600   | 8250                    | 10625 | 13437  |
| 600   | 21120               | 10560  | 408                        | 408   | 6000   | 7920   | 9900                    | 12687 | 16062  |
| 750   | 26400               | 13200  | 510                        | 510   | 7500   | 9900   | 12500                   | 15875 | 20187  |
| 1000  | 35200               | 17600  | 680                        | 680   | 10000  | 13200  | 16500                   | 21062 | 26687  |
| 1250  | 44000               | 22000  | 850                        | 850   | 12500  | 16500  | 20625                   | 26437 | 33375  |
| 1500  | 52800               | 26400  | 1020                       | 1020  | 15000  | 19800  | 24687                   | 31250 | 39562  |
| 2000  | 70400               | 35200  | 1367                       | 1367  | 20000  | 26400  | 33000                   | 41875 | 52718  |
| 2500  | 88000               | 44000  | 1709                       | 1709  | 25000  | 33000  | 41250                   | 52312 | 65875  |
| 3000  | 105600              | 52800  | 205                        | 205   | 30000  | 39600  | 49000                   | 62500 | 78937  |
| 4000  | 140800              | 70400  | 276.7                      | 276.7 | 40000  | 52800  | 66000                   | 83750 | 105937 |
| 5000  | 176000              | 88000  | 340                        | 340   | 50000  | 66000  | 82500                   | 10562 | 132343 |
| 6000  | 211200              | 105600 | 408                        | 408   | 60000  | 79200  | 99000                   | 12562 | 158750 |
| 7500  | 264000              | 132000 | 510                        | 510   | 75000  | 99000  | 125000                  | 15875 | 201875 |
| 10000 | 352000              | 176000 | 680                        | 680   | 100000 | 132000 | 165000                  | 21062 | 266875 |
| 12500 | 440000              | 220000 | 850                        | 850   | 125000 | 165000 | 206250                  | 26437 | 333750 |
| 15000 | 528000              | 264000 | 1020                       | 1020  | 150000 | 198000 | 246875                  | 31250 | 395625 |
| 20000 | 704000              | 3      |                            |       |        |        |                         |       |        |

\*Please visit [www.electrical-engineering.com](http://www.electrical-engineering.com) for the full and current version of summaries of electrical topics with online glossaries and video content.

**SINGLE PHASE**  $kVA = \frac{\text{Volts} \times \text{Amperes} \times \text{PF}}{1000}$

**THREE PHASE** kW =  $\frac{\text{Volts} \times \text{Amps} \times \text{PF} \times 1.73}{1000}$

<sup>4</sup> *See* e.g. *United States v. Gurnea*, 199 F.3d 1005, 1010 (9th Cir. 2000).

## ALTERNATING CURRENT

| To Find                                    | Single-Phase                                                 | Three-Phase                                                  | Direct Current              |
|--------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|-----------------------------|
| WATTAGE, WATT-METER<br>(W) (E & I) (COS Φ) | $\frac{HP \times 746}{E \times EFF \times PF}$               | $\frac{HP \times 746}{E \times EFF \times PF \times 1.73}$   |                             |
| WATTAGE, WATT-HR<br>(WH) (COS Φ)           | $\frac{KW \times 1000}{E \times PF}$                         | $\frac{KW \times 1000}{E \times PF \times 1.73}$             | $\frac{KW \times 1000}{V}$  |
| WATTAGE, WATT-HR<br>(WH) (COS Φ)           | $\frac{KVA \times 1000}{E}$                                  | $\frac{KVA \times 1000}{E \times 1.73}$                      |                             |
|                                            | $\frac{E \times I \times PF}{1000}$                          | $\frac{E \times I \times PF \times 1.73}{1000}$              | $\frac{V \times I}{1000}$   |
| WV W/TC, WATT-METER<br>(W) (E & I) (COS Φ) | $\frac{HP \times 746}{EFF}$                                  | $\frac{HP \times 746}{EFF}$                                  | $\frac{HP \times 746}{EFF}$ |
| WV W/TC, WATT-HR<br>(WH) (COS Φ)           | $\frac{E \times I}{1000}$                                    | $\frac{E \times I \times 1.73}{1000}$                        |                             |
| WV W/TC (E & I) (PF)                       | $\frac{E \times I \times EFF \times PF}{746}$                | $\frac{E \times I \times EFF \times PF \times 1.73}{746}$    |                             |
| WATTAGE, WATT-METER<br>(W) (E & I) (COS Φ) | $\frac{HP \times 746}{V \times EFF \times PF}$               | $\frac{HP \times 746}{V \times EFF \times PF \times 1.73}$   |                             |
| WV W/TC (E & I) (PF)                       | $\frac{V \times I \times 1000 \times (PF \times 1.73)}{746}$ | $\frac{V \times I \times 1000 \times (PF \times 1.73)}{746}$ |                             |

Electron Spin Absorption:  $\text{intensity} \propto \mu_B \cdot \text{spin displacement} \propto \mu_B \cdot \text{magnetic field} \propto \mu_B^2 \cdot \text{magnetic field} \propto \mu_B^2 \cdot \text{spin displacement} \propto \mu_B^2 \cdot \text{spin displacement} \propto \mu_B^2 \cdot \text{spin displacement}$

## POWER GENERATION

## GENERATOR ACCESSORIES

| CABLE              | SIZE | LENGTH | CAP.      | WEIGHT   |
|--------------------|------|--------|-----------|----------|
| CAM (FM)           | 2/0  | 10'    | 600V/200A |          |
| CAM (M)            | 2/0  | 10'    | 600V/200A |          |
| CAM-LOK (FM) TAILS | 4/0  | 10'    | 600V/400A | 11 LBS.  |
| CAM-LOK (M) TAILS  | 4/0  | 10'    | 600V/400A | 11 LBS.  |
| TWIST-LOCK (FM)    |      |        |           |          |
| TWIST-LOCK (M)     |      |        |           |          |
| FIN & SLEEVE (FM)  | 2/5  | 10'    | 600V/100A | 20 LBS.  |
| FIN & SLEEVE (M)   | 2/5  | 10'    | 600V/100A | 20 LBS.  |
| TWIST-LOCK (FM)    | 3/4  | 10'    | 600V/60A  | 5 LBS.   |
| TWIST-LOCK (M)     | 3/4  | 10'    | 600V/60A  | 5 LBS.   |
| QUAD STRING (FM)   | 10/5 | 10'    | 600V/25A  | 5 LBS.   |
| QUAD STRING (M)    | 10/5 | 10'    | 600V/25A  | 5 LBS.   |
| APPLICATION PLUS   | 2/4  | 10'    | 100V/800A | 20 LBS.  |
| SINGLE CONDUCTOR   | 2/0  | 50'    | 600V/200A | 38 LBS.  |
| SINGLE CONDUCTOR   | 4/0  | 100'   | 600V/200A | 75 LBS.  |
| SINGLE CONDUCTOR   | 4/0  | 50'    | 600V/400A | 35 LBS.  |
| SINGLE CONDUCTOR   | 4/0  | 100'   | 600V/400A | 108 LBS. |


## "TYPE SC" ENTERTAINMENT / STAGE LIGHTING CABLE



## "TYPE W" PORTABLE POWER CABLE




## "TYPE W" MULTI CONDUCTOR



## QUADBOX DISTRIBUTION STRING

20R TRIPLE PHASE INPUT, 10V SINGLE PHASE OUTPUT

| 3 QUADS PER LINE | DAY   | WEEK  | 4 WEEKS |
|------------------|-------|-------|---------|
| 10' SPACING      | 16.00 | 32.00 | 65.00   |
| 20' SPACING      | 25.00 | 53.00 | 150.00  |



## QUADBOX 10/5 EXTENSION CORD | TRIPLE-PHASE IN, TRIPLE-PHASE OUT

| DESCRIPTION    | MODEL# | WEIGHT  | CABLE | CAPACITY     |
|----------------|--------|---------|-------|--------------|
| 30' EXTENSION  | QEX30  | 17 LBS. | 10/5  | 20A/208Y, 3Ø |
| 50' EXTENSION  | QEX50  | 25 LBS. | 10/5  | 20A/208Y, 3Ø |
| 100' EXTENSION | QEX100 | 5 LBS.  | 10/5  | 20A/208Y, 3Ø |



Power cables are designed to be used as an extension cable from a generator with 480V, 3Ø power source with a 480V L-L with 208V L-N. Each cable is equipped with a built-in strain relief for safety and longevity.

## SPIDER BOX CABLES - 10W, 1Ø OUT

| DESCRIPTION    | MODEL# | WEIGHT  | CABLE | CAPACITY |
|----------------|--------|---------|-------|----------|
| 25' EXTENSION  | PC30C  | 17 LBS. | 6/4   | 600V/50A |
| 50' EXTENSION  | PC50A  | 43 LBS. | 6/4   | 600V/50A |
| 100' EXTENSION | PC50B  | 65 LBS. | 6/4   | 600V/50A |



All cables are designed to be used as an extension cable from a generator with 480V, 3Ø power source with a 480V L-L with 208V L-N. Each cable is equipped with a built-in strain relief for safety and longevity.

## POWER GENERATION

## THREE PHASE SPLITTER

| DESCRIPTION          | DAY   | WEEK  | MONTH |
|----------------------|-------|-------|-------|
| THREE PHASE SPLITTER | 13.00 | 27.00 | 95.00 |

400A / 600V

3FEI

Male/Female/  
Female/Female

400A / 600V

TAPPING T  
Male/Female/FemaleWE SELL TYPE W  
BARE CABLE

Available by the foot



## 200 AMP AUTOMATIC TRANSFER SWITCH

AT BEST LINE EQUIPMENT,  
WE CARRY A FULL LINE  
OF TRANSFER SWITCHES,  
TRANSFER CABLES AND  
ACCESSORIES.

- See page 27 -

## SPECIFICATIONS

UL 1008 STANDARD FOR SAFETY

|                |                                          |
|----------------|------------------------------------------|
| Current Rating | 200 Amps                                 |
| Voltage Rating | 400 VAC                                  |
| Dimensions     | 48" X 30" X 12"<br>(1219 X 762 X 303 mm) |
| Weight         | 232 lbs. (105 kg)                        |

The 200 amp automatic transfer switch provides power to where you need it most. The switch manages the load of your equipment and is secured to a stout frame/pedestal.

All of our weather resistant transfer switches are NEMA 3R rated for maximum protection against the elements and will arrive organized with instructions and black crates.

## DISTRIBUTION PANELS


## ABOUT DISTRIBUTION PANELS

A distribution panel (also known as panel board, distribution board or breaker panel) is a component of an electricity supply system which divides an electrical power feed into subsidiary circuits, while providing a protective fuse or circuit breaker for each circuit in a common enclosure.

Normally, a main switch, and in recent boards, one or more residual-current devices (RCD) or residual current breakers with overcurrent protection (RCBO), are also incorporated.

200 AMP DUAL VOLTAGE  
BREAKER/DISCONNECT

• • •

Output: Hardwire  
Input: 200 Amp Post Loc.400 AMP DUAL VOLTAGE  
BREAKER/DISCONNECT

• • •

Output: Hardwire  
Input: 400 Amp Post Loc.MULTI-VOLTAGE  
SENSING VOLTAGE

The transfer switch provides multi-voltage selection and you may select with the following source voltages:

- 240 volts, Single phase
- 240 volts, 3-phase
- 208 volts, 3-phase
- 480 volts, 3-phase
- 480 volts, 3-phase

Don't see the power component you need? Contact your local  
Best Line Equipment representative for additional power solutions.

## POWER GENERATION

## FEEDER PANELS

## 100 AMP QUAD BOX FEEDER PANELS

- Power light, and main circuit breakers
- OSHA Safety Red
- Pneumatic tires
- Center lifting points
- NEMA type 3 polycarbonate enclosures
- Multiple outputs:  
208V 3Ø, 208V 1Ø,  
250V 1Ø, and 120V 1Ø outlets



Best Line's distribution panels are available in several sizes 50 Amp through 400 Amp (240V single phase or 208V 3-phase) and configurations that feature a high quality selection of input and output devices. Standard features include steel stackable mounting stand, with a durable powder coat finish (OSHA Safety Red) with pneumatic tires, wheels, handles and a center point lifting bracket for complete mobility.

These panels are built and rated as "NEMA Type 3R Weatherproof for Outdoor Use", however, they can be configured for a "NEMA Type 1 Indoor Use Only" upon request. To meet special requirements or applications custom configurations are available.



## ORGANIZED AND READY TO WORK!

*Production equipment will arrive organized with instructions in black crates.*

| Model      | Description                       | Power Input      | Power Outlets                                                     | GFCI | Size              | Weight   |
|------------|-----------------------------------|------------------|-------------------------------------------------------------------|------|-------------------|----------|
| P-100-1-G  | 100-amp Quad Box Feeder Panel     | 100-amp, 208V 3Ø | (4) 20-amp, 208V 3Ø<br>(4) 20-amp, 120V 1Ø<br>(1) 30-amp, 250V 1Ø | Yes  | 20" x 10" x 48.5" | 96 lbs.  |
| P-100-1-D  | 100-amp Duplex Panel              | 100-amp, 208V 3Ø | (1) 30-amp, 250V 1Ø                                               | Yes  | 20" x 10" x 48.5" | 96 lbs.  |
| P-100-1-G  | 200-amp Quad Box Feeder Panel     | 200-amp, 208V 3Ø | (16) 20-amp, 120V 3Ø                                              | No   | 20" x 10" x 48.5" | 196 lbs. |
| P-100-1-T  | 200-amp Splitter Panel            | 200-amp, 208V 3Ø | (8) 50-amp, 120/250V 1Ø                                           | No   | 20" x 10" x 48.5" | 197 lbs. |
| P-100-1-T  | 400-amp Splitter Panel            | 400-amp, 208V 3Ø | (16) 50-amp, 250V 1Ø                                              | No   | 20" x 10" x 48.5" | 197 lbs. |
| P-100-1-PS | 400-amp Plug/Break Splitter Panel | 400-amp, 208V 3Ø | (4) 100-amp, 208V 3Ø                                              | No   | 20" x 10" x 48.5" | 196 lbs. |
| P-100-1-C  | 400-amp Can Type Splitter Panel   | 400-amp, 208V 3Ø | (4) 100-amp, 208V 3Ø                                              | No   | 20" x 10" x 48.5" | 196 lbs. |

\*200-amp also available



| Extension Cord Gauge Guide (Min. Gauge) |         |           |
|-----------------------------------------|---------|-----------|
| Load (Amps)                             | 0-100ft | 100-150ft |
| 3                                       | 20      | 18        |
| 4                                       | 16      | 16        |
| 5                                       | 16      | 14        |
| 8                                       | 14      | 12        |
| 10                                      | 12      | 10        |
| 20                                      | 10      | 8         |
| 30                                      | 8       | 6         |
| 40                                      | 6       | 4         |
| 50                                      | 4       | 2         |

## Cable Ramps

Built to withstand constant, high speed, heavy traffic from trucks, buses and other vehicles.



## Reserve Fuel Tanks

Store diesel fuel for generators on location during special events. Each tank is mounted on skids.



# PORTABLE HEATING SOLUTIONS



## PORTABLE HEAT **DONE RIGHT**

Best Line Equipment is an industry leader when it comes to portable heating solutions. Whether you are trying to heat a worksite for employees, or trying to thaw the ground in the winter months, Best Line has the equipment to help you get the job done. We carry Allmand, Quest, Heat Star, and others to provide you with options to meet all heating needs. Look through this section to see what heaters best fit your application, or give our experts a call to help get the equipment you need. Best Line Equipment is the only company you will ever need when it comes to your heating needs.



### QUICK SPECS:

### ALLMAND MAXI HEAT

- 60 Hz Generator
- IDF 500 indirect-fired heaters
- Caterpillar C1.5 liquid-cooled diesel engine

**Allmand**  
EQUIPMENT

### TYPES OF **PORTABLE HEAT**



#### HYDRONIC/GLYCOL GROUND HEATERS

Hydronic ground heaters are designed to quickly thaw frozen ground.

#### AIR HEATERS: DIRECT-FIRED AIR HEAT

Air-to-air Gas Fired Air Heating System may be used in an industrial or commercial application.

#### AIR HEATERS: INDIRECT-FIRED AIR HEAT

Best Line's complete line of air heaters brings quick, dry air to where you need to do the job.

#### AIR HEATERS: FLAMELESS HEATERS

Flameless heaters generate heat in the flame is completely contained inside the housing, eliminating any work area.

#### DEHUMIDIFIERS: AIR HEATERS: AIR MOVERS

These products create the ideal environment with dry, hot air to remove excess moisture and help prevent the growth of mold and bacteria.

## HEATING SOLUTIONS

## DIRECT-FIRED AIR HEATERS



| BTUS    | FUEL   | TANK CAP.  | RUN TIME |
|---------|--------|------------|----------|
| 400,000 | DIESEL | 42 GALLONS | 8 HOURS  |
| 600,000 | DIESEL | 42 GALLONS | 8 HOURS  |

\*\* Remote thermostat available \*\*



## INDIRECT-FIRED AIR HEATERS



| TYPE                 | BTUS              | FUEL           | TANK CAP. | RUN TIME |
|----------------------|-------------------|----------------|-----------|----------|
| LE WHITE TENT HEATER | 170,000 - 350,000 | PROP./NAT. GAS | N/A       | N/A      |
| FROST FIGHTER        | 420,000           | Oil            | 42 GAL.   | 8 HRS    |
| MAXI HEAT            | 1,000,000         | DIESEL         | 101 GAL.  | 30 HRS   |
| FLAMELESS HEATER     | 600,000           | DIESEL         | 100 GAL.  | 20 HRS   |

\*\* Remote thermostat available \*\*

GROUND  
& CONCRETE THAWING  
& CURING SYSTEMS

## TEMPORARY HYDRONIC HEATING SYSTEMS (GROUND THAW)

| BTUS    | FUEL   | TANK CAP.   | RUN TIME   |
|---------|--------|-------------|------------|
| 300,000 | DIESEL | 140 GALLONS | 58.3 HOURS |

Six 5/8" x 500' ground thaw hose loops. (4,500 sq. ft. coverage at 18" spacings)

Thaw up to 9,000 sq. ft. or cure up to 12,000 sq. ft. of surface area!



## PORTABLE HEATING SOLUTIONS

## HEATERS

## TYPE

- 10K BTU RADIANT HEATER, KEROSENE
- 100K BTU RADIANT HEATER, KEROSENE
- HEATER, ELECTRIC, 3PH, 240V, 50K BTU
- 50K/100K BTU KEROSENE HEATER
- 100K-150K BTU KEROSENE HEATER
- 150K-200K BTU KEROSENE HEATER
- 300K-600K BTU KEROSENE HEATER
- 50K/125K BTU PROPANE HEATER
- 150K-175K BTU PROPANE HEATER
- 250K-400K BTU PROPANE HEATER
- 200K BTU CONVECTION PROPANE
- 10K-25K BTU RADIANT PROPANE
- 25K-35K BTU RADIANT PROPANE



## HEATING SOLUTIONS

## JOB SITE BTU CALCULATOR

The following formula is used to determine the BTUs needed to heat a building. This calculation would be for an average uninsulated building. Add more BTUs if the building will have a great deal of heat loss from open windows and doors. Reduce the BTUs if the building is well insulated and weather tight.

$$\text{Cubic feet to be heated} \times .133 \times \text{desired temperature rise} = \text{BTU's/hour}$$

**Example:** A concrete block building 50 feet wide by 200 feet long with 20 feet from floor to ceiling. All window and door openings are temporarily covered with plastic. The outside temperature is 15° and we want the inside temperature to be 55°.

**Cubic feet** = 50 x 200 x 20 = 200,000 cubic feet  
**Temperature rise** = 55° - 15° = 40°  
**BTU's needed:** 200,000 x .133 x 40 = 1,064,000 BTU's per hour  
**Heaters Recommended:** Four 250,000 BTU convection heaters or three 375,000 BTU forced air heaters to heat this job.

## BTU SIZING

$$\text{Cubic ft.} \times (.133) \times \text{Temperature rise} = \text{BTU's needed}$$

## HEATERS NEEDED

$$\text{BTU's needed} \div \text{BTU output of heater} = \text{Number of heaters needed}$$

## FUEL LOAD - GALLONS PER DAY

$$\text{Number of heaters} \times \text{BTU output of heaters} \times \frac{1}{91,000} = \text{Gallons of LP}$$

## FUEL LOAD - POUNDS PER DAY

$$\text{Number of heaters} \times \text{BTU output of heaters} \times \frac{1}{91,000} = \text{lbs. of LP gas}$$

## BLOWERS

- TYPE
- HANDHELD BLOWER, ELECTRIC IF
- DUCT HOSE, 6" X 20"



## FANS

- TYPE
- 30"/38" BARREL FAN
- 30" PEDESTAL FAN



## PORTABLE - AIRPAC

- SMALL, MEDIUM, AND LARGE UNITS AVAILABLE
- CALL FOR RATES AND AVAILABILITY
- WILL PROVIDE EXACT CALCULATIONS FOR YOUR NEEDS



# PORTABLE LIGHTING SOLUTIONS



## WE HAVE YOU COVERED

Working late? Don't find yourself in the dark. Best Line Equipment has all your lighting needs covered. With our extensive lineup of Towable light towers, we can light your jobsite up like the sun never went down. Best Line carries Bobcat light towers and balloon lights, dependable in all applications. We offer balloon lights with stands to satisfy your low level light needs. Our factory trained technicians and after hours emergency service will keep your productivity high and your downtime to a minimum. Our light towers also have generator capabilities, depending on the size of the tower. Let Best Line provide you with lighting solutions the next time you need to work in the dark!

### QUICK SPECS

### BOBCAT L7

- Four 1,000-watt Halide Lamps
- Auto Shut Down
- Tier 4 Engine



## PORTABLE LIGHTING

## LIGHTING SYSTEMS

MODEL LIGHTS RUN TIME

LSC 2000-WATT 2000-WATT

Light towers from Bobcat Portable Power are built with the professional-grade reliability and durability you require. Our light towers feature dependable engines, a brighter, larger coverage area, and protective reflector housings with tempered glass. If your workday doesn't end, or if your event heats up after the sun goes down, then you need to put the power of our light towers to work for you.

## COMMON LIGHTING APPLICATIONS

- Road construction
- Security
- Jobsite lighting/power
- Special events
- Emergency response
- General construction
- Parking areas
- Disaster relief
- Airports
- Mining
- 360° Glare-free lighting



BALLOON LIGHTS

## BOBCAT PORTABLE LIGHTING FEATURES:

- Able to withstand 65-mph winds with outriggers extended and jacks down
- Heavy-duty axle, wide track and low center of gravity provides trouble-free towing on road or off
- Automatic protective shutdowns for high engine coolant temperature and low engine oil pressure
- Fully galvanized steel tower for rust resistance and enhanced corrosion protection
- Telescoping mast with 360° rotation and position lock extends from 12' - 30' with dual, hand-operated winches and automatic safety brake
- Standard 1,000-watt metal halide lamps in cast aluminum housings for added durability
- Weather-resistant connections for attaching floodlights
- Illuminate up to 7 1/2 acres (7 football fields)
- Large fuel tanks allow up to 60 hrs. of continuous light



TOWABLE LIGHTS

**Bobcat****GENERAC**

| TYPE          | POWER (LIGHTING) | WORKING HEIGHT | WEIGHT (LBS.) | FUEL CAPACITY |
|---------------|------------------|----------------|---------------|---------------|
| STAND TYPE    | 1000 WATT        |                |               | N/A           |
| BALLOON TYPE  | 2000 WATT        | 12' TO 30' FT. |               | N/A           |
| TOWABLE TOWER | 2000 WATT        | 12' TO 30' FT. |               | 57 GALS.      |
| FLIGHTSOURCE  | 2000 WATT        |                |               | N/A           |

# BOBCAT EQUIPMENT



THE BEST FOR OVER **35 YEARS**

#### QUICK SPECS:

#### BOBCAT 630 M-SERIES

- Tier 4 Diesel Engine
- 45.3" Wheelbase
- 2180 lbs. Operating Capacity



Best Line Equipment has been a Bobcat dealer for over 30 years, and has grown to be one of the largest dealers in the northeast. With its 9 Bobcat dealerships, Best Line can service all of your compact construction equipment needs. From skid steers and excavators to attachments

and utility vehicles, Best Line has it all. With our wide range of equipment, Best Line also offers an extensive parts network and factory trained technicians that can get you back up and running fast. Best Line Equipment is your one stop shop for everything Bobcat.

## The Most Complete Line of **Bobcat** Equipment in the Region



COMPACT TRACK  
LOADERS



SUB-STEER  
LOADERS



COMPACT  
EXCAVATORS



MINI TRACK  
LOADERS



TOOLCAT  
WORK MACHINES



UTILITY  
VEHICLES

## COMPACT EXCAVATORS

## CONVENTIONAL HOUSE EXCAVATORS



| MODEL                 | DIG DEPTH | WEIGHT     | REACH  |
|-----------------------|-----------|------------|--------|
| BOBCAT 324            | 89"       | 3655 LBS.  | 76.4'  |
| BOBCAT 324 W/SCRUBBER | 89"       | 3655 LBS.  | 76.4'  |
| BOBCAT 332            | 120.1"    | 7183 LBS.  | 92.3'  |
| BOBCAT 342            | 120.3"    | 10077 LBS. | 116.8' |
| BOBCAT 350/355        | 144.8"    | 12678 LBS. | 140'   |



## CONVENTIONAL HOUSE EXCAVATORS

| MODEL      | DIG DEPTH | WEIGHT     | REACH  |
|------------|-----------|------------|--------|
| BOBCAT 350 | 153.2"    | 13556 LBS. | 159.6' |
| BOBCAT 385 | 180.8"    | 18849 LBS. | 214.4' |

## ZERO (TAIL OR HOUSE) SWING EXCAVATORS



| MODEL          | DIG DEPTH | WEIGHT     | REACH  |
|----------------|-----------|------------|--------|
| BOBCAT E10/418 | 72"       | 2593 LBS.  | 32.2'  |
| BOBCAT E20     | 102"      | 4306 LBS.  | 46.8'  |
| BOBCAT E26     | 102"      | 5606 LBS.  | 78.8'  |
| BOBCAT E41     | 129.6"    | 10077 LBS. | 123.2' |

## COMPACT / MID-SIZE EXCAVATOR ATTACHMENTS

| TYPE                              | SPECS    |
|-----------------------------------|----------|
| AUGER                             |          |
| GRADING BUCKET                    |          |
| ROTATING GRAPPLE                  |          |
| HYDRAULIC BREAKER (880, 880, 980) | 494 LBS. |
| HYDRAULIC BREAKER (1180)          | 876 LBS. |
| HYDRAULIC BREAKER (2380)          | 700 LBS. |
| ANGLE BUCKET (35.4)               | 285 LBS. |
| COMPACTOR / PLATE TAMPER (PCF 34) | 600 LBS. |
| COMPACTOR / PLATE TAMPER (PCF 64) | 600 LBS. |
| RIPPER TOOTH                      | 795 LBS. |
| HYD CLAMP E26/E35                 |          |
| HYD CLAMP E32/E35                 |          |
| HYD CLAMP E50/E55                 |          |
| HYD CLAMP E80/E85                 |          |

## CONVENTIONAL HOUSE OR ZERO HOUSE SWING:

There are many things to consider when choosing an excavator. A zero tail swing (ZTS) or Zero House Swing (ZHS) excavator gives you more unrestricted rotation and provides greater flexibility if you are constantly working close to objects, or against a wall. Generally speaking, zero tail swing excavators are a little wider than a conventional swing excavator. If your biggest obstacle is gaining access, like squeezing your way into a gate, or maneuvering into a crowded backyard, a conventional compact excavator can take you there.

## THINK BEFORE YOU DIG.

SMART DIGGING  
MEANS CALLING  
811 BEFORE  
EACH JOB.



## SKID-STEER LOADERS



## M-SERIES MODEL CONVERSION GUIDE

The 300 frame size M-series loader model numbers, like the other M-series loaders, are aligned with the size and performance of the loader which take into account Horsepower, Tip Load, Machine Weight and some loader dimensions. This is different from the K-series loaders where the model numbers were aligned only with the PTO of the loader.

This change most notably affects the S160 & S175 and their respective M-series replacements. For example, the S160 will be replaced by the S550 while the S175 will be replaced by the S590.

BOBCAT  
S150BOBCAT  
S510

## SKID-STEER LOADERS

|             |             |
|-------------|-------------|
| BOBCAT S130 | BOBCAT S450 |
| BOBCAT S150 | BOBCAT S530 |
| BOBCAT S175 | BOBCAT S530 |
| BOBCAT S160 | BOBCAT S550 |
| BOBCAT S185 | BOBCAT S570 |
| BOBCAT S205 | BOBCAT S590 |
| BOBCAT S250 | BOBCAT S650 |
| BOBCAT S300 | BOBCAT S750 |
| BOBCAT S330 | BOBCAT S770 |

## WHEELED LOADER TYPES:

**Skid-Steer Loader:** Choice of lift arm designs, wheel base, and sizes, excellent reach and lift.

**Compact Track Loader:** Low ground pressure, increased push force and lift capacity, elevated sprockets.

## SKID-STEER LOADERS:

| MODEL                        | POWER   | OP. WEIGHT | OP. CAP. |
|------------------------------|---------|------------|----------|
| BOBCAT S70 LOADER            | 23.5 HP | 2700 LBS   | 700 LBS  |
| BOBCAT 742 LOADER (L.P.FUEL) | 34 HP   | 4730 LBS   | 1300 LBS |
| BOBCAT 3450 LOADER           | 89 HP   | 9235 LBS   | 1300 LBS |
| BOBCAT S590 LOADER           | 46 HP   | 5005 LBS   | 1500 LBS |
| BOBCAT S550 LOADER           | 51 HP   | 5115 LBS   | 1600 LBS |
| BOBCAT S570 LOADER           | 51 HP   | 5220 LBS   | 1850 LBS |
| BOBCAT S590 LOADER           | 75 HP   | 6650 LBS   | 2050 LBS |
| BOBCAT S595 LOADER           | 75 HP   | 6650 LBS   | 2050 LBS |
| BOBCAT S630 LOADER           | 75 HP   | 7485 LBS   | 2000 LBS |
| BOBCAT S650 LOADER           | 75 HP   | 7825 LBS   | 2500 LBS |
| BOBCAT S700 LOADER           | 81 HP   | 8448 LBS   | 3000 LBS |
| BOBCAT S750 LOADER           | 81 HP   | 8448 LBS   | 3000 LBS |
| BOBCAT S770 LOADER           | 81 HP   | 8448 LBS   | 3000 LBS |

RADIUS  
LIFTVERTICAL  
LIFT

## RADIUS VS. VERTICAL LOADER LIFT PATH

**RADIUS LIFT:** The radius lift path style provides greater forward reach and maximum reach at mid-range heights.

**VERTICAL LIFT:** The vertical lift path is designed to provide more reach at full lift height while keeping the load closer to the machine.

## COMPACT TRACK LOADERS

**Bobcat**

Bobcat compact track loaders have built a reputation as the industry's most powerful, comfortable, and versatile compact track loaders. When it comes to pushing force, rotation and ground disturbance, other brands can't measure up. Even in soft, sandy, wet or muddy conditions, you'll be able to push through and get the job done. A commanding lineup of models offers machine sizes for any task.



## M-SERIES MODEL

## CONVERSION GUIDE

|             |             |
|-------------|-------------|
| BOBCAT T140 | BOBCAT T650 |
| BOBCAT T180 | BOBCAT T550 |
| BOBCAT T190 | BOBCAT T590 |
| BOBCAT T200 | BOBCAT T630 |
| BOBCAT T250 | BOBCAT T650 |
| BOBCAT T300 | BOBCAT T750 |
| BOBCAT T320 | BOBCAT T770 |



## COMPACT TRACK LOADERS

| MODEL       | POWER   | OP. WEIGHT | OP. CAPACITY |
|-------------|---------|------------|--------------|
| BOBCAT T450 | 41.8 HP | 5202 LBS   | 3595 LBS     |
| BOBCAT T550 | 61 HP   | 7367 LBS   | 3800 LBS     |
| BOBCAT T590 | 51 HP   | 7512 LBS   | 3500 LBS     |
| BOBCAT T650 | 74 HP   | 9440 LBS   | 2570 LBS     |
| BOBCAT T740 | 74 HP   | 8794 LBS   | 3100 LBS     |
| BOBCAT T750 | 85 HP   | 9500 LBS   | 3325 LBS     |
| BOBCAT T770 | 92 HP   | 10327 LBS  | 4960 LBS     |

**MINI TRACK LOADERS** offer the attachment versatility of larger sized Bobcat loaders. Equip your machine with the Common Industry Interface (CI) or the exclusive Bob-Tach mounting system. The Common Industry Interface design allows you to pair your loader with many attachments you may already own and use, while the time-tested Bob-Tach mounting system delivers rapid attachment changes and superior attachment fitment.

## MINI TRACK LOADERS



| MODEL           | POWER | OP. WEIGHT | OP. CAPACITY |
|-----------------|-------|------------|--------------|
| BOBCAT HT52     | 20 HP | 2580 LBS   | 520 LBS      |
| MT52 W/SCRUBBER | 20 HP | 2580 LBS   | 520 LBS      |
| BOBCAT HT55     | 23 HP | 2610 LBS   | 520 LBS      |

## MINI TRACK LOADERS



BOBCAT MT (MINI TRACK) AND S70 LOADER ATTACHMENTS

### TYPE

- 36" PALLET FORK
- 36" UTILITY FORK
- 36" INDUSTRIAL GRAPPLE
- GRAPPLE BUCKET
- AUGER
- 5030 STUMP GRINDER

### TYPE

- 40" TILLER
- 48" ANGLE BROOM
- 48" UTILITY BLADE
- 48" SOIL CONDITIONER
- H8680 BREAKER
- LT13 TRENCHER



## SKID-STEER ATTACHMENTS

Our full-line of attachments and implements can help you grow your business, gain versatility, replace less efficient machines and give you the tools to accomplish major projects.



SKID-STEER (SS) ATTACHMENTS

### TYPE

- 48" HD PALLET FORKS
- 48" PALLET FORKS
- 60" LANDSCAPE RAKE
- 60" ROTARY CUTTER
- 60" SWEEPER
- 62" ROTO-TILLER
- 60" IND GRAPPLE BKT
- 68" ANGLE BROOM
- 68" HD GRAPPLE



# SKID-STEER ATTACHMENTS

## ATTACHMENTS

Our full-line of attachments and implements can help you grow your business, gain versatility, replace less-efficient machines and give you the tools to accomplish major projects.

- Choose from the most attachments available in the region
- Get performance matched to your machine
- Work harder with stronger components and construction



**DON'T  
SEE THE  
ATTACHMENT  
YOU NEED?**

Choose any, we  
have it and we get it  
quick. Call today  
to learn more.

1-800-678-BEST



## SS ATTACHMENTS (CONTINUED)

### TYPE

- |                        |                          |                            |
|------------------------|--------------------------|----------------------------|
| • 72" LANDSCAPE RAKE   | • 78" INDUSTRIAL GRAPPLE | • LT313 TRENCHER           |
| • 72" PAD ROLLER       | • 62" ROOT GRAPPLE       | • FLANER 14" STD HYD       |
| • 72" ROOT GRAPPLE     | • 64" ANGLE BROOM        | • FLANER 18" 24"           |
| • 32" ROTARY CUTTER    | • 64" SOIL CONDITIONER   | • FLANER 40"               |
| • 72" SMOOTH ROLLER    | • 64" SWEEPER            | • 5000/50K60 STUMP GRINDER |
| • 72" SOIL CONDITIONER | • 90" & 96" DOZER BLADE  | • SUPER SCRAPCH            |
| • 72" SWEEPER          | • GRADER                 | • WHEEL SAW 18" 24"        |
| • 26" ROTOTILLER       | • HDBO WOLF DISC         |                            |



### BOBCAT ATTACHMENTS AND IMPLEMENTS

Bobcat® attachments and implements help you get more done in less time, gain versatility, replace less-efficient machines and give you the tools to accomplish major projects.



## Bobcat Fluids and Lubrication

ALL FLUIDS ARE NOT CREATED EQUAL

Oils • Grease • Antifreeze & Coolant • Tire Sealant • Gearcase & Differential Fluids

## SKID-STEER ATTACHMENTS



### WINTER ATTACHMENTS

#### TYPE

58150 SNOWBLOWER (SS & MT)

58200 SNOWBLOWER (SS & MT)

72" SNOW BLADE

84" SNOW BLADE

108" V-SNOW BLADE



THE REGION'S #1 BOBCAT DEALER

# FOR OVER 35 YEARS



# Bobcat®



#### LANDOWNER

- Compact Tractors
- Utility Vehicles
- Toolcat® Workmachines

#### CONTRACTOR

- E-Series Excavators
- Skid-Steer Loaders
- Mini Track Loaders

#### GAS & OIL WELL

- Compact Track Loaders
- Utility Vehicles
- M-Series Excavators

EQUIPMENT | ATTACHMENTS | OILS | PARTS | SERVICE

Allentown • Harrisburg • Mechanicsburg • Muncy

Shippensburg • State College • Towanda • West Chester • Warminster

# HEAVY EQUIPMENT



#### QUICK SPECS:

DEVELON DX225LC-7

- 174 hp Maximum Power
- 1.28 m<sup>3</sup> Bucket Capacity
- 129 kW / 174 hp @ 1800 rpm Engine Power



THE BEST FOR OVER **30 YEARS**

Best Line Equipment is your source for all things heavy equipment. Best Line carries Develon for heavy excavators and wheel loaders and all the attachments that go along with them. From screening buckets, rotating grapples, thumbs, pallet forks, pipe grapples we have all the accessories to get

you going fast. Best Line carries heavy rollers as well with dealerships for Bomag and Sakai. Whatever your jobs call for, the expert staff at Best Line Equipment has everything to satisfy your heavy equipment needs.

## The Most Complete Line of Heavy Equipment in the Region



WHEEL  
LOADERS

CRAWLER  
EXCAVATORS

WHEEL  
EXCAVATORS

ARTICULATING  
DUMP TRUCKS

BULLDOZERS

BACKHOES

## EXCAVATORS

## EXCAVATORS FOR ANY JOB

**DX225LC****(INCREASED PRODUCTION)**

The Develon DX225LC shows proven performance with powerful engines and hydraulic systems. Choose between four work modes, auto-tilt and machine diagnostics.

**DX420****(POWERFUL PERFORMANCE)**

The DX420LC is a leader in the 40-50 metric ton size class. The solid performance, excellent fuel efficiency, and exceptional durability deliver consistent results.

**DX140****(TRUSTED RELIABILITY)**

When you need big-size productivity in a machine that's easy to transport and maintain, turn to the Develon DX140.

## DEVELON

**DX350LC  
CRAWLER  
EXCAVATOR**

**DEVELON EXCAVATORS:** Each exceptional power plant is matched with the controllability to efficiently manage the power, increasing efficiency and productivity.

## CRAWLER EXCAVATORS

| OP. WEIGHT   | WIDTH/HEIGHT     | MAX REACH | MAX DIG DEPTH |
|--------------|------------------|-----------|---------------|
| 30,865 LBS.  | 8' 6" / 8' 6"    | 25' 3"    | 17' 3"        |
| 48,594 LBS.  | 10' 0" / 10' 0"  | 29' 6"    | 20' 1"        |
| 48,720 LBS.  | 10' 8" / 9' 10"  | 31' 11"   | 21' 6"        |
| 55,551 LBS.  | 10' 10" / 10' 0" | 32' 00"   | 22' 4"        |
| 66,580 LBS.  | 11' 2" / 11' 0"  | 34' 7"    | 24' 2"        |
| 77,803 LBS.  | 11' 5" / 11' 0"  | 36' 0"    | 24' 6"        |
| 87,369 LBS.  | 11' 4" / 11' 5"  | 37' 0"    | 25' 4"        |
| 107,734 LBS. | 12' 0" / 12' 0"  | 38' 4"    | 26' 3"        |

**DX210W****(UNMATCHED MANEUVERABILITY)**

The DX210W offers the greatest horsepower, breakout force, and dig depth of any Develon wheel excavator.

## WHEEL EXCAVATORS


| OP. WEIGHT  | WIDTH/HEIGHT     | MAX REACH | MAX DIG DEPTH |
|-------------|------------------|-----------|---------------|
| 30,865 LBS. | 8' 6" / 8' 6"    | 25' 3"    | 17' 3"        |
| 38,304 LBS. | 8' 4" / 8' 5"    | 26' 0"    | 20' 1"        |
| 48,720 LBS. | 10' 0" / 9' 10"  | 31' 11"   | 21' 6"        |
| 55,551 LBS. | 10' 10" / 10' 0" | 32' 00"   | 22' 4"        |

**WHEEL EXCAVATORS:** Featuring advanced controls, increased ground clearance and extra maneuverability, it's right where those ultra-reliable machines for you accomplish more work in less time. Wheel excavators provide versatility, mobile performance and are a popular choice for operators looking after utility work, street maintenance and construction site work.

## TRENCH BOXES

### TYPE

- 6' TALL X 8' LONG
- 6' TALL X 10' LONG
- 6' TALL X 12' LONG
- 8' TALL X 12' LONG



## EXCAVATOR ATTACHMENTS

### EXCAVATOR ATTACHMENTS

#### TYPE

- BRUSH LOG
- SCREENING BUCKET
- BREAKER
- BUCKET W/ THUMB
- CRUSHER
- DITCHING BUCKET
- TRENCHING BUCKET
- BREAKER
- SHAKER HEAD
- SHEAR
- GRABBER/LIFT
- CONCRETE PULVERIZER



Don't see the bucket or attachment you need?  
 Give us a call - choose the company that's BEST.

### SPECIALTY BUCKETS

When jobs require a specific operation or application, there's no match for a specialty bucket that can perform the task at hand. At Best Line Equipment, we carry a large selection of even the most unique specialty buckets, bucket teeth, accessories and more.



- 4-in-1 Buckets
- Digs, grades, grouts and compacts
- Powerful hydraulic rotary actuator



- Dig, rip and tear with the bucket.
- Ideal for demolition and land clearing.
- Use power of the excavator's reach



### DEVOLON

- Rock Bucket
- Used for handling and digging of hard compacted material and blasted rock



## EXCAVATOR ATTACHMENTS

## HYDRAULIC BREAKERS

We've earned a reputation for carrying the highest-quality breakers around. In fact, we're the only Tramac dealer in Pennsylvania. By listening to our customers in the demolition, hardscape, and mining industries, and carrying models with their needs in mind, we've become the go-to breaker specialists.

DEVELON



SINDECO



Bobcat

FRD

FURUKAWA  
ROCK CALL USA

OKADA

HIGH QUALITY • WIDE SELECTION



OKADA BREAKERS



DEVELON BREAKERS

- All Okada rock breakers utilize widely known pressure for the creation of piston energy.
- A sealed rubber diaphragm accumulator combined with a pressure regulator continuously adjusts a constant pressure.
- A specialized energy recovery valve allows a real recovery of piston rebound energy (up to 30-40%) by recycling a certain quantity of oil directly into the accumulator.
- High blow impact with proven breaker technology, using the best balance between hydraulic oil from the carrier and nitrogen gas.
- Robust design, with enhanced welding structure, to reduce internal losses and increase breaker lifetime.
- Increased life of dampers and wear plates, reducing vibrations and minimizing shock on the carrier.
- Long piston strokes to maximize impact energy and minimize recoil.

## BREAKER POINTS



## MOIL POINT

- Hard Ground
- Hard Ground with Failures
- Concrete



## BLUNT TOOL

- Block Splitting
- Compact Abrasive
- Demolition
- Concrete Slab



## CHISEL

- Trenching
- Soft Ground with Fault
- Concrete



## PYRAMIDAL

- Trenching
- Asphalt
- Mass Quarry Excavation
- Reinforced Concrete

## GEITH QUICK COUPLERS



Get the best Quick Coupler on the market today. Geith Quick Couplers are recognized for their safety, reliability and performance and comply with applicable international standards and regulations.

## WHEEL LOADERS

**DEVELON DL430<sup>™</sup>**  
WHEEL LOADER

- 280 HP Cummins Engine
- Power Shift Transmission
- 4,400 lb Breakout Force
- 10,000 lb Max Torque
- 6 Second Rise Time

**OPERATOR COMFORT**

- Comfortable Controls
- Ergonomic Seat
- Maximum Visibility
- Easy Exit Access
- Suspension
- LCD Display Panel
- Automatic Climate Control and Air Conditioning
- Metallic Finishing

**DEVELON DL200** WHEEL LOADER

- 2,900 lb Breakout Force
- 500 lb Max Torque
- 5.4 Second Rise Time
- 6' 4" Dump Height

**DEVELON DL300** WHEEL LOADER

- 3,500 lb Breakout Force
- 250 lb Max Torque
- 5.9 Second Rise Time
- 6' 4" Dump Height

**DEVELON DL350** WHEEL LOADER

- 3,750 lb Breakout Force
- 300 lb Max Torque
- 6 Second Rise Time
- 6' 4" Dump Height

| MODEL | OP. WEIGHT | DUMP HEIGHT      | BUCKET CAP.         | YARD      |
|-------|------------|------------------|---------------------|-----------|
| DL200 | 24,912 LBS | 8' 4" / 10' 8"   | 3.5 YD <sup>3</sup> | 23,143 LB |
| DL250 | 30,885 LBS | 8' 11" / 10' 10" | 5.5 YD <sup>3</sup> | 29,001 LB |
| DL300 | 38,483 LBS | 9' 7" / 11' 2"   | 4.0 YD <sup>3</sup> | 35,715 LB |
| DL350 | 45,308 LBS | 9' 10" / 11' 3"  | 4.8 YD <sup>3</sup> | 37,600 LB |
| DL430 | 65,001 LBS | 11' 0" / 12' 0"  | 6.8 YD <sup>3</sup> | 60,486 LB |

**2-BAR AND TOOL CARRIER AVAILABLE**

\*\*Common sizes listed. Additional sizes in rental fleet. Call for details.\*\*

# WHEEL LOADER ATTACHMENTS



## WHEEL LOADER ATTACHMENTS TYPE

CONSTRUCTION BUCKET  
CONSTRUCTION FORKS  
GRAPPLE BUCKET  
LOG GRAPPLE  
PIPE GRAPPLE



## HEAVY EQUIPMENT ATTACHMENTS

We rent and sell full lines of attachments from the industry leaders

Don't see an attachment you need? Call your local Best Line Equipment location or Salesperson to check possible availability.

**ACS**  
ATTACHMENTS



**PALADIN**

**KENCO**



**ROTOQUIP**

**STRICKLAND**

**J:B**

**BUCKET TEETH  
IN STOCK**

ALL BRANDS • ALL SIZES

**THINK BEFORE  
YOU DIG.**  
Call 811 every time.



## Deveion Wheel Loader Attachments

### GENERAL PURPOSE AND LIGHT MATERIAL BUCKETS

When you need to move snow, mulch or other light material in a hurry, the light material bucket is the economical choice. Comes standard with built-in cutting edge.

FINISH

QUICK-CORNER



### MULTI-PURPOSE BUCKET

Laying, filling, digging, grapping, loading and dumping: the multi-purpose bucket is ready for whatever you've got. Available with built-in cutting edge or teeth.

FINISH

QUICK-CORNER



### GENERAL PURPOSE BUCKET

Pallet forks are commonly used on job sites to move pallets and to perform other material handling duties, such as iron, steel frames, concrete blocks. Operator visibility was tested and optimized to ensure safe, precise and fast control at ground level and up to truck bed height.

QUICK-CORNER



## DUMP TRUCKS

## DEVELON



## DEVELON ARTICULATING DUMP TRUCKS

## HAUL WITH CONFIDENCE

High productivity means more material moved every day. The Develon articulated dump truck (ADT) lineup offers larger haul capacities in their respective weight class categories along with superior power and traction.

| TYPE                     | WEIGHT     | PAYLOAD |
|--------------------------|------------|---------|
| 52HP 190" MULTI-TIP DUMP | 18,000 LBS | 11 TON  |
| 52HP REAR DUMP           | 33,540 LBS | 22 TON  |

DEVELON 5245  
ARTICULATING DUMP TRUCK



## MAXIMUM POWER TO WEIGHT

Engine sizes, torque and horsepower have been carefully selected to achieve max performance across criteria including load capacity, fuel-to-ratio performance and transmission efficiency. And Develon leads the industry in power-to-weight ratio.



## DESIGNED FOR DURABILITY

The reliability of Develon articulated dump trucks sets them apart from the rest. How? Durable components and proven manufacturing processes. Specifically designed engine and transmission components are thoroughly tested to maximize the quality of the trucks.

## BACKHOES



| TYPE                       | DIG DEPTH     |
|----------------------------|---------------|
| BACKHOE LOADER, 20 HP TS   | UP TO 6' 4"   |
| BACKHOE LOADER, 32.5 HP TS | UP TO 10'     |
| BACKHOE LOADER, FULL SIZE  | UP TO 11' 10" |
| JOHN DEERE 310             |               |

## DOZERS

DEPENDABLE  
AND **HIGH PERFORMING**

Our dozer lineup is one of the best in the business. With an extensive inventory of Develon and John Deere dozers ranging from 100 horsepower up to 200 horsepower units, we have the ability to satisfy any needs. Our dozers are available with 6-way blades, enclosed cabs, dual-path hydrostatics, automatic load sensing, power management, and dynamic braking and winch packages to add to their versatility. If you are looking for dependable, high performing, and efficient dozers for your next project, look no further than Best Line Equipment.



## DEVELON

Develon DD130  
Dozer



Develon DD200  
Dozer



# PUMPS & HOSES



## MOVE VOLUMES

### QUICK SPECS:

- Large solid handling capacity
- Back pullout design
- Diesel Engine

### V-SERIES DRY-PRIME



Need to move large volumes of water, mud, or sediment from one location to another? Look no further than Best Line Equipment. With our lineup of Thompson Pumps, any issues you encounter can be solved by talking to our expert team. With a wide variety of pump types and sizes,

no job is too big. Best Line also carries Honda and Tsurumi pumps to take care of smaller jobs you may have. We offer engineering services to find solutions to problems that you are unsure how to tackle. Give the knowledgeable staff at Best Line a call to see how we can satisfy your pump needs.

## The Most Complete Line of **Thompson Equipment** in the Region



HIGH PRESSURE  
PUMPS



HYDRAULIC  
SLURRY PUMPS



ELECTRIC DRIVEN  
PUMPS



DRY-PRIME  
PUMPS

## PUMPS

## PUMP PERFORMANCE

**A** - Maximum depth of suction point to ground level.

**B** - Length of suction hose required.

**C** - Vertical elevation difference from pump to discharge point.

**D** - Length of discharge hose/pipe required.

## Dry-Prime Pumps

Derived from the rugged Thompson heavy duty wet priming centrifugal trash pumps and improved by the addition of an auxiliary vacuum pump, these pumps are used in many situations including open pumping, wetpool systems and sewage lagoons. The pumps deliver the fastest priming in the industry and provide continuous pumping of liquids mixed with a high percentage of air.



## SKID-MOUNTED DRY PRIME CENTRIFUGAL TRASH PUMPS/TOWABLE

## SIZE

|     |                                   |
|-----|-----------------------------------|
| 4"  | CALL FOR RATES AND SPECIFICATIONS |
| 6"  | CALL FOR RATES AND SPECIFICATIONS |
| 8"  | CALL FOR RATES AND SPECIFICATIONS |
| 12" | CALL FOR RATES AND SPECIFICATIONS |
| 18" | CALL FOR RATES AND SPECIFICATIONS |

## TOWABLE WET PRIME CENTRIFUGAL TRASH PUMPS

## SIZE

|    |                                   |
|----|-----------------------------------|
| 6" | CALL FOR RATES AND SPECIFICATIONS |
|----|-----------------------------------|

| Unit Model | Size  | Max Capacity | Max Head | Maximum Solids |
|------------|-------|--------------|----------|----------------|
|            | (in.) | (GPM)        | (ft.)    | (in.)          |
| 4JSCM      | 4     | 1,450        | 175      | 3.00           |
| 6JSCD      | 6     | 1,410        | 440      | 3.00           |
| 6JSCE      | 6     | 2,600        | 195      | 3.00           |
| 8JSCE      | 8     | 3,200        | 300      | 3.00           |
| 12JSCG     | 12    | 5,300        | 405      | 3.38           |

## PUMP APPLICATIONS

- Bypass
- Dewatering
- Waste Treatment
- Mining
- Industrial
- Agriculture
- Gas & Oil
- Construction
- Civil Engineering

## DIAPHRAGM PUMPS

| TYPE | MAX GPM | POWER TYPE | MAX HEAD |
|------|---------|------------|----------|
| 4"   |         | PNEUMATIC  |          |
| 1"   | 80 GPM  | GAS        | 50 FT.   |

## PUMPS

## UTILITY PUMPS

| TYPE         | MAX GPM | POWER TYPE | MAX HEAD |
|--------------|---------|------------|----------|
| WATERED PUMP | 5       | ELECTRIC   | 20'      |
| SUMP PUMP    | 20      | ELECTRIC   | 28'      |

## GARDEN PONDS, DRAINAGE POND

FUEL TRANSFER PUMP



Single-phase pumps are meant for use with small to medium volume pump applications. Our pumps can be operated off of the standard 115V or off of a portable generator. Ideal for applications like flooded basements, dewatering pools, and features like automatic start/stop switches and trash pumps.

## SINGLE PHASE SUBMERSIBLE

| TYPE          | MAX GPM | POWER TYPE | MAX HEAD |
|---------------|---------|------------|----------|
| 3/4" - 1 1/2" |         | ELECTRIC   |          |
| 2"            |         | ELECTRIC   |          |
| 3"            |         | ELECTRIC   |          |

## TRASH PUMPS

| TYPE | MAX GPM | POWER TYPE | MAX HEAD |
|------|---------|------------|----------|
| 2"   | 187 GPM | GAS        | 98 FT.   |
| 3"   | 318 GPM | GAS        | 85 FT.   |
| 4"   | 433 GPM | GAS        | 85 FT.   |

## DEWATERING PUMPS

| TYPE    | MAX GPM | POWER TYPE | MAX HEAD |
|---------|---------|------------|----------|
| 7"      | 37 GPM  | GAS        | 113 FT.  |
| 1 1/2"  |         | GAS        |          |
| 2 1/2"  | 152 GPM | GAS        | 52 FT.   |
| 3 1/2"  | 270 GPM | GAS        | 85 FT.   |
| 4" DWTX |         |            |          |

## PUMP HOSE



KANALINE SR HOSE



CARGO HOSE



HDPE HOSE



DISCHARGE HOSE

## PUMP HOSES

| TYPE                   | SIZE | LENGTH |
|------------------------|------|--------|
| HEAVY DUTY GARDEN HOSE |      | 50 FT. |

## PUMPS HOSE

## PUMP HOSES

| TYPE      | SIZE    | LENGTH |
|-----------|---------|--------|
| SUCTION   | 2 INCH  | 20 FT  |
| SUCTION   | 3 INCH  | 20 FT  |
| SUCTION   | 4 INCH  | 20 FT  |
| SUCTION   | 6 INCH  | 20 FT  |
| SUCTION   | 8 INCH  | 20 FT  |
| DISCHARGE | 2 INCH  | 50 FT  |
| DISCHARGE | 3 INCH  | 50 FT  |
| DISCHARGE | 4 INCH  | 50 FT  |
| DISCHARGE | 6 INCH  | 25 FT  |
| DISCHARGE | 8 INCH  | 50 FT  |
| DISCHARGE | 10 INCH | 20 FT  |
| HOSE      | 12 INCH | 20 FT  |
| HOSE      | 18 INCH | 20 FT  |
| HOSE      | 24 INCH | 20 FT  |
| HOSE      | 36 INCH | 20 FT  |

## COUPLINGS

Our comprehensive line of couplings and ends includes the complete range of Bauer couplings in a range of sizes. Not sure what connections you need? No problem - contact your local Best Line Equipment and ask for a pump specialist. We'll help you diagram the set-up you need and answer any of your questions.

| HOSE ENDS                                                                                                                                                              | FLANGED ENDS                                                                                                                                                        | PIPE BENDS                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <b>HOSE SHANK X BALL</b><br>2"   3"   4"   6"   8"   10"   12"<br>SIZES AVAILABLE    |  <b>BALL &amp; LEVER</b><br>2"   3"   4"   6"   8"   10"   12"<br>SIZES AVAILABLE |  <b>90 DEGREE ELBOW</b><br>2"   3"   4"   6"   8"   10"   12"<br>SIZES AVAILABLE  |
|  <b>HOSE SHANK X SOCKET</b><br>2"   3"   4"   6"   8"   10"   12"<br>SIZES AVAILABLE |  <b>SUCTION</b><br>2"   3"   4"   6"   8"   10"   12"<br>SIZES AVAILABLE         |  <b>60 DEGREE ELBOW</b><br>2"   3"   4"   6"   8"   10"   12"<br>SIZES AVAILABLE |
| VALVES AND OTHER ENDS AVAILABLE                                                                                                                                        |                                                                                                                                                                     |                                                                                                                                                                     |
| HOSE END ACCESSORIES                                                                                                                                                   | SCREW ENDS                                                                                                                                                          | ADAPTERS                                                                                                                                                            |
|  <b>LEVER CLOSE RING</b><br>2"   3"   4"   6"   8"<br>SIZES AVAILABLE                |  <b>MALE NPT BALL</b><br>2"   3"   4"   6"   8"<br>SIZES AVAILABLE               |  <b>REDUCER</b><br>VARIOUS<br>SIZES AVAILABLE                                    |
|  <b>RUBBER SEALING RING</b><br>2"   3"   4"   6"   8"<br>SIZES AVAILABLE             |  <b>MALE NPT SOCKET</b><br>2"   3"   4"   6"   8"<br>SIZES AVAILABLE             |  <b>INCREASER</b><br>2"   3"   4"   6"   8"<br>SIZES AVAILABLE                   |

OTHER COUPLERS AND ADAPTERS AVAILABLE, INCLUDING:

**STRAINERS | TEE ADAPTERS | Y ADAPTERS | QUICK COUPLERS | CAM LOCKS (2", 4", 6")**

# CONTRACTOR & PROJECT EQUIPMENT




THE BEST FOR OVER **30 YEARS**

#### QUICK SPECS:

#### DWR 15-125 GRINDER

- 1500 Watt Motor
- Long Carbon Brush Lifetime
- Direct Cooling, Overload Protection



Do you have contractor projects? Do you have plans to improve your home? Are you missing that one tool to help your business complete another project? Look no further than Best Line Equipment for all your project needs. We


carry many recognizable brands such as Bosch, Diamond, Lands, Miller, and many more. With competitive prices and service that cannot be beat, Best Line will work with you to get the job done right, the first time.

**From the weekend warriors to journeymen, we've got your equipment.**

POWER TOOLS • WELDING EQUIPMENT • PUMPS • JACKS/STANDS

POWER WASHERS • TRAILERS • UTILITY VEHICLES

PAINT SPRAYERS • SANDERS • TILLERS • ROLLERS • CHIPPERS



## WELDING EQUIPMENT



## WELDING PPE

GLOVES • BOOTS • WELDING JACKET  
WELDING MASK • EYE PROTECTIONWE SELL ASSORTED  
SIZES OF QUALITY  
WELDING CABLE  
BY THE FOOT.ASK ABOUT  
TRAILER MOUNTED UNITS.

## ENGINE-DRIVEN WELDERS

Engine driven welders provide stick, TIG  
and wire welding in even the most adverse  
environments. Portable models allow you to  
set up almost anywhere.

| TYPE         | RATED OUTPUT | FUEL     |
|--------------|--------------|----------|
| ARC WELDER   | 250-300 AMP  | GAS      |
| ARC WELDER   | 400 AMP      | DIESEL   |
| ARC WELDER   | 330-800 AMP  | ELECTRIC |
| 400 AMP      |              | ELECTRIC |
| 600 AMP      |              | ELECTRIC |
| 8 PAK WELDER |              | ELECTRIC |


## SCAFFOLDING

## TYPE

## SPECIFICATIONS

## BASIC UNIT (2 END FRAMES 2 CROSS BRACES, 4 PINS)

|                                                       |                                    |
|-------------------------------------------------------|------------------------------------|
| END FRAME                                             | 3 FT. HIGH X 3 FT. WIDE END FRAME  |
| END FRAME                                             | 4 FT. HIGH X 3 FT. WIDE END FRAME  |
| END FRAME                                             | 5 FT. HIGH X 3 FT. WIDE END FRAME  |
| END FRAME                                             | 6 FT. HIGH X 28 IN. WIDE END FRAME |
| WALK THROUGH FRAME                                    | 6 FT. WALK THRU END FRAME          |
| MULTI-PURPOSE                                         | 6 FT. MULTI-PURPOSE                |
| DIAGONAL BRACES                                       |                                    |
| EXT-A-CORNER SQUARING BRACES                          |                                    |
| DECK PLANK                                            | 19" IN. WIDE X 7 FT. LONG          |
| BASE PLATE                                            |                                    |
| ADJUSTABLE SCREW JACKS                                |                                    |
| SIDE BRACKETS                                         |                                    |
| GUARD RAILS                                           | 28" IN. WIDE X 7 FT. LONG          |
| GUARD RAILS                                           | 3" IN. WIDE X 7 FT. LONG           |
| STABILIZERS/OUTRIGGERS                                |                                    |
| JB POLE                                               |                                    |
| WELL WHEEL                                            |                                    |
| TRASH CHUTE - includes keeper, outrigger, chute (10') | 50' FT                             |
| CASTERS                                               |                                    |


**BILJAX**  
 BUILDING  
 LUXURY

## PRESSURE WASHERS

# LANDA®

## WATER CLEANING SYSTEMS



## TYPE

## SIZE

|                                  |                            |
|----------------------------------|----------------------------|
| PRESSURE WASHER - COLD WATER     | 900 - 1000 PSI (ELEC.)     |
| PRESSURE WASHER - COLD WATER     | 1000 PSI                   |
| PRESSURE WASHER - COLD WATER     | 2000-3000 PSI              |
| PRESSURE WASHER - COLD WATER     | 4000 PSI                   |
| PRESSURE WASHER - HOT WATER      | PORTABLE, 1000 PSI (ELEC.) |
| PRESSURE WASHER - HOT WATER      | SKID MOUNT GAS 3000 PSI    |
| PRESSURE WASHER - HOT WATER      | PORTABLE GAS 3000 PSI      |
| PRESSURE WASHER-TRAILER TANK KIT |                            |
| VACUUMS, INDUSTRIAL              | WET OR DRY, 10 GALLONS     |
| WALL/ROOF STEAMER                |                            |
| DRYWALL SANDER                   |                            |

**Strategic alliance allows for fast turnaround time!**



**Hydraulic Cylinder Repair • Hope & Pipe Repair**



### **Repair Shop & Field Service (On-Site Repair):**

Since 1981, Field-Tec Services has proudly provided our customers with the best repair, installation, and fabrication services. Our staff of trained in-shop technicians utilize the latest equipment for component testing to OEM specifications and API. We have a fully stocked inventory, or can custom order parts in. Our fleet of service trucks allow us to provide in-field service, reducing your down time and improving your bottom line.

### **Services:**

- On-site Repair Services
- Powertrain Supplier & Component Repair/Rebuild
- Hydraulic Cylinder Repair & Manufacturing
- Hydraulic Pump, Motor, Valve Service & Repair
- Stationary Hydraulic Systems
- Truck Mounted Equipment & Systems Service & Repair
- Hydraulic Steel Tubing and Hoses



**FieldTecServices.com**

2040 Line Bluff Road • Muncy, PA 17756  
1-800-326-8588 • Hours: M-F 8:00am-4:30pm

LANDSCAPING EQUIPMENT

# CONTRACTOR GRADE LANDSCAPING EQUIPMENT

## TYPE

### BRUSH CUTTERS

- WALK BEHIND

### BALE MULCHERS

- PRO CHOPPER
- GOOSEN SB1300
- GOOSEN SB4000 (TOWABLE)

### CHIPPERS

- BRUSH CHIPPER 6"-9"
- BRUSH CHIPPER 12"

### STUMP GRINDERS

- WALK BEHIND



Eye protection  
required when  
operating  
landscaping  
equipment



## Grass Seed and Silt Fence

We carry many different types of grass seed and silt fence. Special orders are available, but please allow for a 2 day waiting period. Call 1-800-679-BEST for more information.



## SANDBLASTING EQUIPMENT

## ABRASIVES QUICK REFERENCE

**SAND:** 100psi for jobs < 500ft<sup>2</sup> (anything > 500ft<sup>2</sup> cannot be used)

**SLAG:** 125psi

**METAL SHOT:** 150psi Also used in the flooring and preparation of concrete. Application must tolerate potential ferrous reaction. Round abrasive media that is extremely durable and strong. Available with specific hardness, roundness, and size specifications as required for certain coating applications.

**GLASS BEAD:** Glass bead blasting can be used on a wide range of materials including metal, glass, plastic and rubber.

The smaller the glass spheres, the smoother the surface. Larger spheres produce a more textured finish.

**SODA:** sodium bicarbonate based media (baking soda) is manufactured to be in a consistent, larger crystal size. When it strikes the material you are soda blasting, the crystal explodes outward and the explosion is the force that strips your target of grease, paint, mold, dirt, whatever it is you are removing.

**DRY ICE:** 900 psi (not 150 psi) known as Cryo blasting and CO<sub>2</sub> blasting. Dry ice blasting is similar to sand blasting, plastic (not metal), or soda blasting where a medium is accelerated in a pressurized air stream to impact a surface to be cleaned or prepared. Instead of using hard abrasive media to grind on a surface (and damage it), dry ice blasting uses soft dry ice, accelerated at supersonic speeds, and creates mini-explosions on the surface to lift the undesirable from off the underlying substrate. We do not carry "Cryo-Blasters". We carry the high pressure air compressors they require to operate.

**WALNUT SHELLS:** Walnut shell grit is the hard fibrous product made from ground or crushed walnut shells. When used as a blasting media, walnut shell grit is extremely durable, angular and multi-faceted, yet is considered a "soft abrasive" and it can clean difficult surfaces without leaving scratches. It is suitable for cleaning metal, stainless-steel, glass, ceramics, semi-conductor integrated circuit packages and frames, etc. Walnut shell blasting grit is an excellent replacement for sand (free silica) to avoid inhaling health concerns.

**CORN COB:** Corn Cob blasting is recommended by the hog farm industry to open the pores of the wood, allowing oil-based finishes to penetrate more effectively. Equipment requirements: 1) corn cobs are crushed to 40mm size or smaller, 2) A moisture separator is used on the 150-180psi size air compressor, 3) A standard Denix 3/8" nozzle is used. See your local Best Line representative for more information.

COMPRESSED AIR REQUIREMENTS  
& ABRASIVE CONSUMPTION

| Work Order     |   | Pressure At The Nozzle (psi) |     |     |     |     |     |     | Air, Power, & Abrasive Requirements               |
|----------------|---|------------------------------|-----|-----|-----|-----|-----|-----|---------------------------------------------------|
|                |   | 50                           | 55  | 70  | 80  | 90  | 100 | 125 |                                                   |
| No. 2<br>1/8"  | 1 | 11                           | 12  | 15  | 17  | 19  | 20  | 25  | Air (cfm)<br>Abrasive (Btu/hr)<br>Compressor (hp) |
|                | 2 | 21                           | 23  | 28  | 31  | 35  | 37  | 45  |                                                   |
|                | 3 | 31                           | 34  | 41  | 45  | 51  | 54  | 66  |                                                   |
| No. 3<br>3/16" | 1 | 16                           | 18  | 22  | 25  | 28  | 30  | 37  | Air (cfm)<br>Abrasive (Btu/hr)<br>Compressor (hp) |
|                | 2 | 32                           | 36  | 44  | 50  | 56  | 60  | 74  |                                                   |
|                | 3 | 48                           | 54  | 66  | 75  | 84  | 90  | 110 |                                                   |
| No. 4<br>1/4"  | 1 | 21                           | 24  | 29  | 33  | 37  | 40  | 50  | Air (cfm)<br>Abrasive (Btu/hr)<br>Compressor (hp) |
|                | 2 | 42                           | 48  | 58  | 66  | 74  | 80  | 100 |                                                   |
|                | 3 | 63                           | 72  | 87  | 99  | 111 | 120 | 150 |                                                   |
| No. 5<br>5/16" | 1 | 27                           | 30  | 37  | 42  | 47  | 50  | 62  | Air (cfm)<br>Abrasive (Btu/hr)<br>Compressor (hp) |
|                | 2 | 54                           | 60  | 74  | 84  | 94  | 100 | 124 |                                                   |
|                | 3 | 81                           | 90  | 111 | 126 | 141 | 150 | 186 |                                                   |
| No. 6<br>3/8"  | 1 | 35                           | 39  | 48  | 55  | 62  | 67  | 82  | Air (cfm)<br>Abrasive (Btu/hr)<br>Compressor (hp) |
|                | 2 | 70                           | 78  | 96  | 110 | 124 | 134 | 164 |                                                   |
|                | 3 | 105                          | 117 | 144 | 165 | 186 | 201 | 246 |                                                   |
| No. 7<br>7/16" | 1 | 43                           | 48  | 59  | 67  | 75  | 81  | 100 | Air (cfm)<br>Abrasive (Btu/hr)<br>Compressor (hp) |
|                | 2 | 86                           | 96  | 118 | 134 | 150 | 162 | 200 |                                                   |
|                | 3 | 129                          | 144 | 177 | 201 | 225 | 243 | 300 |                                                   |
| No. 8<br>1/2"  | 1 | 51                           | 57  | 70  | 80  | 90  | 97  | 120 | Air (cfm)<br>Abrasive (Btu/hr)<br>Compressor (hp) |
|                | 2 | 102                          | 114 | 140 | 160 | 180 | 194 | 240 |                                                   |
|                | 3 | 153                          | 171 | 210 | 240 | 270 | 291 | 360 |                                                   |

We carry **BLACK BEAUTY**® blasting abrasives. Black Beauty Abrasives are known for their high quality, low dusting and low free silica attributes.



THE ORIGINAL  
**BLACK BEAUTY**®

| SIZE       | (ASSUME 100# OF MEDIA PER CUBIC FOOT VOLUME/SIZE) |  | WEIGHT     |
|------------|---------------------------------------------------|--|------------|
|            | DIMENSIONS                                        |  |            |
| 15 CU.FT.  | 23' L X 22' W X 30" H                             |  | 180 LB.    |
| 35 CU.FT.  | 30' L X 23' W X 47" H                             |  | 240 LB.    |
| 65 CU.FT.  | 48' L X 34' W X 52" H                             |  | 290 LB.    |
| 10 CU.FT.  | 38' L X 34' X 54" H                               |  | 430 LB.    |
| 20 CU.FT.  | 39' L X 37' W X 65" H                             |  | 780 LB.    |
| 120 CU.FT. | 87' L X 63' W X 84" H                             |  | 2,750 LB.  |
| 180 CU.FT. | 97' L X 75' W X 91" H                             |  | 3,350 LB.  |
| 500 CU.FT. | 8' L X 90' W X 192" H                             |  | 8,050 LB.  |
| 650 CU.FT. | 8' L X 100' W X 241" H                            |  | 9,500 LB.  |
| 800 CU.FT. | 8' L X 100' W X 272" H                            |  | 11,000 LB. |

Example - If 400psi per hour 100 cu.ft. tank would hold enough. Divide 10000/400psi = 25 hrs between blast pot releases (not start to shift acid) likely recommend 150 cu.ft. with a 3.5 hour runtime.

# SANDBLASTING EQUIPMENT

## RATED

- 100 - LBS.
- 300 - LBS.
- 200 - LBS.
- SANDBLASTING KIT



## FILTERS & RESPIRATORS

### DON'T FORGET: Respirators

Our Clemco Apollo 20 HP helmet is a NIOSH approved type CE respirator (approval number TC-19C-338) and is recognized by OSHA as having an assigned protection factor (APF) against lead dust of 1000 times the permissible exposure limit (PEL).



## IN-LINE AIR FILTERS

Clemco's CPF in-line air filters remove moisture, oil, and dirt particles from compressed air before it reaches your respirator. Multi-stage filtration system includes activated charcoal to eliminate odors and improve the "taste" of your breathing air.



## NOZZLES



Boron Carbide Lined  
Metal Jacketed



Tungsten Carbide  
Lined Rubber Jacketed



Cerulob-Lined  
Sheath Jacketed



Clemco Lined  
Metal Jacketed

## ASK THE EXPERTS: SANDBLASTING

Best Line carries everything the modern blasting and painting contractor needs to blast safely and efficiently. We specialize in portable blast systems and offer an array of industrial-quality blast machines, accessories, and parts.

## SIZES: 1/2", 7/16", 3/8", 5/16", 3/16", 1/4"

Clemco offers more than 150 nozzles in tungsten carbide, rugged boron carbide, and ultra light and durable silicon carbide. You can choose short or long and metal or urethane jackets. We also offer versatile Supa Blast Hose for unmatched flexibility and long life along with their a-braid and a-ply hoses for permanent applications. Clemco designs their equipment to be very user friendly for the operator which results in increased productivity.

## SAFETY CABLES



Safety Cables (Whip Checks)

- Made from steel cable
- Meets OSHA safety standards

## COUPLINGS



- Threaded and nylon
- Quick attach
- Secure with Safety Cables

## HOSE



- 2 ply, 4 ply and braided
- High quality

## ACCESSORY TYPE

- FRESH AIR PUMP, 10 PSI
- SANDBLAST HOOD
- SANDBLAST HOSE 50 FT.
- WHIP HOSE & TUNGSTEN CARBIDE NOZZLE
- EXTRA NOZZLE
- DEADMAN CONTROL
- CONTROLLER WITH 50' FT. HOSE
- EXTRA 50' FT. SECTION OF HOSE



## UTILITY VEHICLES



POLARIS



CUSHMAN



CANYCON



Bobcat



## UTILITY: GAS/DIESEL/ELECTRIC

| TYPE     | TRACTION | FUEL       | CAB          | BED CAPACITY (LBS) |
|----------|----------|------------|--------------|--------------------|
| 1 PERSON | TRACKS   | DIESEL     | OPEN         | 1,500              |
| 2 PERSON | 4X2      | GAS        | OPEN         | 500                |
| 2 PERSON | 4X4      | ELECTRIC   | OPEN         | 500                |
| 2 PERSON | 4X4      | GAS/DIESEL | OPEN         | 800                |
| 2 PERSON | 4X4      | GAS        | CAB          | 800                |
| 3 PERSON | 4X4      | DIESEL     | CAB          | 800                |
| 2 PERSON | 4X4      | DIESEL     | CAB HEAT, AC | 800                |
| 4 PERSON | 4X4      | GAS/DIESEL | OPEN         | 1000               |
| 4 PERSON | 4X4      | GAS        | CAB          | 800                |

\* SEE PAGE 39 FOR BOBCAT UTILITY ATTACHMENTS. \*Other dimensions available and above rates subject to change based on availability.



## CARTS: GAS/ELECTRIC

| TYPE     | ENGINE       | EXTRAS                   |
|----------|--------------|--------------------------|
| 2 PERSON | ELECTRIC/GAS | SMALL BED                |
| 2 PERSON | ELECTRIC     | LONG BED (48" W X 70" L) |
| 2 PERSON | ELECTRIC     | 1.5V LEGS                |
| 4 PERSON | ELECTRIC     | 1.5V LEGS                |
| 6 PERSON | ELECTRIC     | 1.5V LEGS                |
| 6 PERSON | ELECTRIC/GAS | SHUTTLE / NO BED         |

\*Other dimensions available and above rates subject to change based on availability.

## SMALL ENGINE OIL &amp; FUEL

Improve Equipment Performance | Reduce Downtime | Extend Engine Life

- 2-Cycle Engine Oil
- Grease & Lubricants
- 2-Cycle Premixed Fuel + Oil (40:1)
- Bar & Chain Oil
- 2-Cycle Unmixed Fuel
- 2-Cycle Premixed Fuel + Oil (50:1)



## TRAILERS

## HAULING YOUR EQUIPMENT: TOWING CAPACITY &amp; TRAILER WEIGHT CLASS

Before you select a towing vehicle you need to determine the weight of the trailer being towed as well as the weight the vehicle will carry while towing. Provide a good margin of safety.

For safe towing your trailer should always be set up to tow on a level plane.



1. Measure from the ground to the top of the hitch.
2. Measure from the ground to the (inside) top of the trailer coupler; then level.
3. Subtract the height of the hitch ball (Most are 2 1/2" - 3" high) from coupler measurement.

## STANDARD BALL SIZES:

- 1 1/2" - (47.6mm)
- 2" - (50.8mm)
- 2 1/2" - (63.5mm)

Please verify to ensure proper hitch and receiver.

## BALL MOUNT MEASUREMENTS



## Class I

Car/factory  
equipped with hitch,  
GVW, Small Trucks\*



## LIGHT LOADS

- 2,000-pound maximum
- Folding camping trailers, trailers for small boats, motorcycles, and snowmobiles
- Load-carrying (non-equipping) hitch

## Class III

SUV equipped with  
factory towing package,  
15,000 and 17,000 lb GVW\*\*



## LARGER LOADS

- 5,000-pound maximum
- Dual-axle or large single-axle trailers
- Weight-distributing hitch not required, unless specified for a particular vehicle

## Class II

GVW, Small Trucks\*



## LIGHT LOADS

- 2,500-pound maximum
- Single-axle, small to medium length (up to 16 feet) trailers

## Class IV

GVW, 3500, 4500, and 5000  
lb GVW and larger trucks\*\*



## LARGER LOADS

- 10,000-pound maximum
- Largest trailers made for recreation
- Weight-distributing hitch is required, as indicated by each weight class

**REMEMBER:** A hitch system is only as strong as its lowest rated component. Compare the ratings on tow weight ratings of your hitch, ball mount and hitch ball. Your hitch system rating is the lowest weight rating among these components.

## Gooseneck / 5th Wheel



## LARGEST LOADS

- Must have fifth-wheel or gooseneck coupling on towing vehicle
- Light (8K lbs.), Mid-Size (10K lbs.) and Full-Size (12K lbs.) weight classes indicate maximum lengths.

\* Diagrams are for example purposes only. Consult your vehicle's towing capacity specifications before towing your equipment. \*\* For comparison purposes only. Consult your vehicle manual for accurate towing capacity.

| TYPE                         | PAYLOAD    | GVWR        |
|------------------------------|------------|-------------|
| 5'X8' UTILITY TRAILER        |            |             |
| 8'X12' UTILITY TRAILER       |            |             |
| SINGLE-AXLE EQUIPMENT HAULER | 5,500 LBS. | 7,200 LBS.  |
| DUAL-AXLE EQUIPMENT HAULER   | 7,500 LBS. | 9,000 LBS.  |
| LARGE EQUIPMENT HAULER       |            | 14,000 LBS. |
| HYDRAULIC DUMP TRAILER       |            |             |
| 6'X8' DUMP TRAILER           |            | 6,000 LBS.  |

# TIE-DOWN SELECTION GUIDE

Before operating your vehicle on public roads, please be sure that your equipment is properly tied-down. If you have any questions on proper tie-down procedures, please ask a BestLine Representative for more information.




Chart is for informational purposes only. Please consult proper DOT standards for your load and vehicle type.

| Contained (Sided) Vehicle |                   |         |          |
|---------------------------|-------------------|---------|----------|
| Vehicle Weight            | Required Tie Down | 1-10 ft | 11-20 ft |
| 0-1000 lbs.               | Twine             | 1       | 1        |
| 1011-2000 lbs.            | 3/4" Rope         | 1       | 1        |



| Passenger Vehicle |                   |         |          |
|-------------------|-------------------|---------|----------|
| Vehicle Weight    | Required Tie Down | 1-10 ft | 11-20 ft |
| 0-1000 lbs.       | Twine             | 1       | 1        |
| 1011-2000 lbs.    | 3/4" Rope         | 2       | 1        |
| 2001-3000 lbs.    | Twine             | 2       | 1        |
| 3001-4000 lbs.    | 3/4" Rope         | 2       | 1        |
| 4001-5000 lbs.    | Twine             | 1       | 1        |
| 5001-6000 lbs.    | 3/4" Rope         | 1       | 1        |
| 6001-7000 lbs.    | Twine             | 1       | 1        |
| 7001-8000 lbs.    | 3/4" Rope         | 1       | 1        |



WE RENT  
TIE-DOWN  
EQUIPMENT.

## SAFE LOADING POLICY

WE RENT  
TIE-DOWN  
EQUIPMENT.

| Occupancy | Small Car | Large Car | Small Truck | SUV       | Minivan   | 1.5 Ton Truck |
|-----------|-----------|-----------|-------------|-----------|-----------|---------------|
| 1         | 1000 lbs. | 800 lbs.  | 1200 lbs.   | 1200 lbs. | 1200 lbs. | 2500 lbs.     |
| 2         | 1400 lbs. | 1100 lbs. | 1200 lbs.   | 1200 lbs. | 1250 lbs. | 2800 lbs.     |
| 3         | 1800 lbs. | 1400 lbs. | N/A         | 800 lbs.  | 1300 lbs. | N/A           |
| 4         | N/A       | 1600 lbs. | N/A         | 600 lbs.  | 800 lbs.  | N/A           |
| 5         | N/A       | 80 lbs.   | N/A         | 400 lbs.  | 600 lbs.  | N/A           |
| 6         | N/A       | N/A       | N/A         | 200 lbs.  | 400 lbs.  | N/A           |

Chart is for informational purposes only. Consult your vehicle's individual specifications before use. All figures based on 200 lbs. per occupancy, maximum.

## A

|                                           |       |
|-------------------------------------------|-------|
| <b>Aerial Equipment</b> .....             | 20    |
| <b>Air Compressors</b> .....              | 5     |
| Accessories .....                         | 6     |
| High Pressure (400 CFM - 1070+ CFM) ..... | 6     |
| Portable (4 CFM - 12 CFM) .....           | 0     |
| Towable (150 CFM - 1600 CFM) .....        | 6     |
| Air Tools .....                           | 7     |
| Air Dryers .....                          | 7     |
| Air Hose .....                            | 8     |
| Air Line Lubricators .....                | 6     |
| Articulating Dump Trucks .....            | 48    |
| Attachments (Bobcat) .....                | 39-49 |

## B

|                                 |       |
|---------------------------------|-------|
| Backhoes .....                  | 48    |
| Bale Mulchers .....             | 55    |
| Balloon Light .....             | 34    |
| Banding Tools .....             | 60    |
| Bare Cable .....                | 28    |
| <b>Bobcat Equipment</b> .....   | 35    |
| Attachments .....               | 39-49 |
| <b>Boom Lifts</b> .....         | 22    |
| Articulating .....              | 22    |
| Telescoping .....               | 20    |
| Brick / Block Saw .....         | 14    |
| Breakers / Breaker Points ..... | 45    |

### Compaction Equipment + PAGE 10

## C

|                                     |    |
|-------------------------------------|----|
| Cable .....                         | 27 |
| Carts .....                         |    |
| Car-Lok Cables .....                | 27 |
| Ceramic Tile Saw .....              | 14 |
| Chipping Hammer .....               | 8  |
| Circular Saws .....                 | 14 |
| Compact Excavators .....            | 36 |
| Compaction .....                    | 9  |
| Compact Track Loaders .....         | 30 |
| <b>Concrete &amp; Masonry</b> ..... |    |
| Brick / Block Saw .....             | 14 |
| Ceramic Tile Saw .....              | 14 |
| Chisel Slicer .....                 | 12 |
| Concrete Buggies .....              | 13 |
| Concrete Equipment .....            | 13 |
| Concrete Finishing Equipment .....  | 13 |
| Concrete Grinding .....             | 13 |
| Concrete Mixers .....               | 13 |
| Concrete Saws .....                 | 14 |
| Core Bits .....                     | 18 |
| Cut-Off Saw .....                   | 14 |
| Diamond Blade .....                 | 15 |
| Power Trowel .....                  | 13 |
| Scabbler .....                      | 14 |
| Scarifier .....                     | 15 |

### Contractor & Project Equipment

|                            |    |
|----------------------------|----|
| Contractor Equipment ..... | 57 |
| Contractor Pumps .....     | 58 |
| Conveyors .....            | 65 |
| Hammer Drills .....        | 57 |
| Pressure Washers .....     | 58 |
| Welders .....              | 55 |

## Crawler Excavators

|                   |    |
|-------------------|----|
| Attachments ..... | 44 |
| Cut-Off Saw ..... | 14 |

## D

|                      |    |
|----------------------|----|
| Diamond Blades ..... | 15 |
| Dozers .....         | 49 |
| Drills .....         | 57 |
| Drywall Sander ..... | 60 |
| Duct Hose .....      | 32 |
| Duct Lift .....      | 59 |
| Dump Trucks .....    | 48 |

## E

|                       |    |
|-----------------------|----|
| Electric Carts .....  | 61 |
| Engine Hoist .....    | 59 |
| Excavators .....      | 43 |
| Extension Cords ..... | 57 |

## F

|                            |    |
|----------------------------|----|
| Fans .....                 | 32 |
| Feeder Panels .....        | 29 |
| Footage Boring Tool .....  | 7  |
| Forklift Attachments ..... | 19 |
| Forklifts .....            | 17 |
| Industrial .....           | 18 |
| Rough Terrain .....        | 18 |
| Pallet Trucks .....        | 18 |
| Reach .....                | 19 |
| Shooting Boom .....        | 19 |
| Telehandlers .....         | 19 |

## G

|                             |    |
|-----------------------------|----|
| Generator Accessories ..... | 27 |
| <b>Generators</b> .....     |    |
| Industrial Units .....      | 25 |
| Portable .....              | 25 |
| Grinders .....              | 57 |

## H

|                     |    |
|---------------------|----|
| Hammer Drills ..... | 57 |
|---------------------|----|

### Heaters

|                 |    |
|-----------------|----|
| Portable .....  | 31 |
| Heat Guns ..... | 58 |

### Heavy Equipment

|                             |    |
|-----------------------------|----|
| Crawler Excavators .....    | 43 |
| Wheel Excavators .....      | 43 |
| Excavator Attachments ..... | 44 |
| Breakers/Points .....       | 45 |
| Wheel Loaders .....         | 46 |
| Loader Attachments .....    | 47 |
| Dump Trucks .....           | 48 |
| Backhoes .....              | 48 |

|                                     |   |
|-------------------------------------|---|
| High Pressure Air Compressors ..... | 6 |
| High Pressure Hose .....            | 6 |
| History .....                       | 3 |

## I

|                            |    |
|----------------------------|----|
| Impact Wrenches .....      | 57 |
| Industrial Forklifts ..... | 18 |

## J

|                    |    |
|--------------------|----|
| Jumping Jack ..... | 10 |
|--------------------|----|



|                                                                 |  |  |  |
|-----------------------------------------------------------------|--|--|--|
| <b>L</b>                                                        |  |  |  |
| <b>Lawn &amp; Landscape</b> ..... 58                            |  |  |  |
| Bale Mulchers ..... 58                                          |  |  |  |
| Chippers ..... 58                                               |  |  |  |
| Stump Grinders ..... 58                                         |  |  |  |
| Lighting (portable) ..... 34                                    |  |  |  |
| Towers ..... 33                                                 |  |  |  |
| Location Map ..... Back Cover                                   |  |  |  |
| <b>Locations (by city)</b>                                      |  |  |  |
| Allentown ..... 1                                               |  |  |  |
| Centre Hall ..... 2                                             |  |  |  |
| Harrisburg ..... 1                                              |  |  |  |
| Hatboro ..... 1                                                 |  |  |  |
| Mechanicsburg ..... 1                                           |  |  |  |
| Muncy ..... 1, 2                                                |  |  |  |
| Shippensburg ..... 2                                            |  |  |  |
| State College ..... 1                                           |  |  |  |
| Towanda ..... 1                                                 |  |  |  |
| Uniontown ..... 1                                               |  |  |  |
| Warminster ..... 1                                              |  |  |  |
| West Chester ..... 2                                            |  |  |  |
| <b>M</b>                                                        |  |  |  |
| Manhole Blower ..... 32                                         |  |  |  |
| Masonry Equipment ..... 12                                      |  |  |  |
| Mitre Saws ..... 14                                             |  |  |  |
| <b>N</b>                                                        |  |  |  |
| Nailers ..... 8                                                 |  |  |  |
| <b>P</b>                                                        |  |  |  |
| Paving Breakers ..... 7                                         |  |  |  |
| <b>Paving Breaker Tools</b> ..... 7                             |  |  |  |
| Asphalt Cutter ..... 7                                          |  |  |  |
| Chisels ..... 7                                                 |  |  |  |
| Clay Spade ..... 7                                              |  |  |  |
| Pad Tamper ..... 7                                              |  |  |  |
| Pin Driver ..... 7                                              |  |  |  |
| Rock Buster ..... 7                                             |  |  |  |
| Pick Up & Delivery ..... 2                                      |  |  |  |
| Piercing Tools ..... 7                                          |  |  |  |
| Portable Air Compressors ..... 6                                |  |  |  |
| Portable Heating ..... 31                                       |  |  |  |
| <b>Portable Lighting</b> ..... 33                               |  |  |  |
| Balloon Lights ..... 34                                         |  |  |  |
| Towable Tower ..... 34                                          |  |  |  |
| Portable Washers ..... 56                                       |  |  |  |
| Portable Pumps ..... 58                                         |  |  |  |
| Portable Welders ..... 58                                       |  |  |  |
| Power Generation ..... 23                                       |  |  |  |
| Power Tools ..... 57                                            |  |  |  |
| <b>Powersports Vehicles</b>                                     |  |  |  |
| 2-4 Person UTVs ..... 61                                        |  |  |  |
| Electric Carts ..... 61                                         |  |  |  |
| LSV Legal Carts ..... 61                                        |  |  |  |
| 4-7 Person Carts ..... 61                                       |  |  |  |
| Utility Vehicles (UTVs) ..... 61                                |  |  |  |
| Pressure Washers ..... 56                                       |  |  |  |
| <b>Pumps</b> ..... 51                                           |  |  |  |
| Couplings ..... 53                                              |  |  |  |
| Dewatering ..... 52                                             |  |  |  |
| Dry Prime ..... 51                                              |  |  |  |
| Pump Hose ..... 52                                              |  |  |  |
| Submersible ..... 52                                            |  |  |  |
| Trash Pumps ..... 52                                            |  |  |  |
| Utility Pumps ..... 52                                          |  |  |  |
| Wet Prime ..... 51                                              |  |  |  |
| Push-type Lifts ..... 21                                        |  |  |  |
| <b>R</b>                                                        |  |  |  |
| Reach Forklifts ..... 19                                        |  |  |  |
| Rivet Buster ..... 8                                            |  |  |  |
| Rock Drill ..... 8                                              |  |  |  |
| <b>Rollers</b> ..... 11                                         |  |  |  |
| Double Drum ..... 11                                            |  |  |  |
| Single Drum ..... 11                                            |  |  |  |
| Trench ..... 11                                                 |  |  |  |
| Walk Behind ..... 11                                            |  |  |  |
| <b>S</b>                                                        |  |  |  |
| <b>Safety</b>                                                   |  |  |  |
| BTU Calculator ..... 32                                         |  |  |  |
| Cable Selection Guide ..... 29                                  |  |  |  |
| Compressed Air Requirements ..... 59                            |  |  |  |
| Customer Tie-Down Guide ..... 63                                |  |  |  |
| Extension Cord Gauge Guide ..... 29                             |  |  |  |
| OSHA & MEWP Aerial Lift / Work Platform Safety Training ..... 4 |  |  |  |
| OSHA & MEWP Forklift / Fork Truck Safety Training ..... 20      |  |  |  |
| Safety Cables ..... 63                                          |  |  |  |
| Towing Capacity and Trailer Weight Class ..... 62               |  |  |  |
| <b>Sandblasting Equipment</b> ..... 59                          |  |  |  |
| Abrasives ..... 59                                              |  |  |  |
| Couplings ..... 53                                              |  |  |  |
| Filters & Respirators ..... 60                                  |  |  |  |
| Hose ..... 60                                                   |  |  |  |
| Safety Cables ..... 60                                          |  |  |  |
| Sanders ..... 61                                                |  |  |  |
| Scaffolding ..... 55                                            |  |  |  |
| Scissor Lifts ..... 21                                          |  |  |  |
| Rough Terrain ..... 22                                          |  |  |  |
| Shooting Boom Forklifts ..... 22                                |  |  |  |
| Single Man Lifts ..... 21                                       |  |  |  |
| Skid-Steer Loaders ..... 37                                     |  |  |  |
| Spider Box Cables ..... 27                                      |  |  |  |
| <b>T</b>                                                        |  |  |  |
| Tampers ..... 8                                                 |  |  |  |
| Telehandlers ..... 19                                           |  |  |  |
| Towable Lighting ..... 34                                       |  |  |  |
| Tractors ..... 41                                               |  |  |  |
| Trailers ..... 62                                               |  |  |  |
| Trenchers ..... 11                                              |  |  |  |
| Trench Rollers (Straight and Articulated) ..... 11              |  |  |  |
| <b>U</b>                                                        |  |  |  |
| Utility Vehicles ..... 61                                       |  |  |  |
| <b>V</b>                                                        |  |  |  |
| Vibratory Plate Compactors ..... 10                             |  |  |  |
| <b>W</b>                                                        |  |  |  |
| Website ..... 3                                                 |  |  |  |
| Welding Equipment ..... 58                                      |  |  |  |
| ARC Welders ..... 58                                            |  |  |  |
| Wheel Loaders ..... 46                                          |  |  |  |
| Attachments ..... 47                                            |  |  |  |

## Light Towers

» PAGE 33



**DON'T SEE WHAT YOU NEED?**  
Chances are, we can get what you're looking for.  
1-800-321-2376



Company Name \_\_\_\_\_ Email \_\_\_\_\_  
Phone Number \_\_\_\_\_ Cell \_\_\_\_\_ Fax \_\_\_\_\_  
Billing Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_  
Physical Address \_\_\_\_\_

Federal Tax ID Number \_\_\_\_\_  
Sales Tax Status \_\_\_\_\_ Taxable \_\_\_\_\_ Tax-Exempt \_\_\_\_\_  
Company Type \_\_\_\_\_ Proprietorship \_\_\_\_\_ Corporation \_\_\_\_\_

Date Business Started \_\_\_\_\_ State & Date of Incorporation \_\_\_\_\_  
President or Partners \_\_\_\_\_  
Years with Company \_\_\_\_\_  
A/P Contact Person(s) \_\_\_\_\_  
Requested Credit Amount (required information) \_\_\_\_\_  
Your Best Line Salesperson / Location \_\_\_\_\_  
Do you require: \_\_\_\_\_ PO \_\_\_\_\_ Job # \_\_\_\_\_

**Credit References** (applications with incorrect information will be delayed)

Bank Name \_\_\_\_\_ Account Officer \_\_\_\_\_  
Address \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Company Name \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Address \_\_\_\_\_  
Company Name \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Address \_\_\_\_\_  
Company Name \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Address \_\_\_\_\_

Applicant Signature: \_\_\_\_\_  
Spouse Signature: \_\_\_\_\_

By your signature above, you hereby authorize us to contact your references listed for the purpose of obtaining credit information. Spouse's signature is required for any applicant not incorporated. If tax exempt, you must include a current tax exempt certificate, otherwise you will be charged tax. Terms stated are Net 30. Any balance due after Net 30 terms is subject to 1.5% monthly finance charge.

Download Credit Applications at [www.bestline.com/financing](http://www.bestline.com/financing)

## SHIFTS EXPLAINED

- Day:** Any consecutive 5 hour period with no more than 4 hours of use on hour-meter. Not available with all rental items, not available when equipment is delivered.
- Day:** Any consecutive 24 hour period - Maximum of 8 hours of use on hour-meter.
- Week:** Any consecutive 5 day period - Maximum of 40 hours of use on hour-meter.
- Month:** Any consecutive 28 day period - Maximum of 160 hours of use on hour-meter.
- Weekends and Holidays:** Contact your local store for details.

## SHIFT USAGE:

- Additional rental fees will apply for double or triple shift usage.
- Double Shift usage:
  - 40 hours per day
  - 80 hours per week
  - 320 hours per 4 weeks
- Triple Shift usage:
  - 2x book rate
  - 24 hours per day
  - 120 hours per week
  - 480 hours per month

## CUSTOMER RESPONSIBILITIES

- Customer will be charged a cleaning fee if equipment is returned excessively dirty.
- Customer is responsible for all fire damage and thefted items.
- Customer is responsible for refueling rented equipment, if equipment is returned with less than a full tank, the customer will be charged for the fuel required to fill the tank at a rate greater than market fuel prices.

## DELIVERY:

- We provide delivery to our entire service area.
- Delivery fees are not included in the rental rate, please contact your local store for accurate delivery fees.
- 1/2 day rates are not available when equipment is delivered, minimum charge is daily rate for delivered equipment.
- Customer-owned equipment may be transported at the discretion and convenience of the branch location.
- Accurate pickup and delivery locations must be specified or quoted rental rates will be adjusted upward to reflect additional lost time.



## TERMS AND CONDITIONS

Please kindly review the terms and conditions carefully. This is a rental agreement subject to the following:

- It is specified in each item's owner's manual for use, and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer agrees to pay rental charges in advance of the rental property to the rental property. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer agrees to pay for any additional damage to the rental property in excess of the rental property's insurance. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer agrees to use the rental property only for the purposes and for the purposes designated by the rental property. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer acknowledges that it has inspected the rental property and that it is to be used for the purposes designated by the rental property. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer agrees to use the rental property only for the purposes and for the purposes designated by the rental property. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer agrees to use the rental property only for the purposes and for the purposes designated by the rental property. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer agrees to use the rental property only for the purposes and for the purposes designated by the rental property. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.
- Customer agrees to use the rental property only for the purposes and for the purposes designated by the rental property. Customer further agrees that if the rental property is damaged or destroyed by fire, theft, or other causes, the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer. The words "to" or "rent" may be substituted for possession of each property as indicated under "Take Out" and "Take Back" under the rental property, returned to owner or individual owner "Take Out" and "Take Back" depending on the rental property and the rental property is charged for the entire day for the period of possession of the rental property from the time it is delivered to the customer.

Goodline® Best Line® Best Line® Best Line®  
www.bestline.com



RENTAL | SALES | SERVICE

# EMERGENCY SERVICES

## POWER GENERATION

### GENERATORS

- 1000W - 15MW
- Electronic Sensitive
- Electronic Rated
- Reserve Fuel tanks

### DISTRIBUTION

- Distribution Boxes
- Transfer Switches
- Switch Gear
- Cables
- Load Banks
- Transformers
- Cable Ramps
- Cam Locks

## LIGHTING

### SELF-CONTAINED

- Light Towers
- Highway Balloon Lights
- Multi-Directional
- Industrial Halogen Lights

## PUMPS

- High Pressure, Hydraulic
- Dry-Prime, Electric Driven and more
- Complete Turn-Key Solutions

## AIR COMPRESSORS

### PORTABLE / MOBILE

- Diesel Air Compressors
- Moisture Free
- After Coolers / Dryers
- Air Tools
- 160-1600CFM
- Towable and Skid-Mounted
- Industrial
- Job Site

## TEMPERATURE CONTROL

### PORTABLE / MOBILE

- Fans
- Blowers
- Mobile Air Dryers
- Indirect/Direct Fired Heaters
- Electric Heaters
- Portable Air Conditioners
- Dehumidification
- Ground Thaw Units
- 1,000,000btu Towable heaters

## GAS INDUSTRY

- Replacement Units
- Equipment logistics
- 24 Hour Emergency Service



BESTLINE.COM • 1-800-679-BEST

# BEST LINE EQUIPMENT

RENTAL | SALES | SERVICE | PARTS



**MUNCY, PA** (800)  
185 Lupton Rd.  
Muncy, PA 17754  
(717) 545-8432

**TOWANDA, PA** (814)  
185 Towanda Rd. (State Rte 220)  
Towanda, PA 16864  
(717) 255-4242

**STATE COLLEGE, PA** (814)  
140 Houshiser Industrial Drive  
State College, PA 16803  
(814) 337-0050

**UNIONTOWN, PA** (717)  
2055 University Drive  
Uniontown, PA 15405  
(717) 437-5478

**MECHANICSBURG, PA** (717)  
3400 East Third Street  
Mechanicsburg, PA 17055  
(717) 667-1111

**KEYPORT, NJ** (732)  
275 Clark Street  
Keyport, NJ 07735  
(732) 354-5625

**ALLENTOWN, PA** (610)  
1315 Hamilton Road  
Allentown, PA 18104  
(610) 425-2814

**BEREA, PA** (412)  
10000 Woodmont  
101 Ford Rd.  
Berea, PA 15005  
(412) 427-0000

**WARMINSTER, PA** (610)  
1000 Louis Drive  
Warminster, PA 18954  
(610) 674-0000

**WEST CHESTER, PA** (610)  
715 South Downing Street  
West Chester, PA 19380  
(610) 421-3531

**SHIPPENSBURG, PA** (717)  
1000 Peckham Hollow Road  
Shippensburg, PA 17157  
(717) 534-8400

**JESSUP, MD** (301)  
8356 Washington Blvd.  
Jessup, MD 20794  
(301) 761-4750

**HARRISBURG, PA** (717)  
6700 Marktown Boulevard  
Harrisburg, PA 17110  
(717) 540-0800

**SHIPPENSBURG, PA** (717)  
1000 Peckham Hollow Road  
Shippensburg, PA 17157  
(717) 534-8400

**FIELD-TEC SERVICES** (717)  
1000 Lingo Bluff Road  
Muncy, PA 17755  
(717) 545-0800

BEST PLACES   
to work in

WWW.BESTLINE.COM | 1-800-679-BEST